

09/970944

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

B1

(43) International Publication Date
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number
WO 00/73328 A2(51) International Patent Classification⁷: C07K 14/00

(21) International Application Number: PCT/EP00/05108

(22) International Filing Date: 2 June 2000 (02.06.2000)

(25) Filing Language: English


(26) Publication Language: English

(30) Priority Data:
9912755.7 1 June 1999 (01.06.1999) GB(71) Applicant (for all designated States except US): DEV-
GEN NV [BE/BE]; Technologiepark 9, B-9052 Zwij-
naarde (BE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): VAN CRIEKINGE,
Wim [BE/BE]; Devgen NV, Technologiepark 9, B-9052
Zwijnaarde (BE). ROELENS, Ingele [BE/BE]; Dev-
gen NV, Technologiepark 9, B-9052 Zwijnaarde (BE).
BOGAERT, Thierry [BE/BE]; Devgen N.V., Technolo-
giepark 9, B-9052 Zwijnaarde (BE). VERWAERDE,
Phillipe [FR/BE]; Devgen NV, Technologiepark 9, B-9052
Zwijnaarde (BE).(74) Agent: BAVERSTOCK, Michael, George, Douglas;
Boult Wade Tennant, Verulam Gardens, 70 Gray's Innroad,
London WC1X 8BT (GB).(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE,
DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS,
LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ,
PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT,
TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— Without international search report and to be republished
upon receipt of that report.For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

WO 00/73328 A2

(54) Title: UNC-5 CONSTRUCTS AND SCREENING METHODS

(57) Abstract: The invention provides novel splice variants of the human unc-5c cDNA and a novel human unc-5HS1 cDNA se-
quence. Also provided are assays based on protein-protein interactions between the UNC-5 protein and a variety of different inter-
acting proteins.

UNC-5 constructs and screening methods

The present invention is concerned with *unc-5*, a conserved animal gene family that encodes proteins implicated in directional cell behaviour. In particular, the invention is concerned with novel splice variants of the human *unc-5C* cDNA and a novel human *unc-5HS1* cDNA sequence. In addition, assays are provided based on protein-protein interactions between the UNC-5 protein and a variety of different interacting proteins.

Unc-5 is a conserved animal gene family that encodes proteins implicated in directional cell behaviour. The *unc-5* gene of the nematode worm *Caenorhabditis elegans* (*C. elegans*) is known to be involved in dorsal migration in contrast to *unc-40* which is involved in ventral migrations (Hedgecock et al., Neuron Vol. 2; 61-85, 1990). Both the *unc-5* and *unc-40* genes are associated with the netrin *unc-6*, and all three genes play a dominant role in directional neuronal outgrowth .

The *C. elegans unc-5* gene encodes a 919 amino acid transmembrane receptor with two immunoglobulin and two thrombospondin type I extracellular domains (Leung-Hagesteijn et al., Cell Vol. 71:289-299, 1992). Ectopic overexpression of *unc-5* in the *C. elegans* touch neurons resulted in dorsal steering of these, instead of the normal ventral elongation of these neurons (Hamelin et al., Nature, 364:327-330, 1993).

Several vertebrate homologues of *unc-5* have been cloned including the *Rattus norvegicus unc5H1* and *unc5H2* (Leonardo et al., Nature Vol. 386:833-838, 1997), a *Mus musculus* homologue designated *rcm* (Ackerman et al, Nature Vol. 386:838-842, 1997) and a human homologue *unc5C* (Ackerman et al., Genomics Vol. 52:205-208, 1998).

- 2 -

The intracellular part of the UNC-5 proteins contains a ZO-1 domain. Such domains are known to be involved in tight junction biology. Furthermore UNC-5 proteins contain a death domain. So far this is the only protein found in *C. elegans* that harbors such a death domain. Death domains are involved in the apoptotic process. In this process, caspases play an important role. The human UNC-40 homologue DCC, a protein also known involved in axonal outgrowth, is a caspase-3 substrate (Mehen et al., Nature 395:801-804, 1998).

The present inventors have identified three previously unknown variant *unc-5C* cDNAs. These variant cDNAs correspond to alternatively spliced *unc-5C* transcripts.

Accordingly, in a first aspect provides a protein which comprises the amino acid sequence set forth in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6 or an amino acid sequence which differs from that shown in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6 only in conservative amino acid changes.

Also provided by the invention are nucleic acid sequences which encode the proteins of the invention.

Also provided by the invention are a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 1, a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 3 and a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 5.

The splice variants of human *unc-5C* were cloned by PCR technology. Two primers were developed to amplify the intracellular part of the *unc-5C*. Human Brain cDNA was used for this purpose. Three new splice variants of human *unc-5C* were characterized. A schematic representation of these splice variants is given in Figure 5.

The first splice variant (designated *unc-5Cb*) has

- 3 -

a deletion of an intron in the UP region. The nucleotide sequence of a partial unc-5Cb cDNA is set forth in SEQ ID NO: 1 and the corresponding amino acid sequence is set forth in SEQ ID NO: 2. The splice of this intron results in a UNC-5Cb protein which is considerably shorter than the previously known UNC-5C, as the coding frame is not maintained. This protein is truncated for the DD domain and for the major part of the UP domain.

The second splice variant (designated unc-5Cc) is deleted by an intron in the ZO-1 region, also resulting in a shorter protein than the previously known UNC-5C, as the coding frame is not maintained. The nucleotide sequence of a partial UNC-5Cc cDNA is set forth in SEQ ID NO: 3 and the corresponding amino acid sequence is shown in SEQ ID NO: 4. The resulting protein (UNC-5Cc) is truncated for the DD domain, the UP domain and a part of the ZO-1 domain.

The third splice variant (unc-5C8) is deleted by a small intron in the ZO-1 domain, but the coding frame is maintained. This results in a slightly smaller protein (UNC-5C8), wherein only the amino acid sequence coded by the spliced intron is truncated. The nucleotide sequence of a partial UNC-5C8 cDNA is set forth in SEQ ID NO: 5 and the corresponding amino acid sequence is shown in SEQ ID NO: 6.

The presence of various splice variants of unc-5C in the human brain indicated that the activity of UNC-5C is tightly regulated.

The inventors have also identified a human unc-5 cDNA which shares homology with the *Rattus norvegicus* unc-5H1 cDNA.

Accordingly, in a further aspect the invention provides a nucleic acid molecule comprising the sequence of nucleotides set forth in SEQ ID NO: 7.

Whilst performing yeast two hybrid experiments to identify proteins which interact with the human UNC-5C

protein the inventors identified a number of heretofore unknown human cDNAs which encode proteins which interact with human UNC-5C.

Accordingly, the invention further provides a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 56 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 57, a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 54 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 55, a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 61 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 62 and a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 63 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 64.

The nucleic acid molecules according to the invention may, advantageously, be included in a suitable expression vector to express the proteins encoded therefrom in a suitable host. Incorporation of cloned DNA into a suitable expression vector for subsequent transformation of said cell and subsequent selection of the transformed cells is well known to those skilled in the art as provided in Sambrook et al. (1989), molecular cloning, a laboratory manual, Cold Spring Harbour Laboratory Press.

An expression vector according to the invention includes a vector having a nucleic acid according to the invention operably linked to regulatory sequences, such as promoter regions, that are capable of effecting expression of said DNA fragments. The term "operably linked" refers to a juxtaposition wherein the components described are in a relationship permitting them to function in their intended manner.

- 5 -

Such vectors may be transformed into a suitable host cell to provide for expression of a protein according to the invention. Thus, in a further aspect, the invention provides a process for preparing proteins according to the invention which comprises cultivating a host cell, transformed or transfected with an expression vector as described above under conditions to provide for expression by the vector of a coding sequence encoding the protein, and recovering the expressed protein.

The vectors may be, for example, plasmid, virus or phage vectors provided with an origin of replication, and optionally a promoter for the expression of said nucleotide and optionally a regulator of the promoter. The vectors may contain one or more selectable markers, such as, for example, an antibiotic resistance.

Regulatory elements required for expression include promoter sequences to bind RNA polymerase and to direct an appropriate level of transcription initiation and also translation initiation sequences for ribosome binding. For example, a bacterial expression vector may include a promoter such as the lac promoter and for translation initiation the Shine-Dalgarno sequence and the start codon AUG. Similarly, a eukaryotic expression vector may include a heterologous or homologous promoter for RNA polymerase II, a downstream polyadenylation signal, the start codon AUG, and a termination codon for detachment of the ribosome. Such vectors may be obtained commercially or be assembled from the sequences described by methods well known in the art.

Nucleic acid molecules according to the invention may be inserted into the vectors described in an antisense orientation in order to provide for the production of antisense RNA. Antisense RNA or other antisense nucleic acids, including antisense peptide

- 6 -

nucleic acid (PNA), may be produced by synthetic means.

In accordance with the present invention, a defined nucleic acid includes not only the identical
5 nucleic acid but also any minor base variations including in particular, substitutions in cases which result in a synonymous codon (a different codon specifying the same amino acid residue) due to the degenerate code in conservative amino acid
10 substitutions. The term "nucleic acid sequence" also includes the complementary sequence to any single stranded sequence given regarding base variations.

The nucleic acid sequences according to the invention may be produced using recombinant or
15 synthetic techniques, such as for example using PCR which generally involves making a pair of primers, which may be from approximately 10 to 50 nucleotides to a region of the gene which is desired to be cloned, bringing the primers into contact with cDNA, or
20 genomic DNA from a human cell, performing a polymerase chain reaction under conditions which brings about amplification of the desired region, isolating the amplified region or fragment and recovering the amplified DNA. Generally, such techniques are well
25 known in the art, such as described in Sambrook et al. (Molecular Cloning: a Laboratory Manual, 1989).

The nucleic acids according to the invention may carry a revealing label. Suitable labels include radioisotopes such as ^{32}P or ^{35}S , enzyme labels or
30 other protein labels such as biotin or fluorescent markers. Such labels may be added to the nucleic acids or oligonucleotides of the invention and may be detected using known techniques *per se*.

The protein according to the invention includes
35 all possible amino acid variants encoded by the nucleic acid molecule according to the invention including a protein encoded by said molecule and

- 7 -

having conservative amino acid changes. Proteins or polypeptides according to the invention further include variants of such sequences, including naturally occurring allelic variants which are substantially homologous to said proteins or polypeptides. In this context, substantial homology is regarded as a sequence which has at least 70%, preferably 80 or 90% and preferably 95% amino acid homology with the proteins or polypeptides encoded by the nucleic acid molecules according to the invention. The protein according to the invention may be recombinant, synthetic or naturally occurring, but is preferably recombinant.

A further aspect of the invention provides a host cell or organism, transformed or transfected with an expression vector according to the invention. The host cell or organism may advantageously be used in a method of producing protein, which comprises recovering any expressed protein from the host or organism transformed or transfected with the expression vector.

According to a further aspect of the invention there is also provided a transgenic cell, tissue or organism comprising a transgene capable of expressing a protein according to the invention. The term "transgene capable of expressing" as used herein encompasses any suitable nucleic acid sequence which leads to expression of proteins having the same function and/or activity. The transgene, may include, for example, genomic nucleic acid isolated from human cells or synthetic nucleic acid, including DNA integrated into the genome or in an extrachromosomal state. Preferably, the transgene comprises the nucleic acid sequence encoding the proteins according to the invention as described herein, or a functional fragment of said nucleic acid. A functional fragment of said nucleic acid should be taken to mean a

fragment of the gene comprising said nucleic acid coding for the proteins according to the invention or a functional equivalent, derivative or a non-functional derivative such as a dominant negative mutant, or bioprecursor of said proteins.

The protein expressed by said transgenic cell, tissue or organism or a functional equivalent or bioprecursor of said protein also forms part of the present invention. Recombinant proteins may be recovered and purified from host cell cultures by methods known in the art, including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose, chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxyapatite chromatography and lectin chromatography.

The protein of the present invention may be a naturally purified product, or a product of chemical synthetic procedures, or produced by recombinant techniques from a prokaryotic or eukaryotic host (for example, by bacterial yeast, higher plant, insect and mammalian cells in culture). Depending upon the host employed in a recombinant production procedure, the expressed protein may lack the initiating methionine residue as a result of post-translational cleavage. Proteins which have been modified in this way are also included within the scope of the invention.

In a still further aspect the invention provides an antibody capable of specifically binding to a protein according to the invention. Preferably the antibody is capable of specifically binding to a protein comprising the sequence of amino acids set forth in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6. An antibody according to the invention may be raised according to standard techniques well known to those skilled in the art by using the protein of the

- 9 -

invention or a fragment or single epitope thereof as the challenging antigen.

5 A further aspect of the invention comprises a nucleic acid capable of hybridising to the nucleic acids according to the invention, and preferably capable of hybridising to the sequence of nucleotides set forth in SEQ ID NO: 54, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63 or SEQ ID NO: 64, under high stringency
10 conditions. Conditions of stringency are well known to those skilled in the art.

Stringency of hybridisation as used herein refers to conditions under which polynucleic acids are stable. The stability of hybrids is reflected in the
15 melting temperature (T_m) of the hybrids. T_m can be approximated by the formula:

$$81.5^{\circ}\text{C} + 16.6(\log_{10}[\text{Na}^+] + 0.41 (\% \text{G\&C}) - 600/l$$

20 wherein l is the length of the hybrids in nucleotides. T_m decreases approximately by 1-1.5°C with every 1% decrease in sequence homology.

The nucleic acid capable of hybridising to nucleic acid molecules according to the invention will
25 generally be at least 70%, preferably at least 80 or 90% and more preferably at least 95% homologous to the nucleotide sequences according to the invention.

The present invention also advantageously provides oligonucleotides consisting essentially of at
30 least 10 consecutive nucleotides of a nucleic acid according to the invention and preferably from 10 to 50 consecutive nucleotides of a nucleic acid according to the invention, in particular a nucleic acid comprising the sequence of nucleotides shown in SEQ ID
35 NO: 54, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63 or SEQ ID NO: 64. These oligonucleotides may, advantageously be

- 10 -

used as probes or primers to initiate replication, or the like. Oligonucleotides having a defined sequence may be produced according to techniques well known in the art, such as by recombinant or synthetic means.

5 They may also be used in diagnostic kits or the like for detecting the presence of a nucleic acid according to the invention. These tests generally comprise contacting the probe with the sample under hybridising conditions and detecting for the presence of any
10 duplex or triplex formation between the probe and any nucleic acid in the sample.

To address the functional role of UNC-5 within the cell the inventors used the yeast two hybrid method (Fields and Song, Nature 340:245, 1989), a
15 method well known to molecular biologists, both to investigate the ability of UNC-5 to form dimers and to search for proteins that interact with the UNC-5 protein. Using the two hybrid approach the inventors were able to demonstrate that UNC-5 is capable of
20 forming homodimers and identified a number of proteins which interact with the intracellular domains of the *C. elegans* unc-5 or human UNC-5 proteins. These newly identified protein-protein interactions involving UNC-5 may represent important events in cellular
25 signalling, hence compounds which disrupt these interactions may potentially have useful pharmacological properties.

Accordingly, in a further aspect the invention provides a method of identifying compounds which are
30 capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

providing a host cell containing a DNA
35 construct comprising a reporter gene operatively linked to a promoter regulated by a transcription factor having a DNA binding domain and an

- 11 -

activating domain;

expressing in said host cell a first hybrid DNA sequence encoding a first fusion protein comprising an UNC-5 protein or a fragment thereof fused in-frame to either the DNA binding domain or the activating domain of the said transcription factor;

expressing in said host cell a second hybrid DNA sequence encoding a second fusion protein comprising an interacting protein or a fragment thereof fused in-frame to either the DNA binding domain or the activating domain of the said transcription factor, such that when the first fusion protein comprises the activation domain of the said transcription factor the second fusion protein comprises the DNA binding domain of the said transcription factor and when the first fusion protein comprises the DNA binding domain of the transcription factor the second fusion protein comprises the activation domain;

contacting the host cell with a sample of the compound under test; and

detecting any binding of the UNC-5 protein or fragment thereof to the interacting protein or fragment thereof by detecting the production of any reporter gene product in the said host cell.

The method of the invention is based upon the standard two hybrid assay well known in the art. Preferably the host cell is a yeast cell. Protocols for performing a yeast two hybrid assay are well known in the art and are given in the Examples included herein.

As would be readily apparent to persons skilled in the art, the assay can be performed in either orientation. That is to say, the assay can be performed using an UNC-5 protein or a fragment thereof

- 12 -

fused to the DNA binding domain of the transcription factor and the interacting protein or fragment thereof fused to the activation domain of the transcription factor or alternatively the assay can be performed using an UNC-5 protein or a fragment thereof fused to the activation domain of the transcription factor and the interacting protein or fragment thereof fused to the DNA binding domain of the transcription factor.

The above-described method based on the classical yeast two hybrid system can be used to screen for compounds that inhibit or enhance the interaction between two proteins. In addition, other systems have been developed to screen for dissociation events, these methods are designated reverse hybrid methods. These systems make use of yeast strains in which the expression of interacting hybrid proteins increases the expression of a counter-selectable marker that is toxic under particular conditions. Under these conditions, dissociation of an interaction provides a selective advantage, thereby facilitating detection: A few growing yeast colonies in which hybrids fail to interact can be identified among millions of non-growing colonies expressing interacting proteins. Several reverse hybrid systems are known in the art.

The first reverse two-hybrid system utilizes a yeast strain, which is resistant to cycloheximide due to the presence of a mutant CYH2 gene. This strain also contains the wild-type CYH2 allele under the transcriptional control of the GAL1 promoter.

Expression of the wild-type GAL4 protein is sufficient to restore growth sensitivity to cycloheximide. Growth sensitivity towards cycloheximide is also restored by the co-expression of the avian c-Rel protein and its I κ B- α counterpart, p40, as GAL4 fusion proteins.

Restoration of growth sensitivity towards cycloheximide requires the association of c-REL and p40 at the GAL1 promoter and correlates with the

- 13 -

ability of the c-REL/p40 interaction to activate expression from the GAL1 promoter (Leanna and Hannink, 1996, NAR 24:3341-3347)

5 Another reverse hybrid system makes use of the most widely used counter-selectable marker in yeast genetics, URA3, which encodes orotidine-5'-phosphate decarboxylase, an enzyme required for the biosynthesis of uracil. Yeast cells that contain wild-type URA3, either on a plasmid or integrated in the genome, grow
10 on media lacking uracil (URA3+ phenotype). However, the URA3-encoded decarboxylase can also catalyze the conversion of a non-toxic analogue, 5-fluoroorotic acid (FOA) into a toxic product, 5-fluoroacil (Boeke et al., 1984, Mol. Gen. Genet. 197:345-346). Hence
15 mutations that prevent an interaction can be selected from large libraries of randomly mutated alleles. Similarly, molecules that dissociate or prevent an interaction could be selected from large libraries of peptides or compounds (Vidal et al., 1996, PNAS
20 93:10315-10320; Vidal et al., 1996, PNAS 93:10321-10326).

A third reversed yeast two hybrid is based on the use of GAL80 gene as relay gene. GAL80 encodes a protein that binds to and masks the activation domain
25 of a transcriptional activator, such as GAL4. The reporter genes, which will provide the transcriptional read-out (i.e. HIS3 or LACZ), are dependent upon the functional GAL4 for expression. Only when the level of GAL80 masking protein is reduced by interfering with
30 the two-hybrid interaction will Gal4 function as a transcriptional activator, providing a positive transcriptional read-out for molecules that inhibit the two-hybrid protein-protein interaction. An important feature of this reverse two-hybrid system is
35 that the basal level and the half-time of the relay protein, GAL80, can be fine-tuned to provide maximum sensitivity (Powers and Erickson, 1996, WO95/26400).

- 14 -

The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

5 providing a transgenic cell or organism expressing a first fusion protein comprising an UNC-5 protein or a fragment thereof fused in-frame to a first genetically encoded fluorophore and a second fusion protein comprising an
10 interacting protein or a fragment thereof fused in-frame to a second genetically encoded fluorophore, the first and second fluorophores being characterised in that the emission spectrum
15 of one of the fluorophores overlaps with the absorption spectrum of the other fluorophore;

measuring the amount of fluorescence emitted from the fluorophore having an emission spectrum which overlaps with the absorption spectrum of
20 the other fluorophore;

exposing the transgenic cell or organism to a compound under test; and

25 detecting any change in the amount of fluorescence emitted from the fluorophore having an emission spectrum which overlaps with the absorption spectrum of the other fluorophore.

This method uses fluorescence energy transfer or
30 FRET, a technique well known in the art for the detection and quantitative measurement of a whole range of specific binding interactions in biological systems, to screen for compounds which modulate the binding of UNC-5 or a fragment thereof to an
35 interacting protein. The general principles of FRET are as follows: one component of a binding pair is labelled with a first fluorophore (hereinafter

- 15 -

referred to as the donor fluorophore) and a second component of the binding pair is labelled with a second fluorophore (hereinafter referred to as the acceptor fluorophore).

5 It is an essential feature of the FRET technique that the fluorescence emission spectrum of the donor fluorophore overlaps with the absorption spectrum of the acceptor fluorophore, such that when the two components of the binding pair bind to each other,
10 bringing the donor and acceptor fluorophores into close proximity, a proportion of the fluorescent signal emitted by the donor fluorophore (following irradiation with incident radiation of a wavelength absorbed by the donor fluorophore) will be absorbed by
15 the proximal acceptor fluorophore (a process known in the art as fluorescence energy transfer) with the result that a proportion of the fluorescent signal emitted by the donor fluorophore is quenched and, in some instances, that the acceptor fluorophore emits
20 fluorescence. Fluorescence energy transfer will only occur when the donor and acceptor fluorophores are brought into close proximity by the specific binding reaction. Thus, in the presence of a compound which disrupts the specific binding, the amount of quenching
25 is reduced resulting in an increase in the intensity of the fluorescent signal emitted by the donor fluorophore or a fall in the intensity of the signal emitted by the acceptor fluorophore).

30 The method of the invention is an *in vivo* FRET assay because it is performed in a transgenic host cell or organism. The transgenic cell can be any mammalian cell line, the transgenic organism is preferably *C. elegans*.

35 The method of the invention uses genetically encoded donor and acceptor fluorophores which can be expressed as fusion proteins fused in frame to the UNC-5 protein and the interacting protein. This can

- 16 -

be readily accomplished by transforming or transfecting the cell or organism with appropriate expression vectors arranged to express the fusion proteins.

In a preferred embodiment the genetically encoded donor and acceptor proteins are variant green fluorescent proteins which exhibit different fluorescent properties and which have suitably overlapping emission/absorption spectra, such as EGFP (enhanced green fluorescent protein) and EBFP (enhanced blue fluorescent protein). As would be readily apparent to persons skilled in the art, the FRET assay can be performed in either orientation. That is to say, the assay can be carried out using UNC-5 fused to the donor fluorophore and the interacting protein fused to the acceptor fluorophore or using UNC-5 fused to the acceptor fluorophore and the interacting protein fused to the donor fluorophore.

The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

providing a first reaction component comprising a first protein linked to a solid support containing a scintillant and a second reaction component comprising a second protein which has been radioactively labelled, wherein the first and second proteins are an UNC-5 protein or a fragment thereof and an interacting protein or a fragment thereof;

bringing the first and second reaction components into contact in an aqueous solution in the presence of a compound under test; and detecting binding of the first protein to

- 17 -

the second protein by detecting light emission from the scintillant.

The above method is based on the scintillation proximity assay (SPA™) developed by Amersham and commonly used in automated high throughput screening. In order to perform this assay a first interacting protein (e.g. an UNC-5 protein) must be linked onto a bead containing a scintillant. Linking of the protein to the beads can be carried out in many different ways, including, for example, via biotin-streptavidin affinity binding. Streptavidin-SPA beads are commercially available from Amersham and the interacting protein can easily be biotinylated *in vitro* or expressed as a biotinylated fusion protein using techniques known in the art. The second interacting protein (e.g. a protein known to interact with UNC-5) is labelled with radioactivity. This can be achieved, for example, by synthesising the second interacting protein by *in vitro* translation and incorporating a tritiated precursor amino acid. The SPA™ assay protocol is then as follows:

SPA beads linked to the first interacting protein are incubated for 30 minutes to one hour with a sample containing the radioactively labelled second interacting protein. Upon binding of the two interacting proteins, the radioactivity emitted by the labelled protein is brought into close proximity with the bead containing scintillant and therefore induces light emission from the scintillant. The free labelled protein in sample (non-bound) will not be held in sufficiently close proximity to the beads to induce light emission. Compounds which disrupt the binding of the first and second interacting proteins will cause a decrease in the amount of light emitted during the experiment.

As would be readily apparent to persons skilled

- 18 -

in the art the assay can be carried out using UNC-5
linked to the solid support containing scintillant and
a radioactively labelled interacting protein or using
an interacting protein linked to the solid support
5 containing scintillant and a radioactively labelled
UNC-5.

The invention further provides a method of
identifying compounds which are capable of inhibiting
10 or enhancing the binding of an UNC-5 protein to an
interacting protein previously identified as binding
to the said UNC-5 protein, which method comprises:

coating the wells of a microtiter plate with
UNC-5 protein or a fragment thereof;

15 contacting the UNC-5 protein or fragment
thereof with an aqueous solution comprising an
interacting protein or a fragment thereof, said
interacting protein being labelled with a tag
which is directly or indirectly detectable, and a
20 compound under test;

washing to remove the compound under test
and any unbound tagged interacting protein; and

25 detecting complexes of UNC-5 or a fragment
thereof bound to the interacting protein or a
fragment thereof by directly or indirectly
detecting the presence of the tag.

This method of the invention uses an ELISA type
approach to screen for compounds which disrupt binding
30 between Unc-5 and a protein known to interact with
UNC-5. In these experiments, the wells of a microtiter
plate are coated with the UNC-5 protein or fragments
thereof. A sample containing both the compound under
test and a protein known to interact with UNC-5 (or a
35 fragment of the protein which is still capable of
binding to UNC-5) is then added to the wells and the
plates are incubated to allow time for specific

binding of UNC-5 to the interacting protein. The
interacting protein (or fragment thereof) is labelled
with a tag which is directly or indirectly detectable,
typically a fluorescent molecule such as GFP, or a tag
5 which is detectable by specific antibody binding, such
as a His-tag or GST-tag. Many other tag molecules
which are equally suitable for this purpose are known
in the art and are available commercially. The wells
are then washed to remove the compound and any
10 interacting proteins which remain unbound. Any
interacting protein which has become bound to UNC-5 is
not removed by the washing step and can be detected
via the directly or indirectly detectable tag. If the
interacting protein is labelled with a GFP tag, then
15 bound proteins are detected by measuring GFP
fluorescence; if the interacting protein is labelled
with a His-tag or a GST tag, bound proteins are
detected with immunological techniques, using an
antibody of the appropriate specificity.

20 Compounds which disrupt the binding of UNC-5 to
the interacting protein will result in more of the
protein remaining unbound, hence less protein will be
detected after the washing step.

25 The invention further provides a method of
identifying compounds which are capable of inhibiting
or enhancing the binding of an UNC-5 protein to an
interacting protein previously identified as binding
to the said UNC-5 protein, which method comprises:

30 exposing a cell or organism expressing UNC-5
and overexpressing nucleic acid encoding an
interacting protein to the compound under test;
and

35 screening for reversion of the
overexpression phenotype of the cell or organism
to wild-type.

- 20 -

Over-expression of genes encoding for proteins which interact with UNC-5 in a cell line or in *C. elegans* results in an over-expression phenotype.

5 Assays to select for compounds that inhibit the interaction of UNC-5 and its interacting proteins can therefore be performed in cell lines or *C. elegans* by exposing cells or worms exhibiting an over-expression phenotype to the compound under test and screening for a 'reduction' of the over-expression phenotype (i.e.
10 screening for a reversion to wild-type).

Over-expression of proteins which interact with unc-5 in *C. elegans* typically results in neuronal outgrowth phenotypes, distal tip cell outgrowth phenotypes, and other aberrant outgrowth of various
15 tissues and cells. These phenotypes can be easily monitored by expressing reporter genes, such as fluorescent proteins in these cells. Reduction of the phenotype induced by the over-expression can then be monitored by visual inspection.

20 Simple assays have been developed to screen for compounds which cause reversion of the over-expression phenotype in cell lines. As Unc-5 receives signals from the netrins, over-expression of proteins which interact with unc-5 typically causes phenotypic
25 changes in neuronal outgrowth and cell movement. Accordingly, the step of screening for reduction of the over-expression phenotype can be performed using a laminin assay, a netrin response assay and assays using agarose concentration gradients, a boyden
30 chamber or stratified layers (see Gundersen, R. W., Dev. Biol., 1987, 121(2): 423-431; Klostermann, S. and Bonhoeffer, F., 1996, 4: 237-252). In general, these methods are based upon providing attractants or repellants for axonal guidance in a controlled manner.
35 The way the cells react to these attractants and repellants forms the basis of the assay. In the Boyden chamber (upper and lower chambers separated by

- 21 -

a filter barrier) one typically cultivates cells in the upper chamber and measures how the cells grow through the filter. The agarose approach allows the establishment of gradients to which the cells react by forming specific patterns.

The above-listed methods are all based upon novel interactions between an UNC-5 protein and proteins shown to physically interact with the UNC-5 protein. In preferred embodiments, the UNC-5 protein is a *C. elegans* UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or UNC-5HS1.

The methods of the invention can also be carried out using fragments of the UNC-5 protein which retain the ability to bind to the interacting protein. Preferably the fragment comprises the intracellular portion of the protein. Various sub-domains of the intracellular portion of the protein or combinations thereof can also be used.

As used herein the term "interacting protein" encompasses any protein which has been demonstrated to interact with an UNC-5 protein. The interacting protein can be a second UNC-5 protein as the examples included herein demonstrate the ability of UNC-5 to form homodimers. The interacting protein can also be a protein identified as interacting with UNC-5 in a yeast two hybrid experiment. A list of proteins identified as interacting with *C. elegans* UNC-5 or human UNC-5 in a yeast two hybrid experiment is given in the Example 4, below. Any of these proteins, or fragments thereof which retain a functional UNC-5 binding site, can be used in the methods of the invention in combination with the appropriate UNC-5 protein or a fragment thereof.

As would be readily apparent to persons skilled

- 22 -

in the art, the UNC-5 signalling pathway is highly conserved across species. Hence it is to be expected that for every interacting protein identified in the yeast two hybrid experiments described in the Examples given herein a homologous interacting protein will be found in other species. For example, for every interacting protein found in *C. elegans* to interact with the *C. elegans* unc-5 protein it is expected that a homologous interacting protein will be found in humans and will interact with a human UNC-5 protein, and vice versa for interacting proteins first identified in humans. Accordingly, it is within the scope of the invention to perform the methods described above with "homologous combinations" of UNC-5 proteins and interacting proteins and even with cross-species combinations e.g. *C. elegans* unc-5 and a human interacting proteins, human UNC-5 and a human homologue of an interacting protein identified in *C. elegans*; *C. elegans* unc-5 and a human homologue of an interacting protein identified in *C. elegans*; *C. elegans* unc-5 and a human interacting protein etc. Lists of homologues of the *C. elegans* and human interacting proteins identified in the yeast two hybrid study are given in the Examples included herein.

In a still further aspect the invention provides a method of identifying compounds which reduce or inhibit the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

exposing a yeast cell containing an expression vector comprising nucleic acid encoding an UNC-5 protein or a fragment thereof comprising the death domain to a compound under test;

- 23 -

allowing the yeast cells to grow in the presence of the compound; and

screening for a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast.

The UNC-5 protein used in the method of the invention is preferably a *C. elegans* UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or UNC-5HS1.

In a still further aspect the invention provides a method of identifying suppressers of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

transfecting yeast cells containing an expression vector comprising nucleic acid encoding an UNC-5 protein or a fragment thereof comprising the death domain with a cDNA library cloned in a yeast expression vector;

allowing the transfected yeast cells to grow for one or more cell divisions; and

screening for reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast.

Optionally, the method further comprises the steps of:

identifying a transfected yeast cell exhibiting a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast; and

isolating the cDNA clone(s) present in the transfected yeast cell which is/are responsible for conferring reduction or inhibition of the lethal phenotype.

- 24 -

Again, the UNC-5 protein is preferably a *C. elegans* UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or
5 UNC-5HS1. The cDNA library is preferably a *C. elegans* cDNA library or a human cDNA library.

10 The invention will be further understood with reference to the following experimental examples, together with the accompanying Figures in which:

15 Figure 1 shows a sequence alignment of the known human unc-5C cDNA sequence and the three novel alternative splice variants of unc-5C. The region of alignment corresponds to the portion of the cDNA which encodes the intracellular domains of unc-5C.

20 Figure 2 shows a multiple alignment of unc-5H1 genes. ym97d12 is an EST clone containing a fragment of the unc-5HS1 cDNA, 3D is a fragment of the unc-5HS1 cDNA cloned by PCR in Example 2.

25 Figure 3 summarises the cloning of human unc-5C variants.

Figure 4 summarises the cloning of human unc-5HS1.

30 Figure 5 is a schematic representation of the human unc-5C splice variants.

35 Figure 6 shows an alignment between a fragment of the protein encoded by the cDNA fragment cloned in pYMP6 and the rat neurexin II-alpha-b cDNA.

Figure 7 shows an alignment between a fragment of the

- 25 -

protein encoded by the cDNA fragment cloned in pYMP17 and the mouse mena protein.

Figure 8 is a representation of the vector pGC1037.

Figure 9 is a representation of the vector pGC1003.

Example 1

Cloning of the human unc-5C splice variants.

Splice variants of human unc-5C were cloned, primary with RACE technology.

A 5' RACE was performed using the 5' RACE System for Rapid Amplification of cDNA Ends, Version 2.0 (GibcoBRL, Merelbeke, Belgium), according the instructions supplied by the manufacturer or with minor modifications thereof. The primers were based on the unc-5 EST ym97d12.

The first strand cDNA synthesis was performed with primer:

GSP1=oGC75: CGTAGCAGGCACTGGCCTCC

PCR of dC-tailed cDNA: was performed with the gene-specific primer:

GSP2=oGC76: GCACTGGCCTCCAGCTGGCAGTAG

and the RACE anchor primer supplied with the 5' RACE system.

The PCR Program was:

Step 1 94°C, 2 min

Step 2 94°C, 30 sec

Step 3 60°C, 30 sec

Step 4 72°C, 2 min

Repeat steps 2 to 4 for 35 cycles

Step 5 72°C, 7 min

Step 6 4°C

A nested PCR was performed with gene-specific primer:

GSP3=oGC77: AGTAGAGGTGGGAGGGCGCCTCCTCGCCCAG

- 26 -

and 5' RACE anchor primer

The PCR program was:

Step 1 92°C, 2 min

5 Step 2 92°C, 1 min

Step 3 68°C, 2 min

Repeat steps 2 and 3 for 35 cycles

Step 4 72°C, 7 min

Step 5 4°C

10 The resulting RACE products were visualised by electrophoresis on agarose gels, the bands excised and purified with Jetsorb (Genomed, Germany). The RACE products were ligated into plasmids pAS2 and pGEX-5X-3 with T4 DNA ligase (Amersham pharmacia biotech, NJ, USA), or into a TA cloning vector (Invitrogen, Groningen, the Netherlands). Plasmid DNA was purified prior to sequencing using the Qiagen plasmid purification system (Westburg, Leusden, The Netherlands).

20

Example 2

Cloning of a new human unc-5 gene.

Human Brain Poly A+ RNA was obtained from Clontech, California, USA and first strand cDNA synthesis performed with the Ready To Go T-Primed First-Strand Kit ((Amersham pharmacia biotech, NJ, USA).

25

Primers were:

for PCR1:

30 oGC56: CCGGAATTCCATATGTTAATACTGCCCTTCTGCTGCTAA

oGC66: GCGATCTCTGTAGTTGTGGCCTTG

PCR program was:

Step 1 94°C, 1 min

Step 2 53°C, 30 sec

35 Step 3 72°C, 2 min

Repeat steps 1 to 3 40 times

Step 4 72°C, 7 min

- 27 -

Step 5 4°C

for PCR2

oGC63: GGGAATTCCATATGTTGTTTGTGTATCGGAAGAATCATC

5 oGC64: ACGCGTCGACTTAATACTGCCCTTCTGCTGCTAAGGAC

oGC65: CCGGAATTCCTTGTTTGTGTATCGGAAGAATCATC

PCR program was:

Step 1 94°C, 5 min

Step 2 92°C, 30 sec

10 Step 3 55°C, 30 sec

Step 4 72°C, 2 min

Repeat steps 2 to 4 for 25 cycles

Step 5 72°C, 7 min

Step 6 4°C

15

The resulting PCR products were isolated, cloned and analysed as described in Example 1.

SEQ ID NO: 7 shows the sequence of a PCR product isolated using the above PCR strategy. This PCR product was designated clone 3D. Figure 2 shows an alignment between the *Rattus norvegicus* unc-5H1 cDNA sequence, the sequence of EST ym97d12, the sequence of clone 3D and the sequences of several other PCR products amplified using the above PCR strategy (1G, 1Jrc and 2Brc).

25

Example 3

Cloning of two of the fragments of UNC-5 for the dimerization experiment.

30

A PCR amplification was performed with following primers:

UNC5F: GGT GGT CAT ATG GCC ATG GAG TGC TGT AAA CGT GGC
AAT TCA AAA AAG

35

UNC5R: GGC TGC AGG TCG ACG CCC CGG GGC TTA TGG GGA CAC

- 28 -

AAT TTG TGG

Using the cDNA library used in the yeast two hybrid experiment (Example 4) as template.

PCR program was:

Step 1 94°C, 1 min

Step 2 53°C, 30 sec

Step 3 72°C, 2 min

Repeat steps 1 to 3 for 25 cycles

Step 4 72°C, 7 min

Step 5 4°C

The resulting PCR products were isolated and cloned in frame as NcoI/SalI fragments in the vectors pAS2 and pGAD424 supplied by Clontech (Palo Alto, California, USA).

Example 4

Yeast two Hybrid Experiments

To address the functional role of unc-5 the inventors used the yeast two hybrid method (Fields and Song, Nature 340:245, 1989), a method well known to molecular biologists, to search for the proteins that interact with the UNC-5 protein.

The two hybrid method is based on a pair of fusion proteins. The first fusion protein comprises a first of two interacting proteins fused to the transcriptional activation domain of a bipartite yeast transcription factor; the second fusion protein comprises the second of two interacting proteins fused to the DNA binding domain of the bipartite yeast transcription factor. The principle of the method is that if the two domains of the bipartite transcription factor are physically brought together by binding of the first and second interacting proteins then the

- 29 -

resulting complex will be able to activate transcription from a promoter which contains a target binding site for the transcription factor. The two hybrid assay is commonly used to study protein-protein interactions between two known proteins. It can also be used to screen a library of proteins to identify proteins which interact with a given protein. Both of these uses of the two hybrid system are well known to those skilled in the art.

In the present invention, the yeast two hybrid assay was used to identify proteins which interact with *C. elegans* UNC-5 or human UNC-5 as follows: the intracellular part of UNC-5 or parts thereof were cloned in fusion with the DNA-binding domain of the yeast transcription factor GAL4. A cDNA library was cloned into a vector containing the transcriptional activation domain of GAL4. The fusion proteins were then independently expressed together in yeast containing a reporter gene under the transcriptional control of a promoter containing GAL 4 binding sites (typically GAL1 lacZ or GAL1-HIS3).

Methods

(A) Construction of the *C. elegans* library and standard yeast two hybrid experiments.

Construction of *C. elegans* cDNA libraries, and yeast two hybrid experiments with *C. elegans* cDNA were performed as described by Elledge et al., Proc. Natl. Acad. Sci., 1991, 88:1731-1735, or using the Matchmaker™ maker system supplied by Clontech, California, USA according to the protocol supplied by the manufacturer, or by minor modifications of the above-described methods.

(B) A mating yeast two hybrid experiment.

Mating yeast two hybrid experiments were

- 30 -

performed using plasmid pGC1037 (a plasmid map of pGC1037 is shown in Figure 8 and the complete sequence of the plasmid is given in SEQ ID NO: 91) as bait, and a pre-transformed Human Brain MATCHMAKER cDNA library (Clontech, California, USA) according to the protocol supplied by the manufacture, or with minor modifications thereof.

In brief summary, the steps of the method are as follows:-

Inoculate 1 colony containing the bait plasmid into an overnight culture;

Mate the bait culture and the library culture (24 h);

Plate library mating mixtures;

Incubate for at least 8 days;

Streak big colonies onto SD-3 + 5mM AT-plates (+/- Nylon Membrane);

Stain yeast on Nylon membrane;

Prepare yeast DNA from the positives;

Perform restriction digest, if digest is successful perform backtransformation, using positive and negative controls;

Transform positives into MC1061 cells;

Prepare bacterial DNA using Qiagen Plasmid Mini Purification kit, according to the standard Qiagen protocol; and

Perform DNA sequencing.

All positives obtained in the yeast two hybrid screen were assayed for the specificity of the interaction (against empty vector and irrelevant proteins) using the two hybrid system.

(C) Double-stranded RNA inhibition-RNAi cloning isolation and injection.

Double stranded RNA for RNA inhibition experiments was prepared according to the MEGAscript

- 31 -

protocol (Ambion, UK). RNA isolated using this protocol was purified away from contaminants using the RNeasy system from Qiagen (Westburg, the Netherlands), following the instructions for RNA clean-up supplied
5 by the manufacturer. RNA was injected into the nematodes using standard procedures (Methods in Cell biology, Vol 48, Academic Press, 1995).

Results

10 (A) Auto-activation and dimerization experiments.

In a first series of experiments, the ability of the intracellular domain of *C. elegans* unc-5 or parts thereof to dimerize or to cause auto-activation was tested. Several plasmids were constructed harboring
15 the intracellular domains of unc-5 and parts thereof. Various domains of unc-5, including the membrane proximal part (MMP), the zonula occludens homology domain (ZO-1), the unknown part (UP) and the Death domain (DD) and were cloned in the vectors pAS2 and
20 pGAD424 (Matchmaker, Clontech, CA, USA). The resulting vectors are summarized in Table 1.

Several constructs containing the death domain were found to be either toxic or auto-activating. Furthermore, by performing homo-dimerization
25 experiments, it was found that the intracellular domain of UNC-5C is capable of forming a homo-dimer. Further experiments led to the conclusion that the ZO-1/UP region is probably responsible for the homo-dimerization. Membrane located signal receptors often
30 form homo- or hetero-dimers prior to intracellular signal transduction. Accordingly, it is postulated that dimer formation in UNC-5 could be a critical event in signalling. Based on a knowledge of this dimerization it is possible to develop assays to
35 screen for compounds which disrupt dimer formation and to identify *unc-5* mutants which are unable to dimerize.

- 32 -

The present inventors have found that in humans UNC-5 proteins may be encoded by at least three genes, the homologous genes *unc-5C*, *unc-5HS1*, *unc-5HS2*. As UNC-5 is an important receptor involved in a vast amount of biological processes, it is considered that more functional homologous genes or *unc-5* genes may present in the *Homo sapiens* genome. In addition, the expression of the *unc-5* gene does not result in the production of a single transcript. The expression of *unc-5C* locus can result in the production at least 4 isoforms as a result of alternative splicing events. It is possible that the other *unc-5* genes will also express splice variants, which may encode different protein isoforms. Any of these *unc-5* isoforms may form dimers, analogous to the homo-dimerisation found for *C. elegans* *unc-5*. Accordingly, assays can also be developed to screen for chemical substances that alter the dimerization of human *unc-5* proteins. Compounds identified using such an assay may have pharmacologically useful properties.

(B) Other receptor dimerizations.

It has been suggested that, in addition to UNC-6, UNC-129 also signals to the UNC-5 receptor (Colavita et al., Science 261:706-709). UNC-6 is also known to signal to UNC-40 (DCC). UNC-129 belongs to the TGF- β superfamily. TGF- β receptors, including DAF-1 and DAF-4, do not affect axonal guidance. Although new TGF- β receptors may be found that are involved in axonal guidance, it is more likely that the UNC-129 molecule is able to interact with TSP type I domains, which are present in UNC-5. Such interaction between TGF- β molecules and TSP Type I domains has been shown previously (Schultz-Cherry et al., 1994, J. Biol. Chem. 269, 26775). Furthermore UNC-129 is also involved in the UNC-40 pathway.

Recent studies have provided support for the idea

- 33 -

that the UNC-5 receptor induces switching of UNC-40 from attraction to repulsion (Mehlen et al., Nature 395:801-804, 1998). This suggests a linkage of Unc-5 to oncology since Unc-40 is related to vertebrate DCC (deleted in colorectal cancer), which is a candidate tumour-suppressor gene, and encodes a receptor for netrin-1 (UNC-6). The reversal from attraction towards repulsion in growth cone steering with the two receptors UNC-5 and UNC-40 can be explained by hetero-dimerization between UNC-5 and UNC-40. Such switching of function has also been observed in other biological processes. The UNC-40/UNC-5 interaction may function analogously to the Bax/Bcl-2 interaction involved in apoptosis. Bax can be considered as the protein that protects against apoptosis but the relative titre of both Bax and Bcl-2 in a cell may be important in the decision of cell death.

Given that UNC-5 is capable of forming homodimers, it is postulated that UNC-5 is also capable of forming heterodimers with UNC-40. The UNC-5/UNC-40 heterodimers may act as a functional receptor for UNC-6 and UNC-129. Assays to isolate compounds that influence the interaction between UNC-5 and UNC-40, both enhancing and inhibiting this interaction have therefore been developed. These assays are analogous to the assays as described to isolate compounds that influence the formation of the UNC-5 dimers and the assays for compounds that influence the interaction of UNC-5 with its other interacting proteins (see below).

(C) C. elegans UNC-5 interacting proteins

The intracellular part of UNC-5 containing the domains MPP, ZO-1 and UP cloned in vector pGC1003 (a plasmid map of pGC1003 is given in Figure 9 and the complete sequence of the plasmid is given in SEQ ID NO: 92) was used as 'bait' in a yeast two hybrid

- 34 -

experiment screening against a *C. elegans* cDNA library. These experiments resulted in the identification of ten genes, including three known genes and seven genes with heretofore unknown function, encoding proteins which specifically interact with the intracellular part of UNC-5. Details of the UNC-5 interacting proteins identified during the two hybrid screen are given below. In most cases, the results of double-stranded RNA inhibition experiments (RNAi) designed to inhibit expression of the interacting protein are also given. Where appropriate, details of human homologues of the interacting protein are also given and any known disease associations are discussed.

1) Spectrin β -chain / Fodrin β -chain (pC1025)

A first series of hits resulted in the identification of plasmid pC1025 which contains a fragment of a cDNA encoding the *C. elegans* spectrin β -chain/Fodrin. The spectrin β -chain protein is encoded by the gene K11C4.3, located on chromosome IV.

The full length cDNA and amino acid sequences of spectrin β -chain/Fodrin are shown in SEQ ID NOS: 11 and 12, respectively. The nucleotide sequence of the fragment of the spectrin β -chain cDNA which is cloned as an insert in plasmid pC1025 is given in SEQ ID NO: 13, the corresponding amino acid sequence is given in SEQ ID NO: 14.

RNAi experiments using a double-stranded RNA corresponding to the cDNA fragment cloned in pC1025 revealed that inhibition of the expression of the native spectrin β -chain in *C. elegans* worms causes the following phenotype: no embryonal lethality, normal canals, normal elongation, growth retardation and growth arrest at L1 and L2, nearly no movement but touch reflex is observed. The phenotype is 100% penetrant, and the larvea are short and wrinkled.

- 35 -

These RNAi phenotypes and the corresponding knock-out phenotype can be used as the basis of a compound screen in *C. elegans* to identify chemical substances that modulate the activity of the spectrin β -chain protein.

Human Fodrin (genbank accession number 2493434) contains an extra C-terminal PDZ domain that is not present in spectrin (genbank accession number 134798). The human fodrin seems to be more homologous to the *C. elegans* protein. This is in agreement with the finding that unc-5 is also expressed in the brain of vertebrates.

The interaction between UNC-5 and fodrin could be a critical event in a cell signalling, hence compounds which modulate the interaction between UNC-5 and fodrin, particularly the interaction between human UNC-5 and human fodrin, may potentially have pharmacological activity. Assays can also be developed to screen for genetic mutations that inhibit the interaction needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with fodrin and spectrin β -chain may be useful in the development of pharmaceutical preparations for the treatment of Crohn's disease, Sjogren's syndrome, secretion related diseases, diseases related to neutrophil and platelet activation, and long-term potential in neurons, Alzheimer's disease, proliferative diseases such as carcinomas, neoplasia, and more specifically, schwannomas, meningiomas, ependymomas, squamous cell carcinomas, malignant melanomas and lung carcinomas, spherocytosis, pyropoikilocytosis, Duchenne muscular dystrophy and various neurological disorders.

2) APR-1 (pC1028)

A second plasmid isolated in the yeast two hybrid

- 36 -

screen, pC1028, contained a fragment of a cDNA encoding APR-1.

The nucleotide sequence of the full length APR-1 cDNA is shown in SEQ ID NO: 15 and the amino acid sequence of the APR-1 protein encoded by this cDNA is shown in SEQ ID NO: 16. The nucleotide sequence of the fragment of the APR-1 cloned in pC1028 is shown in SEQ ID NO: 17, with the corresponding amino acid sequence shown in SEQ ID NO: 18.

RNAi experiments using a double-stranded RNA corresponding to the fragment cloned in pC1028 demonstrated that inhibition of APR-1 expression in *C. elegans* results in the following phenotype: more than 95% embryonic lethality, in 25% of cases this was due to the overproduction of pharyngeal tissue and lack of endoderm, and premature division of the E daughters (Rocheleau et al., Cell 90:707-716, 1997). Escapers (worms that survive) have abnormal gut cells. These RNAi phenotypes and the corresponding knock-out phenotype can be used as the basis of a compound screen in *C. elegans* to identify chemical entities that modulate the activity of APC (see below), and hence the unc-5 pathway.

Further yeast two hybrid experiments were performed in order to more precisely determine the position of the APR binding regions in UNC5, using the UNC5 domains MPP, ZO-1, UP and combinations thereof. APR-1 seemed to associate with two distinct regions in UNC5. First, APR-1 appears to bind to the MPP domain. Secondly, APR-1 appears to binding to the ZO-1/UP domain. APR-1 seems to bind less to the ZO-1 and UP domains when they are present alone and not in combination. A similar experiment was carried out using the *C. elegans* UNC-5 protein, and domains of human APC and analogous results were obtained. It is concluded that APC is capable of binding to two

- 37 -

distinct regions of UNC-5, the MPP and the ZO-1/UP domains.

5 The interaction between UNC-5 and APC/APR-1 could be a critical event in cellular signalling and hence compounds which modulate this interaction, particularly compounds which modulate an interaction between human UNC-5 and human APC, may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants can be identified that
10 inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with APR/APC may be useful in the development of pharmaceutical agents for the treatment of neurological diseases and colorectal cancers such
15 as adenomatous polyposis coli.

3) UNC-14 (pC1034)

A third plasmid identified during the yeast two hybrid screen using *C. elegans* UNC-5 as bait (pC1034)
20 was found to contain a fragment of the UNC-14 cDNA.

The nucleotide sequence of the full length UNC-14 cDNA is shown in SEQ ID NO: 19, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 20. The nucleotide sequence of the
25 fragment of the UNC-14 cDNA cloned as an insert in pC1034 is shown in SEQ ID NO: 21, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 22.

C. elegans worms mutated in *unc-14* are observed
30 to be very sluggish, almost paralysed, small, dumpyish, with a tendency to coil and show some egg retention. This phenotype can be used as the basis of a compound screen in *C. elegans* to identify chemical entities that modulate the activity of UNC-14.

35 Furthermore, *C. elegans* worms mutated in the *unc-14* gene were shown to have abnormal axonal elongation and axonal structures. The *unc-14* gene

- 38 -

encodes a protein of 665 amino acids, and is co-expressed with the *unc-51* gene in the cell bodies and axons of almost all neurons including DD/VD and hermaphrodite-specific neurons. The results of yeast two-hybrid experiments suggested that a central region of UNC-14 binds to the carboxy-terminal region of UNC-51, and that the UNC-51 carboxy-terminal region oligomerized (Ogura et al., Genes Dev. 11:1801-1811, 1997).

Mutations in the *unc-51* gene, isolated from mutants of *Caenorhabditis elegans* exhibiting abnormal axonal extension and growth, encodes a novel serine/threonine kinase (K. Ogura, et al., 1994, Genes Dev. 8: 2389- 2400).

4) F11A10.1 (pGC1021)

A fourth plasmid isolated during the yeast two hybrid screen, pGC1021, was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated F11A10.1.

The nucleotide sequence of the full length F11A10.1 cDNA is shown in SEQ ID NO: 23, with the amino acid sequence of the protein encoded by this cDNA shown in SEQ ID NO: 24. The nucleotide sequence of the fragment of the F11A10.1 cDNA cloned in pGC1021 is shown in SEQ ID NO: 25, the amino acid sequence of the protein fragment encoded by this fragment of the cDNA is shown in SEQ ID NO: 26.

To date, no function is as yet known for F11A10.1. RNAi experiments using a double-stranded RNA corresponding to the insert of pGC1021 showed that inhibition of F11A10.1 expression in *C. elegans* results in worms which are weakly constipated. In *C. elegans*, constipation has been associated with neuronal dysfunction (Thomas, Genetics 124:855-872, 1990). Furthermore and remarkably inhibition of F11A10.1 expression causes migration defects in the

- 39 -

distal tip cell, similar to those observed in unc-5 mutants and unc-14/unc-51 double mutants. These RNAi phenotypes and the corresponding knock-out phenotypes can be used as the basis of a compound screen in C. elegans to identify chemical entities that modulate the activity of F11A10.1.

The interaction between UNC-5 and F11A10.1 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore, genetic mutations, and splice variants can be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with F11A10.1 may be of use in the development of pharmaceutical compositions useful in the treatment of neurological disorders, tumours such as Kaposi's Sarcoma, immunological disorders and diseases related to vesicle fusion, proteolysis, peroxisomal and mitochondrial biogenesis, and transcription.

5) C15E6.1/2 (pGC1026)

A fifth plasmid identified during the yeast two hybrid experiment, pGC1026, was found to contain a fragment of a cDNA encoding the C15E6.1 protein.

The nucleotide sequence of the full length C15E6.1/2 cDNA is shown in SEQ ID NO: 27, with the amino acid sequence of the protein encoded by this cDNA shown in SEQ ID NO: 28. The nucleotide sequence of the fragment of the C15E6.1/2 cDNA cloned in pGC1026 is shown in SEQ ID NO: 29, the amino acid sequence of the protein fragment encoded by this fragment of the cDNA is shown in SEQ ID NO: 30.

RNAi experiments using a double-stranded RNA corresponding to the insert of pGC1026 did not result in any clear visual phenotype.

The identification of C15E6.1/2 as an UNC-5

- 40 -

interacting protein indicates that UNC-5 might be a band 4.1 binding protein and may share homology with other band 4.1 binding proteins such as CD44, glycophrin C, and paranodin.

5 By using the band 4.1 signature to search a database of *C.elegans* genes, F07A11.1 on chromosome II was identified as encoding a band 4.1 protein.

The interaction between UNC-5 and C15E6.1/2 could be a critical event in cellular signalling and hence
10 compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants can be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance
15 or inhibit the interaction of UNC-5 with C15E6.1/2 may be useful in the development of pharmaceutical preparations for the treatment of diseases related to axonal signalling, synaptic vesicle exocytosis, cell adhesion, cytoskeleton associated proteins, cell
20 morphology, cell growth, allergic inflammatory processes and rheumatoid arthritis.

6) D1081.7 (pGC1027)

A sixth plasmid identified during the two hybrid
25 screen was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated D1081.7.

The nucleotide sequence of the full length D1081.7 cDNA is shown in SEQ ID NO: 31, the amino acid
30 sequence of the protein encoded by this cDNA is given in SEQ ID NO: 32. The nucleotide sequence of the fragment of the D1081.7 cDNA cloned as an insert in pGC1027 is shown in SEQ ID NO: 33, with the corresponding amino acid sequence of the polypeptide
35 encoded by this fragment shown in SEQ ID NO: 34.

RNAi experiments performed using double stranded RNA corresponding to the insert in pGC1027 appeared

- 41 -

not to result in any clear visual phenotype.

All genes so far found in *C. elegans* have human homologues. It is therefore expected that D1081.7 will also have vertebrate, including human, homologues.

5 These homologues can be cloned using standard technologies.

The interaction between UNC-5 and D1081.1 could be a critical event in cellular signalling and hence compounds which modulate this interaction may
10 potentially have pharmacological activity and thus be of use in the development of pharmaceutical compositions. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction needed for proper signal transduction.

15

7) B0238.9 (pGC1032)

A seventh plasmid identified during the two hybrid screen was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated
20 B0238.9.

The nucleotide sequence of the full length B0238.9 cDNA is shown in SEQ ID NO: 35, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 36. The nucleotide sequence of the
25 fragment of the B0238.9 cDNA cloned as an insert in pGC1032 is shown in SEQ ID NO: 37, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 38.

B0238.9 is located in the chromosomal region
30 where *seu-2* is also located. The *seu-2* was identified in suppressor screens of ectopically expressed *unc-5* and is considered to be involved in the *unc-5* pathway (Colavita and Culotti, Dev. Biol. 194:72-85, 1998). As a gene has now been isolated that interacts with
35 *unc-5*, it is high probable that B0238.9 is the same as *seu-2*. Mutations in *seu-2* appeared not to have any visual phenotype, as was also observed in RNAi

- 42 -

experiments using a double stranded RNA corresponding to a fragment of B0238.9. The finding that SEU-2 is a suppressor and a binding partner to UNC-5 validates the importance of this interaction. Other known
5 suppressors of ectopic *unc-5* growth cone steering are *unc-6*, *unc-40*, *unc-34*, *unc-44*, *unc-129*, *seu-1*, *seu-2*, and *seu-3*. Mutations in some of these genes show axonal guidance defects, unlike *seu-2*.

Homology searches in the EST database with
10 B0238.9 revealed the presence of at least two human ESTs with significant homology. The ESTs so found, nz77b06 and yu53g01, can be used as basis to clone the full length cDNA encoding the human homologue of B0238.9.

15 The interaction between UNC-5 and B0238.9 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus may be useful in the development of pharmaceutical
20 compositions. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

8) ZC404.8 (pGC1033)

25 An eighth plasmid identified during the two hybrid screen was found to contain a fragment of a cDNA corresponding to the *C. elegans* gene designated ZC404.8.

The nucleotide sequence of the full length
30 ZC404.8 cDNA is shown in SEQ ID NO: 39, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 40. The nucleotide sequence of the fragment of the ZC404.8 cDNA cloned as an insert in pGC1033 is shown in SEQ ID NO: 41, with the
35 corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 42.

RNAi experiments using a double stranded RNA

- 43 -

corresponding to a fragment of this gene resulted in an embryonic lethal phenotype. The worms showed no elongation and only very little muscle activity, the hypodermis is clearly abnormal.

5 Homology searches in the EST database with ZC404.8.9 revealed the presence of at least three human ESTs with significant homology. The ESTs thus identified, qe69h03, zx6ld04, and zd35e10, can be used as basis to clone the full length cDNAs.

10 The interaction between UNC-5 and ZC404.8 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus be useful in the development of pharmaceutical
15 preparations. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

9) yk17a3 (pGC1023)

20 A ninth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated yk17a3.

The nucleotide sequence of the fragment of the
25 yk17a3 cDNA cloned as an insert in pGC1023 is shown in SEQ ID NO: 43, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 44.

RNAi experiments using a double stranded RNA
30 corresponding to a fragment of yk17a3 resulted in the following phenotypes in *C. elegans*: Very slow growth, and the larvae get typical darker spots as they get older. Inhibition of yk17a3 expression in some non wild-type genetic backgrounds leads to defective
35 moulting, where the worm cannot escape from the old cuticle and therefore shrinks and stays in the L4 stage. The defective moulting phenotype is also

- 44 -

observed when yk17a3 expression is inhibited on a wild-type genetic background, although the phenotype is less prominent. Worms which escape the defective moulting phenotype show defects in vulva development, either lacking a vulva altogether or having a vulva which is non-functional.

Homology searches in the Genbank database with yk17a3 revealed the presence of at least one human homologue of this gene, designated KIAA0187.

The interaction between UNC-5 and yk17a3 (KIAA0187) could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with yk17a3 may be of use in the development of pharmaceutical compositions for the treatment of CADASIL, artheriohepatic dysplasia, Alzheimer's disease, neoplasia such as T-cell acute lymphoblastic leukemia and certain cancers, such as pancreatic cancer and colon cancer.

10) F41H10.3 (pGC1020)

A tenth plasmid identified using the yeast two hybrid experiment was found to contain a fragment of a cDNA corresponding to the *C. elegans* gene designated F41H10.3.

The nucleotide sequence of the full length F41H10.3 cDNA is shown in SEQ ID NO: 45, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 46. The nucleotide sequence of the fragment of the F41H10.3 cDNA cloned as an insert in pGC1020 is shown in SEQ ID NO: 47, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 48.

- 45 -

F41H10.3 harbors a ATP/GTP binding domain.

Worms resulting from RNAi experiments using a double stranded RNA corresponding to a fragment of F41H10.3 did not exhibit a clear visual phenotype.

5 All genes so far found in *C. elegans* have human homologues. It is therefore expected that F41H10.3 will also have vertebrate, including human, homologues. These homologues can be cloned using standard technologies well known to persons skilled in
10 the art.

The interaction between UNC-5 and F41H10.3 could be a critical event in signalling and compounds which modulate this interaction may potentially have pharmacological activity and thus be useful in the
15 development of pharmaceutical preparations. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

20 (D) Human UNC-5 interacting proteins.

The intracellular part of the human UNC-5 protein (human UNC-5HS1) containing the domains ZO-1, UP and DD cloned in vector pGC1037 (see above) was used as 'bait' in a yeast two hybrid experiment screening
25 against a pretransformed human brain Matchmaker cDNA library (Clontech, Palo Alto, California USA) using the mating screen approach described above. These experiments resulted in the identification of six genes encoding proteins which interact with UNC-5,
30 including two known genes and four heretofore unknown genes.

All proteins found in this yeast two hybrid screen with the human UNC-5 were different to the proteins found in the screen with the *C. elegans*
35 UNC-5. There are at least two reasons for this variation in the isolated proteins. First, the screens are not saturated, which means that not all possible

- 46 -

interacting proteins have been isolated, neither in the screen with the *C. elegans* UNC-5 nor in the screen with the human UNC-5. Secondly, different intracellular fragments have been used in the screens.

5 In the *C. elegans* UNC-5 screen, the intracellular domains MPP, ZO-1 and UP were used as bait, whereas in the human UNC-5 screen, the intracellular domains ZO-1, UP and DD were used as bait. Proteins with specific interaction patterns will not be isolated if
10 the necessary interacting domain is missing, or if the optimal combination of domains is missing. This has been shown in the *C. elegans* UNC-5 interaction with APR. APR interacts clearly with the MPP domain and the domain combination ZO-1,UP, but interacts less
15 efficiently to with domain combination MPP, ZO-1, although the MPP domain is present. APR binds efficiently to the domain combination MPP, ZO-1, UP.

The human UNC-5 interacting proteins identified during the two hybrid screen are listed below. In
20 each case, any known disease associations are discussed and genes/cDNAs encoding homologous *C. elegans* proteins are listed.

1) i-beta-1,3-N-acetylaminyltansferase (pYMP5).

25 A first plasmid identified during the yeast two hybrid experiment was found to contain a fragment of the cDNA encoding i-beta-1,3-N-acetylaminyltansferase.

The nucleotide sequence of the full length i-beta-1,3-N-acetylaminyltansferase cDNA is shown in
30 SEQ ID NO: 49, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 50. The partial nucleotide sequences of the fragment of the i-beta-1,3-N-acetylaminyltansferase cDNA cloned as an insert in pYMP5 are shown in SEQ ID NOs: 51 and 52,
35 with the corresponding amino acid sequence of the polypeptide encoded by these partial sequences shown in SEQ ID NO: 53.

- 47 -

C. elegans has at least seven putative homologues of i-beta-1,3-N-acetylaminyltransferase, designated F22F7.6, C18G1.3, K09C8.4, F21H7.10, C54C8.2, F56H6.6 and T15D6.4. cDNA and/or amino acid sequences for each of these putative homologues are given herein. Amino acid and nucleotide sequences for these homologues are given in SEQ ID NOS: 66 to 82.

The interaction between UNC-5 and beta-1,3-N-acetylglucosaminyltransferase could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction. Compounds which modulate the interaction of UNC-5 with beta-1,3-N-acetylglucosaminyltransferase may be useful in the development of pharmaceutical preparations for the treatment of synaptic cleft dysfunctions, vesicle transport dysfunctions, inflammation, various tumours and more particular in tumour cell adhesion, migration and invasion, such as pancreas cancer, squamous cell cancer, human breast cancer, thyroid neoplasms, colorectal carcinomas.

2) new gene with slight homology to neurexin

II-alpha-b (NHII) (pYMP6)

A second plasmid identified during the yeast two hybrid experiment was found to contain a fragment of a cDNA corresponding to a new gene with slight homology to neurexin II-alpha-b. The new gene was designated NHII.

Partial nucleotide sequences for the fragment of cDNA cloned as an insert in pYMP6 are shown in SEQ ID NO: 54 (coding strand sequenced from one end of the insert of pYMP6 sequenced with forward primer) and SEQ ID NO: 55 (non-coding strand sequenced from one end of pYMP6 with reverse primer). The plasmid pYMP6

- 48 -

was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3932. The cDNA
5 insert (approximately 1800bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cDNA insert sequence can be amplified by PCR using primers
10 corresponding to the sequences for the ends of the insert given in SEQ ID NOS: 54 and 55.

The interaction between UNC-5 and the new gene with homology to neurexin II-alpha-b could be a critical event in signalling and hence compounds which modulate this interaction may potentially have
15 pharmacological activity.

3) New Gene with Mena homology (MHI) (pYMP17)

A third plasmid identified during the yeast two hybrid experiment was found to contain a fragment of a
20 cDNA encoding a protein sharing slight homology with the human mena protein. The new gene was designated MHI.

Partial nucleotide sequences of the fragment of cDNA cloned as an insert in pYMP17 are shown in SEQ ID
25 NO: 56, (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 57 (non-coding strand sequenced from one end of pYMP with reverse primer). An alignment between the amino acid sequence encoded by the insert of pYMP17
30 and the mouse mena protein is shown in Figure 7. The plasmid pYMP17 was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number
35 LMBP 3935. The cDNA insert (approximately 1000bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively

- 49 -

the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in Figures 55A and 55B.

5 *C. elegans* has at least one protein with homology to the new Mena homologue (MHI), encoded by the gene designated Y50D4.Contig200. The *C. elegans* gene, unc-34 (which maps with Y50D4) is known to suppress the axonal guidance defects induced by ectopic expression of the Netrin receptor UNC-5 (Colavita, A.
10 et al., Dev.Biol., 194:72-85, 1998.).

The interaction between UNC-5 and mena, members of this mena superfamily, unc-34, and Y50D4.contig200, could be a critical event in signalling and hence compounds which modulate these interactions may
15 potentially have pharmacological activity and thus may be useful in the development of pharmaceutical compositions.

4) Alpha-2 macroglobulin (pYMP30)

20 A fourth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of the human alpha-2 macroglobulin cDNA.

The nucleotide sequence of the full length alpha-2 macroglobulin cDNA is shown in SEQ ID NO: 58, the
25 amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 59. A partial nucleotide sequence for the fragment of the alpha-2 macroglobulin cDNA cloned as an insert in pYMP30 is shown in SEQ ID NO: 60.

30 *C. elegans* has at least one homologue of alpha-2 macroglobulin, designated ZK337.1, of which two splice variants designated ZK337.1a and ZK337.1b are known to exist.

The interaction between UNC-5 and alpha-2
35 macroglobulin could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity.

- 50 -

Compounds which enhance or inhibit the interaction of UNC-5 with alpha-2 macroglobulin could be useful in the development of pharmaceutical substances.

5 **5) New gene 1 (pYMP11)**

A fifth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA with no homology to any known human cDNA.

10 Partial nucleotide sequences for the fragment of cDNA cloned as an insert in pYMP11 are shown in SEQ ID NO: 61 (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 62 (non-coding strand sequenced from one end of pYMP with reverse primer). The plasmid pYMP11 was
15 deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3933. The cDNA insert (approximately 2300bp) can easily be excised
20 from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in Figures 59A and 59B.

25 The interaction between UNC-5 and the protein encoded by the insert of pYMP11 could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus could be useful in the development
30 of pharmaceutical substances.

6) New gene 2 (pYMP12)

35 A sixth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA with no homology to any known human cDNA.

Partial nucleotide sequences for the fragment of

- 51 -

cdNA cloned as an insert in pYMP12 are shown in SEQ ID NO: 63 (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 64 (non-coding strand sequenced from one end of pYMP with reverse primer). The plasmid pYMP12 was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3934. The cdNA insert (approximately 2000bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cdNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in Figures 60A and 60B.

The interaction between UNC-5 and the protein encoded by the insert of pYMP12 could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus could be useful in the development of pharmaceutical substances.

Example 5

Yeast two hybrid compound screens

Interactions of proteins leads to expression of a reporter protein β -galactosidase in a yeast two hybrid assay. An assay has been developed that is usable in 96 or 384 well plates or microtiter plates with another number of wells. This assay is suitable for high throughput compound screening. Optimal performance of the assay is dependent upon at least two important parameters: lysis of yeast cells and the choice of the β -galactosidase substrate.

The basic protocol for an assay in 96 or 384 well plates is as follows:

A yeast strain containing the *Escherichia coli*

- 52 -

lacZ gene under the control of the yeast Gal4 promoter is grown overnight (with shaking at 230-270 rpm) then diluted with YPD medium to an OD600 of 0.2. Diluted cultures are grown for an additional 3-5 hr until
5 mid-log phase. Yeast cells are then transferred to either 96- or 384-well plates (100 μ l/well or 25 μ l/well, respectively). Alternatively, cells can be cultured in the microtiter plates, eliminating the need for a pipetting step.

10 The yeast cells are then either lysed by freeze and thaw method (liquid N₂ to freeze, 37°C water bath to thaw) or by use of a Lysis buffer (e.g.: 1% Lithium dodecyl sulphate, 100 mM EDTA and 10 mM Tris-HCl pH 8.0). Non-lysed cells also give a signal, although the
15 variability is increased if the cells are not lysed. Yeast cells can also be permeabilized with various reagents such as isopropanol (15 %).

The substrate sensitivity must be optimised for efficient detection in a screening process.

20 Fluorescein di galactoside (FDG) is a typical low cost fluorescent reagent for the detection of β -galactosidase; it can be used for screening, although autofluorescent compounds can induce a non-desirable background leading to false positives.
25 Alternative substrates are available that become luminescent upon β -galactosidase cleavage, thereby eliminating background problems. An example of such a substrate Galacton-Star® from Tropix. Typically about 1 μ M substrate is added and the plates are incubated at
30 room temperature for 60 minutes. Fluorescence (for FDG) is then measured at 530 nm. It is typically possible to detect as low as 100 cells per well.

As an alternative to the use of β -galactosidase, secreted alkaline phosphatase can be used as a
35 reporter gene. The use of secreted alkaline phosphatase gives equivalent sensitivity to β -galactosidase with the advantage that there is no need

- 53 -

to lyse the cells. Fluorescent substrates for alkaline phosphatase are available commercially from Sigma-Aldrich (Bornem, Belgium) or Molecular Probes (Eugene, OR, USA).

5 The test compound can be added at various stages of the above procedure. Generally, the compound is added on the plates onto which the yeast are plated. However, the compound can also be added during the second incubation in order to overcome toxicity
10 problems. As a control, it is important to check whether the compound slows down the growth of the yeast. This can be done using turbidity measurements.

Example 6

15 Detection of in vivo protein-protein interactions using fluorescence energy transfer (FRET).

 An *in vivo* FRET assay can be conveniently performed using two different mutants of GFP which absorb and emit light at different wavelengths and
20 which have suitably overlapping emission/absorption spectra, such as EGFP (enhanced green fluorescent protein) and EBFP (enhanced blue fluorescent protein). When two such variant GFPs are brought into close proximity, within a few nanometers distance,
25 fluorescence energy transfer (FRET) can be detected. Such transfer is characterized by a reduction of fluorescence intensity of the donor fluorophore (EBFP) and re-emission of fluorescence at the acceptor fluorophore (EGFP) wavelengths. Therefore if each
30 fluorophore is fused to a protein domain known to bind to the other the protein-protein interaction can be monitored *in vivo* using FRET.

 In a typical example, the APC binding domain of UNC-5 cloned in fusion with EBFP, whereas APC is
35 cloned in fusion with EGFP in expression vectors suitable for use in the chosen host cell line or organism. When both fusion proteins are expressed in

- 54 -

a cell line or in *C. elegans* it is possible to monitor and quantify their *in vivo* interaction by irradiating the cells/worms with light at 488nm. When the donor and acceptor fluorophore are brought into close proximity by binding of the two fusion proteins fluorescent energy transfer results in a measurable decrease in fluorescence from the fluorescence donor at a wavelength within the emission spectrum of the donor. In simple terms, what is measured is a quenching phenomenon since light emitted by the donor fluorophore is trapped by the acceptor fluorophore. NE- The experiment could also be performed by measuring fluorescence from the acceptor fluorophore but this is often less sensitive.

Plasmid vectors containing both EGFP and EBFP are commercially available from Clontech (Palo Alto, California, USA). Information on the use of these vectors is also supplied by the manufacturer.

Example 7

Genetic and complementation screens in yeast.

UNC-5 expression in yeast cells results in a lethal phenotype, mainly because of the expression of a death domain. This observation was most clearly seen in the experiments with *C. elegans* UNC-5. Accordingly, assays can be developed to screen for compounds, interacting proteins and suppressors which alter the activity of UNC-5, particularly the activity of the death domain of UNC-5. These assays are analogous to those described by Xu and Reed (Mol. Cell 1998, 1:337-46).

(A) Compound screens.

Yeast cells are transfected with a plasmid encoding the *C. elegans* or human unc-5 (including the death domain), such as the vectors described in the

- 55 -

yeast two hybrid experiments. The transfected yeast cells are then placed in the wells of micotiter plates, and are exposed to the compounds under test. Compounds which reduce or inhibit the lethal phenotype of the yeast cells transfected with unc-5 are scored as hits. Such compounds will typically suppress the unc-5 lethal phenotype by interacting with UNC-5 itself, or with UNC-5 interacting proteins, or with proteins in the UNC-5 pathway, or with proteins in parallel pathways. The selected compounds can be used in the development of pharmaceutical preparations.

(B) Suppressor screens.

Yeast cells are transfected with a plasmid encoding the *C. elegans* or human unc-5 (including the death domain), such as the vectors described in the yeast two hybrid experiments. Furthermore, the yeast cells are transfected with a library expressing *C. elegans* or human cDNA, such as the libraries described in the yeast two hybrid experiments. The transfected yeast cells are placed in the wells of micotiter plates, and allowed to grow further. This allows selection cDNAs, and hence genes and proteins, that reduce or inhibit the lethal phenotype of the yeast cells transfected with the death domain of unc-5. Such proteins will interact with UNC-5, or with UNC-5 interacting proteins, or with proteins in the UNC-5 pathway, or with proteins in parallel pathways to cause suppression of the unc-5 lethal phenotype. The selected cDNAs genes and proteins can be used in the development of pharmaceutical preparations or in the development of assays to select for compounds that enhance their function or expression.

Example 8

Cloning of a *C. elegans* gene starting from a *C.*

- 56 -

elegans insert.

If a fragment of a given gene or cDNA is known then further fragments of the corresponding full length gene and/or cDNA can be constructed can often
5 be found using *in silico* techniques such as AceDB (see <http://www.sanger.ac.uk>), or searching of the EST database. The full cDNA can be cloned using standard technology such as 5'/3' RACE or SL1/2 RT-PCR on worm total RNA and colony hybridization. An analogous
10 strategy is followed to clone a full length gene and/or cDNA for vertebrate and hence Human DNA.

Example 9Cloning of *C. elegans* gene starting from a human
15 insert.

A full length *C. elegans* gene can be cloned starting from a human sequence. Using *in silico* techniques, a homologue or an EST can be found. Standard molecular biology techniques can then be used
20 to clone the full length *C. elegans* gene. If no homologous sequence can be found by simple database searching, it may be necessary to perform species hopping. An analogous strategy is followed to clone a full length gene and/or cDNA for vertebrate and hence
25 Human DNA, starting from a *C. elegans* DNA sequence.

- 57 -

SEQUENCE LISTING

- 5 SEQ ID NO: 1 nucleotide sequence of a part of the
human unc-5Cb cDNA which encodes the
intracellular region of the protein.
- 10 SEQ ID NO: 2 amino acid sequence of the
intracellular part of the human unc-5Cb
protein encoded by the nucleotide
sequence shown as SEQ ID NO: 1.
- 15 SEQ ID NO: 3 nucleotide sequence of a part of the
human unc-5Cc cDNA which encodes the
intracellular region of the protein.
- 20 SEQ ID NO: 4 amino acid sequence of the
intracellular part of the human unc-5Cc
protein encoded by the nucleotide
sequence shown as SEQ ID NO: 3.
- 25 SEQ ID NO: 5 nucleotide sequence of a part of the
human unc-5C8 cDNA which encodes the
intracellular region of the protein.
- 30 SEQ ID NO: 6 amino acid sequence of the
intracellular part of the human unc-5C8
protein encoded by the nucleotide
sequence shown as SEQ ID NO: 5.
- 35 SEQ ID NO: 7 nucleotide sequence of the fragment of
the human unc-5H1 cDNA cloned by PCR in
Example 2.
- SEQ ID NO: 8 predicted amino acid sequence for the
human unc-5H1 protein, translation in
frame 1.

- 58 -

- SEQ ID NO: 9 predicted amino acid sequence for the human unc-5H1 protein, translation in frame 2.
- 5 SEQ ID NO: 10 predicted amino acid sequence for the human unc-5H1 protein, translation in frame 3.
- 10 SEQ ID NO: 11 nucleotide sequence of the *C. elegans* spectrin β -chain/Fodrin cDNA.
- SEQ ID NO: 12 amino acid sequence of the *C. elegans* spectrin β -chain/Fodrin protein.
- 15 SEQ ID NO: 13 nucleotide sequence of the fragment of the *C. elegans* spectrin β -chain/Fodrin cDNA cloned in pC1025.
- 20 SEQ ID NO: 14 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 13.
- SEQ ID NO: 15 nucleotide sequence of the *C. elegans* APR-1 cDNA.
- 25 SEQ ID NO: 16 amino acid sequence of the *C. elegans* APR-1 protein.
- SEQ ID NO: 17 nucleotide sequence of a fragment of the *C. elegans* APR-1 cDNA cloned in pC1028.
- 30
- SEQ ID NO: 18 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 17.
- 35
- SEQ ID NO: 19 nucleotide sequence of the *C. elegans*

unc-14 cDNA.

SEQ ID NO: 20 amino acid sequence of the *C. elegans*
unc-14 protein.

5

SEQ ID NO: 21 nucleotide sequence of the fragment of
the *C. elegans* unc-14 cDNA cloned in
pC1034.

10 SEQ ID NO: 22 amino acid sequence of the polypeptide
encoded by the cDNA fragment shown as
SEQ ID NO: 21.

15 SEQ ID NO: 23 nucleotide sequence of the *C. elegans*
F11A10.1 cDNA.

SEQ ID NO: 24 amino acid sequence of the *C. elegans*
F11A10.1 protein.

20 SEQ ID NO: 25 nucleotide sequence of the fragment of
the *C. elegans* F11A10.1 cDNA cloned in
pGC1021.

25 SEQ ID NO: 26 amino acid sequence of the polypeptide
encoded by the cDNA fragment shown as
SEQ ID NO: 25.

SEQ ID NO: 27 nucleotide sequence of the *C.elegans*
C15E6.1 cDNA.

SEQ ID NO: 28 amino acid sequence of the *C.elegans*
C15E6.1 protein.

35 SEQ ID NO: 29 nucleotide sequence of the fragment of
the *C.elegans* C15E6.1 cDNA cloned in
pGC1026.

- 60 -

- SEQ ID NO: 30 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 29.
- 5 SEQ ID NO: 31 nucleotide sequence of the *C. elegans* D1081.7 cDNA.
- SEQ ID NO: 32 amino acid sequence of the *C. elegans* D1081.7 protein.
- 10 SEQ ID NO: 33 nucleotide sequence of the fragment of the *C. elegans* 1081.7 cDNA cloned in pGC1027.
- 15 SEQ ID NO: 34 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 33.
- SEQ ID NO: 35 nucleotide sequence of the *C. elegans* B0238.9 cDNA (*seu-2*).
- 20 SEQ ID NO: 36 amino acid sequence of the *C. elegans* B0238.9 protein (*seu-2*).
- 25 SEQ ID NO: 37 nucleotide sequence of the fragment of the *C. elegans* B0238.9 cDNA cloned in pGC1023.
- SEQ ID NO: 38 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 37.
- 30 SEQ ID NO: 39 nucleotide sequence of the *C. elegans* ZC404.8 cDNA.
- 35 SEQ ID NO: 40 amino acid sequence of the *C. elegans* ZC404.8 protein.

- 61 -

- SEQ ID NO: 41 nucleotide sequence of the *C. elegans*
ZC404.8 cDNA cloned in pGC1033.
- 5 SEQ ID NO: 42 amino acid sequence of the polypeptide
encoded by the cDNA fragment shown as
SEQ ID NO: 41.
- 10 SEQ ID NO: 43 nucleotide sequence of the fragment of
the *C. elegans* yk17a3 cDNA cloned in
pGC1023.
- 15 SEQ ID NO: 44 amino acid sequence of the polypeptide
encoded by the cDNA fragment shown as
SEQ ID NO: 43.
- SEQ ID NO: 45 nucleotide sequence of the *C. elegans*
F41H10.3 cDNA.
- 20 SEQ ID NO: 46 amino acid sequence of the *C. elegans*
F41H10.3 protein.
- 25 SEQ ID NO: 47 nucleotide sequence of the fragment of
the *C. elegans* F41H10.3 cDNA cloned in
pGC1020.
- SEQ ID NO: 48 amino acid sequence of the polypeptide
encoded by the cDNA fragment shown as
SEQ ID NO: 47.
- 30 SEQ ID NO: 49 nucleotide sequence of the human i-
beta-1,3-N-acetylaminyltransferase
cDNA.
- 35 SEQ ID NO: 50 amino acid sequence of the human i-
beta-1,3-N-acetylaminyltransferase
protein.

- 62 -

- 5
10
15
20
25
30
35
- SEQ ID NO: 51 partial nucleotide sequence for the fragment of the human i-beta-1,3-N-acetylaminyltransferase cDNA cloned in pYMP5 (forward primer, coding strand).
- SEQ ID NO: 52 partial nucleotide sequence for the fragment of the human i-beta-1,3-N-acetylaminyltransferase cDNA cloned in pYMP5 (reverse primer, non-coding strand).
- SEQ ID NO: 53 partial amino acid sequence for the polypeptide encoded by the fragment of the i-beta-1,3-N-acetylaminyltransferase cDNA cloned in pYMP5.
- SEQ ID NO: 54 partial nucleotide sequence for the human cDNA fragment cloned in pYMP6 (forward primer, coding strand).
- SEQ ID NO: 55 partial nucleotide sequence for the human cDNA fragment cloned in pYMP6 (reverse primer, non-coding strand).
- SEQ ID NO: 56 partial nucleotide sequence for the human cDNA fragment cloned in pYMP17 (forward primer, coding strand).
- SEQ ID NO: 57 partial nucleotide sequence for the human cDNA fragment cloned in pYMP17 (reverse primer, non-coding strand).
- SEQ ID NO: 58 nucleotide sequence of the human alpha-2-macroglobulin cDNA.
- SEQ ID NO: 59 amino acid sequence of the human alpha-

2-macroglobulin protein.

5	SEQ ID NO: 60	partial nucleotide sequence for the fragment of the human alpha-2-macroglobulin cDNA cloned in pYMP30 (reverse primer, non-coding strand).
10	SEQ ID NO: 61	partial nucleotide sequence of the fragment of human cDNA cloned in pYMP11 (forward primer, coding strand).
15	SEQ ID NO: 62	partial nucleotide sequence of the fragment of human cDNA cloned in pYMP11 (reverse primer, non-coding strand).
20	SEQ ID NO: 63	partial nucleotide sequence of the fragment of human cDNA cloned in pYMP12 (forward primer, coding strand).
25	SEQ ID NO: 64	partial nucleotide sequence of the fragment of human cDNA cloned in pYMP12 (reverse primer, non-coding strand).
30	SEQ ID NO: 65	amino acid sequence of the mouse APC-2 cDNA.
35	SEQ ID NO: 66	nucleotide sequence of a <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase cDNA (F22F7.6).
40	SEQ ID NO: 67	amino acid sequence of a <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase protein (F22F7.6).
45	SEQ ID NO: 68	nucleotide sequence of the <i>C. elegans</i> alpha-2-macroglobulin cDNA ZK337.1a.

- 64 -

- SEQ ID NO: 69 nucleotide sequence of the *C. elegans*
alpha-2-macroglobulin cDNA ZK337.1b
- 5 SEQ ID NO: 70 amino acid sequence of the *C. elegans*
alpha-2-macroglobulin protein ZK337.1a.
- SEQ ID NO: 71 amino acid sequence of the *C. elegans*
alpha-2-macroglobulin protein ZK337.1b.
- 10 SEQ ID NO: 72 cDNA sequence for the *C. elegans* I-
beta-1,3-N-acetylaminyltransferase
homologue C18C1.3.
- 15 SEQ ID NO: 73 amino acid sequence for the *C. elegans*
I-beta-1,3-N-acetylaminyltransferase
homologue C18C1.3.
- 20 SEQ ID NO: 74 cDNA sequence for the *C. elegans* I-
beta-1,3-N-acetylaminyltransferase
homologue K09C8.4.
- 25 SEQ ID NO: 75 amino acid sequence for the *C. elegans*
I-beta-1,3-N-acetylaminyltransferase
homologue K09C8.4.
- 30 SEQ ID NO: 76 amino acid sequence for the *C. elegans*
I-beta-1,3-N-acetylaminyltransferase
homologue F21H7.10.
- 35 SEQ ID NO: 77 cDNA sequence for the *C. elegans* I-
beta-1,3-N-acetylaminyltransferase
homologue C54C8.2.
- SEQ ID NO: 78 amino acid sequence for the *C. elegans*
I-beta-1,3-N-acetylaminyltransferase
homologue C54C8.2.

- 65 -

- SEQ ID NO: 79 cDNA sequence for the *C. elegans* I-beta-1,3-N-acetylaminyltransferase homologue F56H6.6.
- 5 SEQ ID NO: 80 amino acid sequence for the *C. elegans* I-beta-1,3-N-acetylaminyltransferase homologue F56H6.6.
- 10 SEQ ID NO: 81 cDNA sequence for the *C. elegans* I-beta-1,3-N-acetylaminyltransferase homologue T15D6.4.
- 15 SEQ ID NO: 82 amino acid sequence for the *C. elegans* I-beta-1,3-N-acetylaminyltransferase homologue T15D6.4.
- 20 SEQ ID NO: 83 amino acid sequence of the extracellular part of the *C. elegans* unc-5 protein.
- SEQ ID NO: 84 amino acid sequence of the transmembrane region of the *C. elegans* unc-5 protein.
- 25 SEQ ID NO: 85 amino acid sequence of the membrane proximal part of the *C. elegans* unc-5 protein.
- 30 SEQ ID NO: 86 amino acid sequence of the zonula occludens part of the *C. elegans* unc-5 protein.
- 35 SEQ ID NO: 87 amino acid sequence of a part of the *C. elegans* unc-5 protein of unknown function.
- SEQ ID NO: 88 amino acid sequence of the death domain

- 66 -

of the *C. elegans* unc-5 protein.

SEQ ID NO: 89 amino acid sequence of the human HS1 protein.

SEQ ID NO: 90 amino acid sequence of the human UNC5C protein.

SEQ ID NO: 91 complete nucleotide sequence of plasmid pGC1037.

SEQ ID NO: 92 complete nucleotide sequence of plasmid pGC1003.

SEQ ID NO: 93 amino acid sequence of *C. elegans* unc-40.

SEQ ID NO: 94 nucleotide sequence of *C. elegans* unc-40.

SEQ ID NO: 95 amino acid sequence of human unc-40.

SEQ ID NO: 96 nucleotide sequence of human unc-40.

ACCESSION NUMBERS:

Human beta-fodrin cDNA-GenBank S65762

Human beta-fodrin protein-swissprot Q01082

Human APC-1 cDNA-GenBank M74088

Human APC-1 protein-swissprot P25054

Human unc-14 cDNA (KIAA0375)-GenBank AB002373

Human unc-14 protein (KIAA0375)-BAA20830

Human yk17a3 cDNA (KIAA0187)-GenBank D80009

5 Human yk17a3 protein (KIAA0187)-SPTREMBL:Q14692

TABLE 1: Schematic representation of dimerisations of *C. elegans* unc-5, using constructions in pAS2 and pGAD424

pAS2	pGAD424								
		full length unc-5 (1016)	Dd (1008)	MPP (1009)	MPP + ZO-1 (1010)	MPP + ZO-1 + UP (1011)	UP (1013)	ZO-1 (1012)	empty pGAD424
	full length unc-5 (1006)	nd	nd	nd	nd	nd	nd	nd	not blue
	UP + DD (1000) auto-activation	nd	blue	nd	nd	nd	nd	nd	blue
	MPP (1001)	nd	nd	nd	nd	nd	nd	nd	nd
	MPP + ZO-1 (1002)	not blue	nd	nd	nd	nd	nd	nd	nd
	MPP + ZO-1 + UP (1003)	not blue	not blue	not blue	nd	blue	not blue	not blue	not blue
	ZO-1 (1007)	nd	nd	nd	nd	nd	nd	not blue	nd
	UP (1004)	nd	nnd	nd	nd	nd	not blue	nd	nd
	ZO-1 + UP (1005)	not blue	nd	nd	nd	nd	nd	blue	nd
	empty pAS2	not blue	nd	nd	nd	nd	nd	nd	nd

Claims:

1. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 2 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 2 only in conservative amino acid changes.

2. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim 1.

3. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 1 or a fragment thereof.

4. An expression vector comprising the nucleic acid of claim 2 or claim 3.

5. A host cell or organism transformed or transfected with the expression vector of claim 4.

6. An antibody which is capable of specifically binding to the protein claimed in claim 1 or an epitope thereof.

7. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 4 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 4 only in conservative amino acid changes.

8. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim 7.

9. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 3 or a fragment thereof.

- 69 -

10. An expression vector comprising the nucleic acid of claim 8 or claim 9.

11. A host cell or organism transformed or transfected with the expression vector of claim 10.

12. An antibody which is capable of specifically binding to the protein claimed in claim 7 or an epitope thereof.

13. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 6 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 6 only in conservative amino acid changes.

14. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim 13.

15. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 5 or a fragment thereof.

16. An expression vector comprising the nucleic acid of claim 13 or claim 14.

17. A host cell or organism transformed or transfected with the expression vector of claim 16.

18. An antibody which is capable of specifically binding to the protein claimed in claim 13 or an epitope thereof.

19. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which

- 70 -

method comprises:

providing a host cell containing a DNA
construct comprising a reporter gene operatively
linked to a promoter regulated by a transcription
factor having a DNA binding domain and an
activating domain;

expressing in said host cell a first hybrid
DNA sequence encoding a first fusion protein
comprising an UNC-5 protein or a fragment thereof
fused in-frame to either the DNA binding domain
or the activating domain of the said
transcription factor;

expressing in said host cell a second hybrid
DNA sequence encoding a second fusion protein
comprising an interacting protein or a fragment
thereof fused in-frame to either the DNA binding
domain or the activating domain of the said
transcription factor, such that when the first
fusion protein comprises the activation domain of
the said transcription factor the second fusion
protein comprises the DNA binding domain of the
said transcription factor and when the first
fusion protein comprises the DNA binding domain
of the transcription factor the second fusion
protein comprises the activation domain;

contacting the host cell with a sample of
the compound under test; and

detecting any binding of the UNC-5 protein
or fragment thereof to the interacting protein or
fragment thereof by detecting the production of
any reporter gene product in the said host cell.

20. A method of identifying compounds which are
capable of inhibiting or enhancing the binding of an
UNC-5 protein to an interacting protein previously
identified as binding to the said UNC-5 protein, which
method comprises:

- 71 -

providing a transgenic cell or organism
expressing a first fusion protein comprising an
UNC-5 protein or a fragment thereof fused in-
frame to a first genetically encoded fluorophore
5 and a second fusion protein comprising an
interacting protein or a fragment thereof fused
in-frame to a second genetically encoded
fluorophore, the first and second fluorophores
being characterised in that the emission spectrum
10 of one of the fluorophores overlaps with the
absorption spectrum of the other fluorophore;

measuring the amount of fluorescence emitted
from the fluorophore having an emission spectrum
which overlaps with the absorption spectrum of
15 the other fluorophore;

exposing the transgenic cell or organism to
a compound under test; and

detecting any change in the amount of
fluorescence emitted fluorescence emitted from
20 the fluorophore having an emission spectrum which
overlaps with the absorption spectrum of the
other fluorophore.

21. A method of identifying compounds which are
25 capable of inhibiting or enhancing the binding of an
UNC-5 protein to an interacting protein previously
identified as binding to the said UNC-5 protein, which
method comprises:

providing a first reaction component
30 comprising a first protein linked to a solid
support containing a scintillant and a second
reaction component comprising a second protein
which has been radioactively labelled, wherein
the first and second proteins are an UNC-5
35 protein or a fragment thereof and an interacting
protein or a fragment thereof;

bringing the first and second reaction

- 72 -

components into contact in an aqueous solution in the presence of a compound under test; and

detecting binding of the first protein to the second protein by detecting light emission from the scintillant.

5

22. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

10

coating the wells of a microtiter plate with UNC-5 protein or a fragment thereof;

15

contacting the UNC-5 protein or fragment thereof with an aqueous solution comprising an interacting protein or a fragment thereof, said interacting protein being labelled with a tag which is directly or indirectly detectable, and a compound under test;

20

washing to remove the compound under test and any unbound tagged interacting protein; and

detecting complexes of UNC-5 or a fragment thereof bound to the interacting protein or a fragment thereof by directly or indirectly detecting the presence of the tag.

25

23. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

30

exposing a cell or organism expressing UNC-5 and overexpressing nucleic acid encoding an interacting protein to the compound under test; and

35

screening for reversion of the overexpression phenotype of the cell or organism

- 73 -

to wild-type.

24. A method as claimed in claim 23 wherein the organism is a nematode worm.

5

25. A method as claimed in claim 24 wherein the nematode worm is *C. elegans*.

10

26. A method as claimed in claim 23 wherein the cell is a mammalian cell line.

27. A method as claimed in any one of claims 23 to 26 wherein the cell or organism further expresses a reporter gene encoding a reporter protein.

15

28. A method as claimed in claim 27 wherein the reporter protein is a fluorescent protein or a luminescent protein.

20

29. A method as claimed in any one of claims 19 to 28 wherein the UNC-5 protein is a *C. elegans* UNC-5 protein.

25

30. A method as claimed in any one of claims 19 to 28 wherein the UNC-5 protein is a human UNC-5 protein.

30

31. A method as claimed in claim 30 wherein the human UNC-5 protein is UNC-5C or a protein as claimed in any one of claims 1, 7, 13 or 71.

35

32. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a *C. elegans* UNC-5 protein or a fragment thereof.

33. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is *C. elegans*

UNC-40.

34. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human UNC-40.

35. A method as claimed in claim 34 wherein the UNC-40 protein comprises the sequence of amino acids set forth in SEQ ID NO: 95.

36. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a *C. elegans* spectrin β -chain/fodrin protein.

37. A method as claimed in claim 36 wherein the spectrin β -chain/fodrin protein comprises the sequence of amino acids set forth in SEQ ID NO: 12.

38. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is *C. elegans* APR-1.

39. A method as claimed in claim 38 wherein the *C. elegans* APR-1 protein comprises the sequence of amino acids set forth in SEQ ID NO: 16.

40. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is *C. elegans* UNC-14.

41. A method as claimed in claim 40 wherein the *C. elegans* UNC-14 protein comprises the sequence of amino acids set forth in SEQ ID NO: 20.

42. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 24.

- 75 -

43. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 28.

5 44. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of nucleotides set forth in SEQ ID NO: 32.

10 45. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 36.

15 46. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 40.

20 47. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 44.

 48. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 46.

25 49. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a human UNC-5 protein.

30 50. A method as claimed in claim 49 wherein the human UNC-5 protein is UNC-5C or a protein as claimed in any one of claims 1, 7, 13 or 71.

35 51. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human i-beta-1,3-N-acetylaminytransferase.

 52. A method as claimed in claim 51 wherein the

human i-beta-1,3-N-acetylaminyltransferase comprises the sequence of amino acids set forth in SEQ ID NO: 50.

5 53. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 72 or claim 73.

10 54. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 74 or claim 75.

15 55. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human alpha-2 macroglobulin.

20 56. A method as claimed in claim 55 wherein the alpha-2 macroglobulin comprises the sequence of amino acids set forth in SEQ ID NO: 59.

25 57. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 76 or claim 77.

30 58. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 78 or claim 79.

35 59. A method of identifying compounds which reduce or inhibit the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

 exposing a yeast cell containing an

- 77 -

expression vector comprising nucleic acid
encoding an UNC-5 protein or a fragment thereof
comprising the death domain to a compound under
test;

5 allowing the yeast cells to grow in the
presence of the compound; and

 screening for a reduction or inhibition of
the lethal phenotype associated with the
expression of the UNC-5 death domain in yeast.

10 60. A method as claimed in claim 59 wherein the
UNC-5 protein is a *C. elegans* UNC-5 protein.

15 61. A method as claimed in claim 59 wherein the
UNC-5 protein is a human UNC-5 protein.

 62. A method as claimed in claim 61 wherein the
human UNC-5 protein is a protein as claimed in any one
of claims 1, 7 or 13 or 71.

20 63. A method of identifying suppressers of the
lethal phenotype associated with the expression of the
UNC-5 death domain in yeast, which method comprises:

 transfecting yeast cells containing an
25 expression vector comprising nucleic acid
encoding an UNC-5 protein or a fragment thereof
comprising the death domain with a cDNA library
cloned in a yeast expression vector;

 allowing the transfected yeast cells to grow
30 for one or more cell divisions; and

 screening for reduction or inhibition of the
lethal phenotype associated with the expression
of the UNC-5 death domain in yeast.

35 64. A method as claimed in claim 63, which
method further comprises the steps of:

 identifying a transfected yeast cell

exhibiting a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast; and

isolating the cDNA clone(s) present in the transfected yeast cell which is/are responsible for conferring reduction or inhibition of the lethal phenotype.

65. A method as claimed in claim 63 or claim 64
17 wherein the UNC-5 protein is a *C. elegans* UNC-5 protein.

66. A method as claimed in claim 63 or claim 64
15 wherein the UNC-5 protein is a human UNC-5 protein.

67. A method as claimed in claim 66 wherein the human UNC-5 protein is a protein as claimed in any one of claims 1, 7, 13 or 71.

68. A method as claimed in claim 65 wherein the
20 cDNA library is a *C. elegans* cDNA library.

69. A method as claimed in claim 66 or claim 67
25 wherein the cDNA library is a human cDNA library.

70. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 7.

71. A protein comprising a sequence of amino
30 acids encoded by the nucleic acid molecule of claim 8.

72. A nucleic acid which is obtainable by restriction enzyme digestion of the plasmid pYMP17 with the restriction enzymes EcoRI and XhoI.
35

73. A nucleic acid as claimed in claim 72 which comprises the sequence of nucleotides set forth in SEQ

ID NO: 56 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 57.

5 74. A nucleic acid which is obtainable by restriction enzyme digestion of the plasmid pYMP6 with the restriction enzymes EcoRI and XhoI.

10 75. A nucleic acid as claimed in claim 74 which comprises the sequence of nucleotides set forth in SEQ ID NO: 54 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 55.

15 76. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 61 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 62.

20 77. A nucleic acid as claimed in claim 76 which is obtainable by restriction enzyme digestion of the plasmid pYMP11 with the restriction enzymes EcoRI and XhoI.

25 78. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 63 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 64.

30 79. A nucleic acid as claimed in claim 78 which is obtainable by restriction enzyme digestion of the plasmid pYMP12 with the restriction enzymes EcoRI and XhoI.

35 80. A nucleic acid probe which is capable of hybridizing to the nucleic acid of claim 70 under conditions of high stringency.

81. An oligonucleotide comprising a sequence of 10 or more consecutive nucleotides of the sequence of nucleotides set forth in SEQ ID NO: 7.

5 82. An antisense nucleic acid which is capable of hybridizing to the sequence of nucleotides set forth in SEQ ID NO: 7 under conditions of high stringency.

10 83. An expression vector comprising the nucleic acid of claim 70.

 84. A host cell or organism transformed or transfected with the expression vector of claim 83.

15

 85. An antibody which is capable of specifically binding to the protein claimed in claim 71.

1/18

FIG. 1.

Multalin version 5.3.3

Copyright I.N.R.A. France 1989, 1991, 1994, 1996

Published research using this software should cite

Multiple sequence alignment with hierarchical clustering

F. CORPET, 1988, Nucl. Acids Res., 16 22, 10881-10890

Symbol comparison table: blosum62

Gap weight: 12

Gap length weight: 2

Consensus levels: high=90% low=50%

Consensus symbols:

! is anyone of IV

\$ is anyone of LM

% is anyone of FY

is anyone of NDQEBZ

MSF:	1599	Check:	0			
Name:	UNC5C	Len:	1599	Check:	410	Weight: 0.76
Name:	UNC5C8	Len:	1599	Check:	1710	Weight: 0.76
Name:	UNC5Cc	Len:	1599	Check:	5512	Weight: 1.12
Name:	UNC5Cd (UNC5Cb)	Len:	1599	Check:	1388	Weight: 1.37
Name:	Consensus	Len:	1599	Check:	7845	Weight: 4.00

	1				50
UNC5C	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA
UNC5C8	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA
UNC5Cc	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA
UNC5Cd	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA
Consensus	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA

	51				100
UNC5C	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA
UNC5C8	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA
UNC5Cc	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA
UNC5Cd	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA
Consensus	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA

	101				150
UNC5C	GACAAGATCT	GCTGGCTGTA	CCCCCAGACC	TCACGTCAGC	TGCAGCCATG
UNC5C8	GACAAGA---	-----CC	-----CC	TCACGTCAGC	TGCAGCCATG
UNC5Cc	GACAAGATCT	GCTGGCTGTA	CCCCCAGACC	TCACGTCAGC	TGCAGCCATG
UNC5Cd	GACAAGATCT	GCTGGCTGTA	CCCCCAGACC	TCACGTCAGC	TGCAGCCATG
Consensus	GACAAGAtct	gctggctgta	cccccgacc	TCACGTCAGC	TGCAGCCATG

	151				200
UNC5C	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT
UNC5C8	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT
UNC5Cc	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT
UNC5Cd	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT
Consensus	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT

	201				250
UNC5C	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT
UNC5C8	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT
UNC5Cc	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT
UNC5Cd	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT
Consensus	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT

	251				300
UNC5C	ACAACACCTC	AGGTGCTGTC	TCCCCCAAG	ATGACCTCTC	TGAGTTTACG
UNC5C8	ACAACACCTC	AGGTGCTGTC	ACCCCCAAG	ATGACCTCTC	TGAGTTTACG
UNC5Cc	ACAACACCTC	AGGTGCTGTC	ACC-----	-----	-----
UNC5Cd	ACAACACCTC	AAGTGCTGTC	ACCCCCAAG	ATGACCTCTC	TGAGTTTACG
Consensus	ACAACACCTC	AgGTGCTGTC	aCccccaag	atgacctctc	tgagtttacg

	301				350
UNC5C	TCCAAGCTGT	CCCCTCAGAT	GACCCAGTCG	TTGTTGGAGA	ATGAAGCCCT
UNC5C8	TCCAAGCTGT	CCCCTCAGAT	GACCCAGTCG	TTGTTGGAGA	ATGAAGCCCT
UNC5Cc	-----	-----	-----	-----	-----
UNC5Cd	TCCAAGCTGT	CCCCTCAGAT	GACCCAGTCG	TTGTTGGAGA	ATGAAGCCCT
Consensus	tccaagctgt	cccctcagat	gacccagtcg	ttgttggaga	atgaagccct

FIG. 1 (CONTINUED 1)

	351				400
UNC5C	CAGCCTGAAG	AACCAGAGTC	TAGCAAGGCA	GA CTGATCCA	TCCTGTACCG
UNC5C8	CAGCCTGAAG	AACCAGAGTC	TAGCAAGGCA	GA CTGATCCA	TCCTGTACCG
UNC5Cc	-----	-----	-----	-----	-----
UNC5Cd	CAGCCTGAAG	AACCAGAGTC	TAGCAAGGCA	GA CTGATCCA	TCCTGTACCG
Consensus	cagcctgaag	aaccagagtc	tagcaaggca	gactgatcca	tctgtaccg
	401				450
UNC5C	CATTTGGCAG	CTTCAACTCG	CTGGGAGGTC	ACCTTATTGT	TCCCAATTCA
UNC5C8	CATTTGGCAG	CTTCAACTCG	CTGGGAGGTC	ACCTTATTGT	TCCCAATTCA
UNC5Cc	-----	-----	-----	----TATTGT	TCCCAATTCA
UNC5Cd	CATTTGGCAG	CTTCAACTCG	CTGGGAGGTC	ACCTTATTGT	TCCCAATTCA
Consensus	catttggcag	cttcaactcg	ctgggaggtc	acctTATTGT	TCCCAATTCA
	451				500
UNC5C	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
UNC5C8	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
UNC5Cc	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
UNC5Cd	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
Consensus	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
	501				550
UNC5C	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
UNC5C8	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
UNC5Cc	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
UNC5Cd	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
Consensus	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
	551				600
UNC5C	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
UNC5C8	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
UNC5Cc	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
UNC5Cd	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
Consensus	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
	601				650
UNC5C	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
UNC5C8	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
UNC5Cc	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
UNC5Cd	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
Consensus	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
	651				700
UNC5C	CAATACCGAG	GACTGGAAAA	TACTGCTCAA	GAACCAGGCA	GCACAGGGAC
UNC5C8	CAATACCGAG	GACTGGAAAA	TACTGCTCAA	GAACCAGGCA	GCACAGGGAC
UNC5Cc	CAATACCGAG	GACTGGAAAA	TACTGCTCAA	GAACCAGGCA	GCACAGGGAC
UNC5Cd	CAATACCGAG	GACTGGAAAA	TACTGCTC--	-----	-----
Consensus	CAATACCGAG	GACTGGAAAA	TACTGCTCaa	gaaccaggca	gcacagggac
	701				750
UNC5C	AGTGGGAGGA	TGTGGTGGTG	GTCGGGGAGG	AAAACCTTAC	CACCCCCTGC
UNC5C8	AGTGGGAGGA	TGTGGTGGTG	GTCGGGGAGG	AAAACCTTAC	CACCCCCTGC
UNC5Cc	AGTGGGAGGA	TGTGGTGGTG	GTCGGGGAGG	AAAACCTTAC	CACCCCCTGC
UNC5Cd	-----	-----	-----	-----	-----
Consensus	agtgggagga	tgtggtggtg	g cggggagg	aaaacttcac	caccccctgc
	751				800
UNC5C	TACATTAAGC	TGGATGCAGA	GGCCTGCCAC	ATCCTCACAG	AGAACCTCAG
UNC5C8	TACATTAAGC	TGGATGCAGA	GGCCTGCCAC	ATCCTCACAG	AGAACCTCAG
UNC5Cc	TACATTCAGC	TGGATGCAGA	GGCCTGCCAC	ATCCTCACAG	AGAACCTCAG
UNC5Cd	-----	-----	-----	-----	-----
Consensus	tacatt agc	tggatgcaga	ggcctgccac	atcctcacag	agaacctcag
	801				850
UNC5C	CACCTACGCC	CTGGTAGGAC	ATTCCACCAC	CAAAGCGGCT	GCAAAGCGCC
UNC5C8	CACCTACGCC	CTGGTAGGAC	ATTCCACCAC	CAAAGCGGCT	GCAAAGCGCC
UNC5Cc	CACCTACGCC	CTGGTAGGAC	ATTCCACCAC	CAAAGCGGCT	GCAAAGCGCC
UNC5Cd	-----	-----	-----	-----	-----
Consensus	cacctacgcc	ctggtaggac	attccaccac	caaagcggct	gcaaagcgcc
	851				900
UNC5C	TCAAGCTGGC	CATCTTTGGG	CCCCTGTGCT	GCTCCTCGCT	GGAGTACAGC
UNC5C8	TCAAGCTGGC	CATCTTTGGG	CCCCTGTGCT	GCTCCTCGCT	GGAGTACAGC
UNC5Cc	TCAAGCTGGC	CATCTTTGGG	CCCCTGTGCT	GCTCCTCGCT	GGAGTACAGC
UNC5Cd	-----	-----	-----	----CTCGCT	GGAGTACAGC
Consensus	tcaagctggc	catctttggg	cccctgtgct	gctcCTCGCT	GGAGTACAGC

FIG. 1 (CONTINUED 2).

	901				950
UNC5C	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
UNC5C8	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
UNC5Cc	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GGTGCCCTGA	AGGAAATTTT
UNC5Cd	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
Consensus	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GaTGCCCTGA	AGGAAATTTT
	951				1000
UNC5C	ACATCTTGAG	AGACAGACGG	GAGGACAGCT	CCTAGAAGAA	CCTAAGGCTC
UNC5C8	ACATCTTGAG	AGAXXXXXXX	XXXXXXXXXX	XXXXXXXXXX	XXXXXAGGTTT
UNC5Cc	ACATCTTGAG	AGACAGACGG	GAGGACAGCT	CCTAGAAGAA	CCTAAGGCTC
UNC5Cd	ACATCTTGAG	AGACAGACGG	GAGGACAGCT	CCTAGAAGAA	CCTAAGGCTC
Consensus	ACATCTTGAG	AGAcagacgg	gaggacagct	cctagaagaa	cctaAGGcTc
	1001				1050
UNC5C	TTCATTTTAA	AGGCAGCACC	CACAACCTGC	GCCTGTCAAT	TCACGATATC
UNC5C8	TTCATTT- AA	AGCANGCANC	CNNCAAATGN	GCCTGTCAAT	TCNCGATATG
UNC5Cc	TTCATTTTAA	AGGCAGCACC	CACAACCTGC	GCCTGTCAAT	TCACGATATC
UNC5Cd	TTCATTTTAA	AGGCAGCACC	CACAACCTGC	GCCTGTCAAT	TCACGATATC
Consensus	TTCATTTtAA	AGgcaGCAcC	CacaAccTGc	GCCTGTCAAT	TCaCGATATc
	1051				1100
UNC5C	GCCCATTTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5C8	GCCCATTTCCC	TCTGAAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5Cc	GCCCGTTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5Cd	GCCCATTTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
Consensus	GCCCaTTCCC	TCTGgAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
	1101				1150
UNC5C	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AAACCTGCAC	TGCACCTTCA
UNC5C8	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AANCTGCAC	TGCACNTTCA
UNC5Cc	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AAACCTGCAC	TGCACCTTCA
UNC5Cd	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AAACCTGCAC	TGCACCTTCA
Consensus	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AAaCTGCAC	TGCACcTTCA
	1151				1200
UNC5C	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
UNC5C8	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
UNC5Cc	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
UNC5Cd	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
Consensus	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
	1201				1250
UNC5C	GTGCGGCAGG	TGGAAGGAGA	AGGGCAGATC	TTCCAGCTCA	ACTGCACCGT
UNC5C8	GT- CGGCAGG	TGGAAGGAGA	AGG- CAGATC	TTCCAGCTCA	ACTGCACCGT
UNC5Cc	GTGCGGCAGG	TGGAAGGAGA	AGGGCAGATC	TTCCAGCTCA	ACTGCACCGT
UNC5Cd	GTGCGGCAGG	TGGAAGGAGA	AGGGCAGATC	TTCCAGCTCA	ACTGCACCGT
Consensus	GTgCGGCAGG	TGGAAGGAGA	AGGgCAGATC	TTCCAGCTCA	ACTGCACCGT
	1251				1300
UNC5C	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
UNC5C8	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
UNC5Cc	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
UNC5Cd	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
Consensus	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
	1301				1350
UNC5C	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
UNC5C8	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
UNC5Cc	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
UNC5Cd	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
Consensus	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
	1351				1400
UNC5C	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
UNC5C8	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
UNC5Cc	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
UNC5Cd	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
Consensus	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
	1401				1450
UNC5C	CTGGAGGATG	CTGGCCCATA	AGCTGAACCT	GGACAGGTAC	TTGAATTACT
UNC5C8	CTGGAGGATG	CTGGCCCATA	AGCTGAACCT	GGACGGGTAC	TTGAATTACT
UNC5Cc	CTGGAGGATG	CTGGCCCATA	AGCTGAACCT	GGACAGGTAC	TTGAATTACT
UNC5Cd	CTGGAGGATG	CTGGCCCATA	AGCTGAACCT	GGACAGGTAC	TTGAATTACT
Consensus	CTGGAGGATG	CTGGCCCATA	AGCTGAACCT	GGACaGGTAC	TTGAATTACT

FIG. 1 (CONTINUED 3).

	1451				1500
UNC5C	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
UNC5C8	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
UNC5Cc	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
UNC5Cd	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
Consensus	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
	1501				1550
UNC5C	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGGAAGA
UNC5C8	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGGAAGA
UNC5Cc	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGGAAGA
UNC5Cd	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGGAAGA
Consensus	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGGAAGA
	1551				1599
UNC5C	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT
UNC5C8	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT
UNC5Cc	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT
UNC5Cd	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT
Consensus	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT

FIG. 2.

Multalin version 5.3.3

Copyright I.N.R.A. France 1989, 1991, 1994, 1996

Published research using this software should cite

Multiple sequence alignment with hierarchical clustering

F. CORPET, 1988, Nucl. Acids Res., 16 22, 10881-10890

Symbol comparison table: blosum62

Gap weight: 12

Gap length weight: 2

Consensus levels: high=90% low=50%

Consensus symbols:

! is anyone of IV

\$ is anyone of LM

% is anyone of FY

is anyone of NDQEBZ

MSF: 2908 Check: 0

Name: ratunc5h1 Len: 2908 Check: 8912 Weight: 0.87

Name: ym97d12 Len: 2908 Check: 4745 Weight: 0.87

Name: 1G Len: 2908 Check: 1058 Weight: 1.05

Name: 1Jrc Len: 2908 Check: 508 Weight: 1.04

Name: 2Brc Len: 2908 Check: 6768 Weight: 1.04

Name: 3D Len: 2908 Check: 8193 Weight: 1.13

Name: Consensus Len: 2908 Check: 6031 Weight: 6.00

//

```

1
ratunc5h1 ATGGCCGTCC GGCCCGGCCT GTGGCCAGTG CTCCTGGGCA TAGTCCTCGC
ym97d12
1G
1Jrc
2Brc
3D
Consensus

```

```

51
ratunc5h1 CGCCTGGCTT CGTGGTTCGG GTGCCAGCA GAGTGCCACG GTGGCCAATC
ym97d12
1G
1Jrc
2Brc
3D
Consensus

```

```

101
ratunc5h1 CAGTGCCCGG TGCCAACCCC GACCTGCTGC CCCACTTCCT GGTAGAGCCT
ym97d12
1G
1Jrc
2Brc
3D
Consensus

```

```

151
ratunc5h1 GAGGACGTGT ACATTGTCAA GAACAAGCCG GTGTTGTTGG TGTGCAAGGC
ym97d12
1G
1Jrc
2Brc
3D
Consensus

```

FIG. 2 (CONTINUED 1).

201
ratunc5h1 TGTGCCTGCC ACCCAGATCT TCTTCAAGTG CAATGGGGAA TGGGTCCGCC 250
ym97d12
1G
1Jrc
2Brc
3D
Consensus

251
ratunc5h1 AGGTCGATCA CGTAATTGAA CGCAGCACCG ACAGCAGCAG CGGATTGCCA 300
ym97d12
1G
1Jrc
2Brc
3D
Consensus

301
ratunc5h1 ACCATGGAGG TCCGTATCAA CGTATCGAGG CAGCAGGTAG AGAAAGTGTT 350
ym97d12
1G
1Jrc
2Brc
3D
Consensus

351
ratunc5h1 TGGGCTGGAG GAATACTGGT GCCAGTGTGT GGCATGGAGC TCCTCGGGTA 400
ym97d12
1G
1Jrc
2Brc
3D
Consensus

401
ratunc5h1 CCACCAAAG TCAGAAGGCC TACATCCGGA TTGCCTATTT GCGCAAGAAC 450
ym97d12
1G
1Jrc
2Brc
3D
Consensus

451
ratunc5h1 TTTGAGCAGG AGCCACTGGC CAAGGAAGTG TCACTGGAGC AAGGCATTGT 500
ym97d12
1G
1Jrc
2Brc
3D
Consensus

501
ratunc5h1 ACTACCTTGT CGCCCCCAG AAGGAATCCC CCCAGCTGAG GTGGAGTGGC 550
ym97d12
1G
1Jrc
2Brc
3D
Consensus

7/18

FIG. 2(CONTINUED 2).

	551	600
ratunc5h1	TTCGAAATGA GGACCTCGTG GACCCCTCCC TCGATCCCAA TGTGTACATC	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	601	650
ratunc5h1	ACGCGGGAGC ACAGCCTAGT CGTGCCTCAG GCCCGCCTGG CCGACACGGC	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	651	700
ratunc5h1	CAACTACACC TGTGTGGCCA AGAACATCGT AGCCCGTCGC CGAAGCACCT	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	701	750
ratunc5h1	CTGCAGCGGT CATGTGTTTAT GTGAACGGTG GGTGGTCGAC GTGGACTGAG	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	751	800
ratunc5h1	TGGTCCGTCT GCAGCGCCAG CTGTGGGCGT GGCTGGCAGA AACGGAGCCG	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	801	850
ratunc5h1	GAGCTGCACC AACCCGGCAC CTCTCAACGG GGGCGCCTTC TGTGAGGGGG	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	851	900
ratunc5h1	AGAATGTCCA GAAAACAGCC TGCGCCACTC TGTGCCCAGT GGATGGGAGC	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		

FIG. 2(CONTINUED 3).

	901		950
ratunc5h1	TGGAGTTCGT GGAGTAAGTG GTCAGCCTGT GGGCTTGACT GCACCCACTG		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	951		1000
ratunc5h1	GCGGAGCCGC GAGTGCTCTG ACCCAGCACC CCGCAATGGA GGTGAGGAGT		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	1001		1050
ratunc5h1	GTCGGGGTGC TGACCTGGAC ACCCGCAACT GTACCAGTGA CCTCTGCCTG		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus		CAGTGA CCTCTGTGTA	
	1051		1100
ratunc5h1	CACACCGCTT CTTGCCCCGA GGACGTGGCT CTCTACATCG <u>GCCTTGTCGC</u>		
ym97d12			
1G			
1Jrc			
2Brc			
3D	CACACTGCTT CTGGCCCTGA GGACGTGGCC CTCTATGTGG GCCTNATCGC		
Consensus			
	Predicted transmembrane region		
	1101		1150
ratunc5h1	<u>TGTGGCTGTG TGCCTCTTCT TGCTGTTGCT GGCCCTTGGA CTCATTACT</u>		
ym97d12			
1G			
1Jrc			
2Brc			
3D	CGTGGCCGNN TGCCTGGTCC TGCTGCTGCT TGTCCATC CTCGTTTATT		
Consensus		t t c g cc c c c t t a	
	1151		1200
ratunc5h1	<u>GTCGCAAGAA</u> GGAAGGGCTG GACTCCGATG TGGCCGACTC GTCCATCCTC		
ym97d12			
1G			
1Jrc			
2Brc			
3D	GCCGGAAGAA GGAGGGGCTG GACTCANATG TGGCTGACTC GTCCATTCTC		
Consensus	gcc aa gg g ga g t c ga c t t tc		
	1201		1250
ratunc5h1	ACCTCGGGCT TCCAGCCTGT CAGCATCAAG CCCAGCAAAG CAGACAACCC		
ym97d12			
1G			
1Jrc			
2Brc			
3D	ACCTCAGGCT TCCAGCCCGT CAGCATCAAG CCCAGCAAAG CAGACAACCC		
Consensus	cc a t t g cc t agc a ca g c cc		

FIG. 2 (CONTINUED 4).

	1251				1300
ratunc5h1	CCACCTGCTC	ACCATCCAGC	CAGACCTCAG	CACCACCACT	ACCACCTACC
ym97d12					
1G					
1Jrc	CCTTGGGTTC	-CCNTCAAGT	GGTNNCANGG	GGGTGGCCCT	TGAA--TTCA
2Brc	ACTTGGGTTC	-CCNTCAAGT	TGT--CAATG	GGNGCCCCCT	--GA--ATCA
3D	CCATCTGCTC	ACCATCCAGC	CGGACCTCAG	CACCACCACC	ACCACCTACC
Consensus	cc t g tc	cc tc ag	g c g	cc c	a t c
	1301				1350
ratunc5h1	AGGGCAGTCT	ATGTTGAGG	CAGGATGGAC	CCAGCCCCAA	GTTCCAGCTC
ym97d12					
1G					
1Jrc					
2Brc					
3D	AGGGCAGTCT	NTGTCCCCGG	CAGGATGGGC	CCAGCCCCAA	GTTCCAGCTC
Consensus	ag a t	tgt gg	gg tgg	c agc c	ccag
	1351				1400
ratunc5h1	TCTAATGGTC	ACCTGCTCAG	CCCACTGGGG	AGTGGCCGCC	ATACGTTGCA
ym97d12				GCC	ACAC--TGCA
1G		TCAG	CCCCCTGGGT	GGCGGCCGCC	ACACACTGCA
1Jrc					
2Brc					
3D	ACCAATGGGC	ACCTGCTCAG	CCCCCTGGGT	GGCGGCCGCC	ACACACTGCA
Consensus	aa g c	cct tcag	ccc cctggg	g ggccgCC	acac tGCA
	1401				1450
ratunc5h1	CCACAGCTCA	CCCACCTCTG	AGGCTGAGGA	CTTCGTCTCC	CGCCTCTCCA
ym97d12	CCACAGCTCT	CCCACCTCTG	AGGCCGAGGA	GTTCGTCTCC	CGCCTCTCCA
1G	CCACAGCTCT	CCCACCTCTG	AGGCCGAGGA	GTTCGTCTCC	CGCCTCTCCA
1Jrc					
2Brc					
3D	CCACAGCTCT	CCAACCTNTG	AGGCCNAGGA	GTTCGNNTCC	CGCCTTTCCA
Consensus	cCacagCtct	cCcacctctG	aggcc AGGa	gttCg tcc	cGcct Tcca
	1451				1500
ratunc5h1	CCCAAACTA	CTT-TCGTTC	CCTGCCCCGC	GGCACCAGCA	ACATGGCCTA
ym97d12	CCCAGAACTA	CTT-CCGCTC	CCTGCCCCGA	GGCACCAGCA	ACATGACCTA
1G	CCCAGAACTA	CTT-CCGCTC	CCTGCCCCGA	GGCACCAGCA	ACATGACCTA
1Jrc					
2Brc					
3D	CCCAGAACTA	CTTNCGGTTC	CTTGCCCCCA	GGCNCCAGCA	ACATGACCTT
Consensus	cccagaacTa	ctT cgGttC	ctTgccCgga	GGc ccagca	acAtGaCCT
	1501				1550
ratunc5h1	C--GGGACCT	TCA-ACTTCC	TCGGGGG-CC	GGCTGATGAT	--CCCTAATA
ym97d12	T--GGGACCT	TCA-ACTTCC	TCGGGGG-CC	GGCTGATGAT	--CCCTAATA
1G	T--GGGACCT	TCNNACTTCC	TCGGGGG-CC	GGCTGATGAT	--CCCTAATA
1Jrc					
2Brc					
3D	ATGGGGACCT	TTAAATTTCT	TCGGGGGNCC	GGNTTATGAA	NCCCTAATTC
Consensus	gGGaCCT	t acTTCc	TcggggG CC	Gg t atga	cc atTc
	1551				1600
ratunc5h1	CGGGGA--TC	AGCCTCCT-C	ATACCCCCCG	ATGCCATCCC	CC-GAGGAAA
ym97d12	CAGGAA--TC	AGCCTCCT-C	ATCCCCCCAG	ATGCCATACC	CC-GAGGGAA
1G	CAGGAA--TC	AGCCTCCT-C	ATNCCCCCAG	ATGCCATACC	CC-GAGGGAA
1Jrc	CAGGAA--TC	AGCCTCCT-C	ATCCCCCCAG	ATGCCATACC	CC-GAGGGAA
2Brc	CAGGAA--TC	AGCCTCCT-C	ATCCCCCCAG	ATGCCATACC	CC-GAGGGAA
3D	CAGGGAATTA	AACCTTCTTA	ATCCCCCAA	ATGCCANACC	CCCGANGGAA
Consensus	CaGgAA Tc	AgCCTcCT c	ATcCCCCag	ATGCCAtaCC	CC GAgGgAA

FIG. 2 (CONTINUED 5).

	1601				1650
ratunc5h1	GATCT-ACGA	GATCTACCTC	ACACTGCACA	AGCCAGAAGA	CGTGAGGTTG
ym97d12	GATCT-ATGA	GATCTACCTC	ACGCTGCACA	AGCCGGAAGA	CGTGAGGTTG
1G	GATCT-ATGA	GATCTGCCTC	ACGCTGCACA	AGCCGGAAGA	CGTGAGGTTG
1Jrc	GATCT-ATGA	GATCTACCTC	ACGCTGCACA	AGCCGGAAGA	CGTGAGGTTG
2Brc	GATCT-ATGA	GATCTACCTC	ACGCTGCGCA	AGCCGGAAGA	CGTGAGGTTG
3D	NATCTNTTGN	NAACTACCTT	A-----A	ANCTTGANNA	AGCCCGGAAA
Consensus	gATCT atGa	gAtCTaCCTc	AcgctgcacA	AgCcgGAagA	cGtgaGGttg
	1651				1700
ratunc5h1	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCAGTCGTTA	GCTGTGGGCC
ym97d12	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
1G	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
1Jrc	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
2Brc	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
3D	AACC				
Consensus	cccctagctg	gctgtcagac	cctgctgagt	cccatcgtta	gctgtggacc
	1701				1750
ratunc5h1	CCCA-GGAGT	CCTGCTCACC	CGGCCAGTCA	T-CCTTG-CA	ATGGACCACT
ym97d12	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
1G	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
1Jrc	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
2Brc	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
3D					
Consensus	ccct ggcgt	cctgctcacc	cggccagtca	t cctgg ct	atggaccact
	1751				1800
ratunc5h1	GT--GGAGAG	CCCA-GCCCT	-GACAGC--T	GGAGTC-TGC	GCCT---CAA
ym97d12	GT--GGGGAG	CCCA-GCCCT	-GACAGC--T	GGAGCC-TGC	GCCT---CAA
1G	GT--GGGGAG	CCCA-GCCCT	-GACAGC--T	GGAGCC-TGC	GCCT---CAA
1Jrc	GT--GGGGAG	CCCA-GCCCT	-GACAGC--T	GGAGCC-TGC	GCCT---CAA
2Brc	GT--GGGGAG	CCCA-GCCCT	-GACAGC--T	GGAGCC-TGC	GCCT---CAA
3D					
Consensus	gt ggggag	ccca gccct	gacagc t	ggagcc tgc	gcct caa
	1801				1850
ratunc5h1	AAAGCAG-TC	CTGC-GAGGG	CAGTTGGG--	-AGGATGTGC	-TGCACCT-T
ym97d12	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG--	-AGGATGTGC	-TGCACCT-G
1G	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG--	-AGGGTGTGC	-TGCACCT-G
1Jrc	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG--	-AGGATGTGC	-TGCACCT-G
2Brc	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG--	-AGGATGTGC	-TGCACCT-G
3D					
Consensus	aaagcag tc	tgc gaggg	cagctggg	aggatgtgc	tgcacct g
	1851				1900
ratunc5h1	GGTGAGGAGT	CACCTTCCCA	CCTCTACTAC	TGCCAGCTGG	AGGCCGGGGC
ym97d12	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAC	TGCCAGCTGG	AGGCCAGTGC
1G	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAA	NTAAANCCCN	AA-TTNTTG
1Jrc	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAG		
2Brc	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAA	G	
3D					
Consensus	ggcgaggag	cgccctccca	cctctacta		
	1901				1950
ratunc5h1	CTGCTATGTC	TTCACGGAGC	AGCTGGGCCG	CTTTGCCCTG	GTAGGAGAGG
ym97d12	CTGCTACGTC	TTCACCGAGC	AGCTGGGCCG	CTTTGCCCTG	GTGGGAGAGG
1G	AAAAATCCNT	TTAAAATTGT	NG--GNCCCN	TTNAAACCTN	-----
1Jrc					
2Brc					
3D					
Consensus					

11/18

FIG. 2 (CONTINUED 6).

1951
 ratunc5h1 CCCTCAGCGT GGCTGCCACC AAGCGCCTCA GGCTCCTTCT GTTTGCTCCC 2000
 ym97d12 CCCTCAGCGT GGCTGCCGCC AAGCGCCTCA AGCTGCTTCT GTTTGCGCCG
 1G CCCTTAAAAA GGGGCCCAAT TTCCNCCTNT NNGGNANCCN --TTNAAAAAN
 1Jrc
 2Brc
 3D
 Consensus

2001
 ratunc5h1 GTGGCCTGTA CGTCCCTTGA GTACAACATC CGAGTGTACT GCCTACACGA 2050
 ym97d12 GTGGCCTGCA CCTCCCTCGA GTACAACATC CGGGTCTACT GCCTGCATGA
 1G NTAAGTGGCC CCTNTTTTNA AAACNNNCGA NCNGGGNAAA NCC
 1Jrc
 2Brc
 3D
 Consensus

2051
 ratunc5h1 CACCCACGAC GCTCTCAAGG AGGTGGTGCA GCTGGAGAAG CAGCTAGGTG 2100
 ym97d12 CACCCACGAT GCACTCAAGG AGGTGGTGCA GCTGGAGAAG CAGCTGGGGG
 1G
 1Jrc
 2Brc
 3D
 Consensus

2101
 ratunc5h1 GACAGCTGAT CCAGGAGCCT CGCGTCCTGC ACTTCAAAGA CAGTTACCAC 2150
 ym97d12 GACAGCTGAT CCAGGAGCCA CGGGTCCTGC ACTTCAAGGA CAGTTACCAC
 1G
 1Jrc
 2Brc
 3D
 Consensus

2151
 ratunc5h1 AACCTACGTC TCTCCATCCA CGACGTGCCC AGCTCCCTGT GGAAGAGCAA 2200
 ym97d12 AACCTGCGCC TATCCATCCA CGATGTGCCC AGCTCCCTGT GGAAGAGTAA
 1G
 1Jrc
 2Brc
 3D
 Consensus

2201
 ratunc5h1 GCTACTTGTC AGCTACCAGG AGATCCCTTT TTACCACATC TGGAACGGCA 2250
 ym97d12 GCTCCTTGTC AGCTACCAGG AGATCCCCTT TTATCACATC TGGAATGGCA
 1G
 1Jrc
 2Brc
 3D
 Consensus

2251
 ratunc5h1 CCCAGCAGTA TCTGCACTGC ACCTTCACCC TGGAGCGCAT CAACGCCAGC 2300
 ym97d12 CGCAGCGGTA CTTGCACTGC ACCTTCACCC TGGAGCGTGT CAGCCCCAGC
 1G
 1Jrc
 2Brc
 3D
 Consensus

12/18

FIG. 2. (CONTINUED 7).

	2301		2350
ratunc5h1	ACCAGCGACC TGGCCTGCAA GGTGTGGGTG TGGCAGGTGG	AGGGAGATGG	
ym97d12	ACTAGTGACC TGGCCTGCAA GCTGTGGGTG TGGCAGGTGG	AGGGCGACGG	
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2351		2400
ratunc5h1	GCAGAGCTTC AACATCAACT TCAACATCAC TAAGGACACA	AGGTTTGCTG	
ym97d12	GCAGAGCTTC AGCATCAACT TCAACATCAC CAAGGACACA	AGGTTTGCTG	
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2401		2450
ratunc5h1	AATTGTTGGC TCTGGAGAGT GAAGGGGGGG TCCCAGCCCT	GGTGGGCCCC	
ym97d12	AGCTGCTGGC TCTGGAGAGT GAAGCGGGGG TCCAAGCCCT	GGTGGGCCCC	
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2451		2500
ratunc5h1	AGTGCCTTCA AGATCCCCTT CCTCATTCGG CAAAAGATCA	TCGCCAGTCT	
ym97d12	AGTGCCTTCA AGATCCCCTT CCTCATTCGG CAGAAGATAA	TTTCCAGCCT	
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2501		2550
ratunc5h1	GGACCCACCC TGCAGCCGGG GCGCCGACTG GAGAACTCTA	GCCCAGAAAC	
ym97d12	GGACCCACCC TGTAGGCGGG GTGCCGACTG GCGGACTCTG	GCCCAGAAAC	
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2551		2600
ratunc5h1	TTCACCTGGA CAGCCATCTT AGCTTCTTTG CCTCCAAGCC	CAGCCCTACA	
ym97d12	TTCACCTGGA CAGCCATCTC AGCTTCTTTG CCTCCAAGCC	CAGCCCCACA	
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2601		2650
ratunc5h1	GCCATGATCC TCAACCTATG GGAGGCACGG CACTTCCCCA	ACGGCAACCT	
ym97d12	GCCATGATCC TCAACCTGTG GGAGGCACGG CACTTCCCCA	ACGGCAACCT	
1G			
1Jrc			
2Brc			
3D			
Consensus			

FIG. 2 (CONTINUED 8).

2651 2700
 ratunc5h1 CGGCCAGCTG GCAGCAGCTG TGGCCGGACT GGGCCAACCA GATGCTGGCC
 ym97d12 CAGCCAGCTG GCTGCAGCAG TGGCTGGACT GGGCCAGCCA GACGCTGGCC
 1G
 1Jrc
 2Brc
 3D
 Consensus

2701 2750
 ratunc5h1 TCTTCACGGT GTCGGAGGCC GAGTGTTGA
 ym97d12 TCTTCACAGT GTCGGAGGCT GAGTGCTGAG GCCGGCCAGG CCCGACACCT
 1G
 1Jrc
 2Brc
 3D
 Consensus

2751 2800
 ratunc5h1
 ym97d12 ACACTCTCAC CAGCTTTGGC ACCCACCAAG GACAGGCAGA AGCCGGACAG
 1G
 1Jrc
 2Brc
 3D
 Consensus

2801 2850
 ratunc5h1
 ym97d12 GGGCCCTTCC CCACACCGGG GAGAGCTGCT CGGACAGGCC CCCTCCCGGC
 1G
 1Jrc
 2Brc
 3D
 Consensus

2851 2900
 ratunc5h1
 ym97d12 CGAAGCTGTC CCTTAATGCT GGTCCTTCAG ACCCTGCCCC CTCGTGCCGA
 1G
 1Jrc
 2Brc
 3D
 Consensus

2901
 ratunc5h1
 ym97d12 ATTCTGGC
 1G
 1Jrc
 2Brc
 3D
 Consensus





FIG. 5.




FIG. 6.

gi|205715 (M96376) neurexin II-alpha-b [Rattus norvegicus] 31 7.4

gi|205715 (M96376) neurexin II-alpha-b [Rattus norvegicus]
Length = 1728

Score = 31.3 bits (69), Expect = 7.4

Identities = 16/38 (42%), Positives = 20/38 (52%)

Query: 337 KACSVCXAGRRALMGKLLLEEQXGVGGRGKANADIYYR 224

KAC VC + GK LEE+G G G G+ IY +

Sbjct: 1690 KACCVCRCRATCIAGKPLEERGGG-RGEGERQMQUIYIK 1726

FIG. 7.

gi|1644455 (U72520) mena protein [Mus musculus]

Length = 541

Score = 34.0 bits (76), Expect = 0.77

Identities = 14/23 (60%), Positives = 15/23 (64%)

Frame = +1

Query: 31 PPPPCTCPAGRHRVSALPPPAGP 99

PPPP P+G SALPPP GP

Sbjct: 284 PPPPPPLPSGPAYASALPPPPGP 306

FIG. 8.





FIG. 9.



1
SEQUENCE LISTING

<110> DEVGEN NV

<120> UNC-5 constructs and screening methods

<130> SCB/52877/002

<140>

<141>

<160> 96

<170> PatentIn Ver. 2.0

<210> 1

<211> 1393

<212> DNA

<213> Homo sapiens

<400> 1

```

ttgttttgtgt atcggaagaa tcatcggtgac tttgagtcag atattattga ctcttcggca 60
ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagatct gctggctgta 120
ccccagacc tcacgtcagc tgcagccatg tacagaggac ctgtctatgc cctgcatgac 180
gtctcagaca aaatcccaat gaccaactct ccaattctgg atccactgcc caacctgaaa 240
atcaaagtgt acaacacctc aagtgtgtgc acccccgaag atgacctctc tgagtttacg 300
tccaagctgt cccctcagat gaccagtcg ttgttggaga atgaagccct cagcctgaag 360
aaccagagtc tagcaaggca gactgatcca tctgtaccg catttggcag cttcaactcg 420
ctgggaggtc accttattgt tcccaattca ggagtcagct tgctgattcc cgctggggcc 480
attccccaag ggagagtcta cgaaatgtat gtgactgtac acaggaaaga aactatgagg 540
ccacccatgg atgactctca gacacttttg acccctgtgg tgagctgtgg gccccagga 600
gctctgtctca cccgccccgt cgtcctcact atgcatcact gcgcagaccc caataccgag 660
gactggaaaa tactgtctct cgctggagta cagcatccga gtctactgtc tggatgacac 720
ccaggatgcc ctgaaggaaa ttttacatct tgagagacag acgggaggac agctcctaga 780
agaacctaag gctcttcatt ttaaaggcag caccacaac ctgcgcctgt caattcacga 840
tatcgcccat tccctctgga agagcaaatt gctggctaaa tatcaggaaa ttccatttta 900
ccatgtttgg agtggatctc aaagaaacct gcactgcacc ttcactctgg aaagatttag 960
cctgaacaca gtggagctgg tttgcaaact ctgtgtgcgg caggtggaag gagaagggca 1020
gatcttcag ctcaactgca ccgtgtcaga ggaacctact ggcacgatt tgccgctgct 1080
ggatcctgcg aacaccatca ccacggtcac ggggcccagt gctttcagca tccctctccc 1140
tatccggcag aagctctgta gcagcctgga tgccccccag acgagaggcc atgactggag 1200
gatgctggcc cataagctga acctggacag gtacttgaat tactttgcca ccaaatccag 1260
cccaactggc gtaatcctgg atctttggga agcacagaac ttcccagatg gaaacctgag 1320
catgctggca gctgtcttgg aagaaatggg aagacatgaa acggtggtgt ccttagcagc 1380
agaagggcag tat                                     1393

```

<210> 2

<211> 238

<212> PRT

<213> Homo sapiens

<400> 2

```

Leu Phe Val Tyr Arg Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
  1             5             10             15

```

```

Asp Ser Ser Ala Leu Asn Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
      20             25             30

```


Ala Arg Gln Asp Leu Leu Ala Val Pro Pro Asp Leu Thr Ser Ala Ala
35 40 45

Ala Met Tyr Arg Gly Pro Val Tyr Ala Leu His Asp Val Ser Asp Lys
50 55 60

Ile Pro Met Thr Asn Ser Pro Ile Leu Asp Pro Leu Pro Asn Leu Lys
65 70 75 80

Ile Lys Val Tyr Asn Thr Ser Ser Ala Val Thr Pro Gln Asp Asp Leu
85 90 95

Ser Glu Phe Thr Ser Lys Leu Ser Pro Gln Met Thr Gln Ser Leu Leu
100 105 110

Glu Asn Glu Ala Leu Ser Leu Lys Asn Gln Ser Leu Ala Arg Gln Thr
115 120 125

Asp Pro Ser Cys Thr Ala Phe Gly Ser Phe Asn Ser Leu Gly Gly His
130 135 140

Leu Ile Val Pro Asn Ser Gly Val Ser Leu Leu Ile Pro Ala Gly Ala
145 150 155 160

Ile Pro Gln Gly Arg Val Tyr Glu Met Tyr Val Thr Val His Arg Lys
165 170 175

Glu Thr Met Arg Pro Pro Met Asp Asp Ser Gln Thr Leu Leu Thr Pro
180 185 190

Val Val Ser Cys Gly Pro Pro Gly Ala Leu Leu Thr Arg Pro Val Val
195 200 205

Leu Thr Met His His Cys Ala Asp Pro Asn Thr Glu Asp Trp Lys Ile
210 215 220

Leu Leu Leu Ala Gly Val Gln His Pro Ser Leu Leu Ser Gly
225 230 235

<210> 3

<211> 1438

<212> DNA

<213> Homo sapiens

<400> 3

```

ttgtttgtgt atcggaagaa tcatcgtgac tttgagtcag atattattga ctcttcggca 60
ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagatct gctggctgta 120
ccccagacc tcacgtcagc tgcagccatg tacagaggac ctgtctatgc cctgcatgac 180
gtctcagaca aaatcccaat gaccaactct ccaattctgg atccactgcc caacctgaaa 240
atcaaagtgt acaacacctc aggtgctgtc acctattggt cccaattcag gagtcagctt 300
gctgattccc gctggggcca ttccccaagg gagagtctac gaaatgtatg tgactgtaca 360
caggaaagaa actatgaggc caccatgga tgactctcag acacttttga cccctgtggt 420
gagctgtggg cccccaggag ctctgctcac ccgccccgtc gtccctacta tgcactactg 480
cgcagacccc aataccgagg actggaaaat actgctcaag aaccaggcag cacagggaca 540
gtgggaggat gtggtggtgg tcggggagga aaacttcacc accccctgct acattcagct 600
ggatgcagag gctgcccaca tcctcacaga gaacctcagc acctacgccc tggtaggaca 660

```

3

```

ttccaccacc aaagcgggctg caaagcgcct caagctggcc atctttgggc cctgtgctg 720
ctcctcgctg gagtacagca tccgagtcta ctgtctggat gacaccaggt gtgccctgaa 780
ggaaatttta catcttgaga gacagacggg aggacagctc ctagaagaac ctaaggctct 840
tcattttaaa ggcagcaccac acaacctgcg cctgtcaatt cactgatctg cccgttccct 900
ctggaagagc aaattgctgg ctaaatatca ggaaattcca ttttaccatg tttggagtgg 960
atctcaaaga aacctgcact gcaccttcac tctggaaaga tttagcctga acacagtgga 1020
gctgggtttgc aaactctgtg tgcggcaggt ggaaggagaa gggcagatct tccagctcaa 1080
ctgcaccgtg tcagaggaac ctactggcat cgatttgccg ctgctggatc ctgcgaacac 1140
catcaccacg gtcacggggc ccagtgcctt cagcatccct ctccctatcc ggcagaagct 1200
ctgtagcagc ctggatgccc ccagacgag aggccatgac tggaggatgc tggcccataa 1260
gctgaacctg gacaggtact tgaattactt tgccaccaaa tccagcccaa ctggcgtaat 1320
cctggatctt tgggaagcac agaacttccc agatggaaac ctgagcatgc tggcagctgt 1380
cttggaaaga atgggaagac atgaaacggt ggtgtcctta gcagcagaag ggcagtat 1438

```

<210> 4

<211> 130

<212> PRT

<213> Homo sapiens

<400> 4

```

Leu Phe Val Tyr Arg Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
  1             5             10             15

```

```

Asp Ser Ser Ala Leu Asn Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
          20             25             30

```

```

Ala Arg Gln Asp Leu Leu Ala Val Pro Pro Asp Leu Thr Ser Ala Ala
          35             40             45

```

```

Ala Met Tyr Arg Gly Pro Val Tyr Ala Leu His Asp Val Ser Asp Lys
          50             55             60

```

```

Ile Pro Met Thr Asn Ser Pro Ile Leu Asp Pro Leu Pro Asn Leu Lys
          65             70             75             80

```

```

Ile Lys Val Tyr Asn Thr Ser Gly Ala Val Thr Tyr Cys Ser Gln Phe
          85             90             95

```

```

Arg Ser Gln Leu Ala Asp Ser Arg Trp Gly His Ser Pro Arg Glu Ser
          100             105             110

```

```

Leu Arg Asn Val Cys Asp Cys Thr Gln Glu Arg Asn Tyr Glu Ala Thr
          115             120             125

```

```

His Gly
          130

```

<210> 5

<211> 1575

<212> DNA

<213> Homo sapiens

<400> 5

```

ttgtttgtgt atcggaagaa tcatcgtgac tttgagtcag atattattga ctcttcggca 60
ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagacct cacgtcagct 120
gcagccatgt acagaggacc tgtctatgcc ctgcatgacg tctcagacaa aatcccaatg 180
accaactctc caattctgga tccactgccc aacctgaaaa tcaaagtgta caacacctca 240

```

4

```

ggtgctgtca cccccaaga tgacctctct gagtttacgt ccaagctgtc ccctcagatg 300
accagatcgt tgttgagaa tgaagccctc agcctgaaga accagagtct agcaaggcag 360
actgatccat cctgtaccgc atttggcagc ttcaactcgc tgggaggtca ccttattgtt 420
cccaattcag gagtcagctt gctgattccc gctggggcca tcccccaagg gagagtctac 480
gaaatgtatg tgactgtaca caggaaagaa actatgaggc cacccatgga tgactctcag 540
acacttttga cccctgttgt gagctgtggg cccccaggag ctctgctcac ccgccccgcc 600
gtcttcacta tgcatactg cgcagacccc aataccgagg actggaaaat actgctcaag 660
caccagggaca gtgggaggat gtggtggtgg ccggggagga aaacttcacc 720
acattaagct ggatgcagag gcctgccaca tcctcacaga gaacctcagc 780
tggtaggaca ttccaccacc aaagcggctg caaagcgctt caagctggcc 840
ccctgtgctg ctctctcgtg gagtacagca tccgagtcta ctgtctggat 900
atgccctgaa ggaaatttta catcttgaga gannnnnnnn nnnnnnnnnn 960
nnnaggtttt tcatttaaag cangcancn ncaaattgnc ctgtcaattc 1020
ccattccctc tgaaagagca aattgctggc taaatatcag gaaattccat 1080
ttggagtgga tctcaaagaa ncctgcactg cacnttcact ctggaaagat 1140
cacagtggag ctggtttgca aactctgtgt cggcaggtgg aaggagaagg 1200
agctcaactg caccgtgtca gaggaaccta ctggcatcga tttgccgctg 1260
cgaacaccat caccagctc acggggccca gtgctttcag catccctctc 1320
agaagctctg tagcagctg agtgccccc agacgagagg ccatctctgg 1380
cccataagct gaacctggac gggacttga attactttgc caccaaatcc 1440
cgtaattcct ggatctttgg gaagcacaga acttcccaga tggaaacctg 1500
cagctgtctt ggaagaaatg ggaagacatg aaacggtggt gtccttagca 1560
agtat 1575

```

<210> 6

<211> 526

<212> PRT

<213> Homo sapiens

<400> 6

```

Leu Phe Val Tyr Arg Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
 1              5              10              15

Asp Ser Ser Ala Leu Asn Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
      20              25              30

Ala Arg Gln Asp Leu Thr Ser Ala Ala Ala Met Tyr Arg Gly Pro Val
 35              40              45

Tyr Ala Leu His Asp Val Ser Asp Lys Ile Pro Met Thr Asn Ser Pro
 50              55              60

Ile Leu Asp Pro Leu Pro Asn Leu Lys Ile Lys Val Tyr Asn Thr Ser
 65              70              75              80

Gly Ala Val Ser Pro Gln Asp Asp Leu Ser Glu Phe Thr Ser Lys Leu
      85              90              95

Ser Pro Gln Met Thr Gln Ser Leu Leu Glu Asn Glu Ala Leu Ser Leu
    100              105              110

Lys Asn Gln Ser Leu Ala Arg Gln Thr Asp Pro Ser Cys Thr Ala Phe
    115              120              125

Gly Ser Phe Asn Ser Leu Gly Gly His Leu Ile Val Pro Asn Ser Gly
    130              135              140

Val Ser Leu Leu Ile Pro Ala Gly Ala Ile Pro Gln Gly Arg Val Tyr

```

5

145		150		155		160
Glu Met Tyr Val Thr Val His Arg Lys Glu Thr Met Arg Pro Pro Met						
	165			170		175
Asp Asp Ser Gln Thr Leu Leu Thr Pro Val Val Ser Cys Gly Pro Pro						
	180		185			190
Gly Ala Leu Leu Thr Arg Pro Val Val Leu Thr Met His His Cys Ala						
	195		200			205
Asp Pro Asn Thr Glu Asp Trp Lys Ile Leu Leu Lys Asn Gln Ala Ala						
	210		215			220
Gln Gly Gln Trp Glu Asp Val Val Val Val Gly Glu Glu Asn Phe Thr						
	225		230			235
Thr Pro Cys Tyr Ile Lys Leu Asp Ala Glu Ala Cys His Ile Leu Thr						
	245			250		255
Glu Asn Leu Ser Thr Tyr Ala Leu Val Gly His Ser Thr Thr Lys Ala						
	260			265		270
Ala Ala Lys Arg Leu Lys Leu Ala Ile Phe Gly Pro Leu Cys Cys Ser						
	275			280		285
Ser Leu Glu Tyr Ser Ile Arg Val Tyr Cys Leu Asp Asp Thr Gln Asp						
	290			295		300
Ala Leu Lys Glu Ile Leu His Leu Glu Arg Gln Thr Gly Gly Gln Leu						
	305			310		315
Leu Glu Glu Pro Lys Ala Leu His Phe Lys Gly Ser Thr His Asn Leu						
	325			330		335
Arg Leu Ser Ile His Asp Ile Ala His Ser Leu Trp Lys Ser Lys Leu						
	340			345		350
Leu Ala Lys Tyr Gln Glu Ile Pro Phe Tyr His Val Trp Ser Gly Ser						
	355			360		365
Gln Arg Asn Leu His Cys Thr Phe Thr Leu Glu Arg Phe Ser Leu Asn						
	370			375		380
Thr Val Glu Leu Val Cys Lys Leu Cys Val Arg Gln Val Glu Gly Glu						
	385			390		395
Gly Gln Ile Phe Gln Leu Asn Cys Thr Val Ser Glu Glu Pro Thr Gly						
	405			410		415
Ile Asp Leu Pro Leu Leu Asp Pro Ala Asn Thr Ile Thr Thr Val Thr						
	420			425		430
Gly Pro Ser Ala Phe Ser Ile Pro Leu Pro Ile Arg Gln Lys Leu Cys						
	435			440		445
Ser Ser Leu Asp Ala Pro Gln Thr Arg Gly His Asp Trp Arg Met Leu						
	450			455		460

Ala His Lys Leu Asn Leu Asp Arg Tyr Leu Asn Tyr Phe Ala Thr Lys
465 470 475 480

Ser Ser Pro Thr Gly Val Ile Leu Asp Leu Trp Glu Ala Gln Asn Phe
485 490 495

Pro Asp Gly Asn Leu Ser Met Leu Ala Ala Val Leu Glu Glu Met Gly
500 505 510

Arg His Glu Thr Val Val Ser Leu Ala Ala Glu Gly Gln Tyr
515 520 525

<210> 7

<211> 813

<212> DNA

<213> Homo sapiens

<400> 7

```
cagtgaacctc tgtgtacaca ctgcttctgg ccctgaggac gtggccctct atgtgggcct 60
nategccgtg gccgnntgcc tggctctgct gctgcttgct ctcctcctcg tttattgccg 120
gaagaaggag gggctggact canatgtggc tgactcgtcc attctcacct caggcttcca 180
gcccgtcagc atcaagccca gcaaagcaga caacccccat ctgctcacca tccagccgga 240
cctcagcacc accaccacca cctaccaggg cagtctctgt ccccggcagg atgggcccag 300
ccccaaagttc cagctcacca atgggcacct gctcagcccc ctgggtggcg gccgccacac 360
actgcaccac agctctccca cctctgaggc cgaggagtgc gtctcccgcc tctccacca 420
gaactacttc cgctccctgc cccgaggcac cagcaacatg acctatggga ccttcaactt 480
cctcggggggc cggctgatga tccctaatac aggaatcaag cctcctcatc ccccagatg 540
ccataccccg aggggaagatc tatgagatct acctcacgct tgcacaagcc ggaagacgtg 600
aggttgcccc tagctggctg tcagaccctg ctgagtccca tcgttagctt gtggaccccc 660
tggcgtcctg ctcacccggc cagtcctcct ggctatggac cactgtgggg agcccagccc 720
tgacagctgg agcctgcgcc tcaaaaagca gtcgtgcgag ggcagctggg aggatgtgct 780
gcacctgggc gaggaggcgc cctcccactc act 813
```

<210> 8

<211> 265

<212> PRT

<213> Homo sapiens

<400> 8

Gln Pro Leu Cys Thr His Cys Phe Trp Pro Gly Arg Gly Pro Leu Cys
1 5 10 15

Gly Pro Xaa Arg Arg Gly Xaa Xaa Pro Gly Pro Ala Ala Ala Cys Pro
20 25 30

His Pro Arg Leu Leu Pro Glu Glu Gly Gly Ala Gly Leu Xaa Cys Gly
35 40 45

Leu Val His Ser His Leu Arg Leu Pro Ala Arg Gln His Gln Ala Gln
50 55 60

Gln Ser Arg Gln Pro Pro Ser Ala His His Pro Ala Gly Pro Gln His
65 70 75 80

His His His His Leu Pro Gly Gln Ser Leu Ser Pro Ala Gly Trp Ala
85 90 95

Gln Pro Gln Val Pro Ala His Gln Trp Ala Pro Ala Gln Pro Pro Gly
 100 105 110
 Trp Arg Pro Pro His Thr Ala Pro Gln Leu Ser His Leu Gly Arg Gly
 115 120 125
 Val Arg Leu Pro Pro Leu His Pro Glu Leu Leu Pro Leu Pro Ala Pro
 130 135 140
 Arg His Gln Gln His Asp Leu Trp Asp Leu Gln Leu Pro Arg Gly Pro
 145 150 155 160
 Asp Asp Pro Tyr Arg Asn Gln Ala Ser Ser Ser Pro Gln Met Pro
 165 170 175
 Arg Pro Glu Gly Arg Ser Met Arg Ser Thr Ser Arg Leu His Lys Pro
 180 185 190
 Asp Val Arg Leu Pro Leu Ala Gly Cys Gln Thr Leu Leu Ser Pro
 195 200 205
 Val Ser Leu Trp Thr Pro Trp Arg Pro Ala His Pro Ala Ser His
 210 215 220
 Pro Gly Tyr Gly Pro Leu Trp Gly Ala Gln Pro Gln Leu Glu Pro Ala
 225 230 235 240
 Pro Gln Lys Ala Val Val Arg Gly Gln Leu Gly Gly Cys Ala Ala Pro
 245 250 255
 Gly Arg Gly Gly Ala Leu Pro Leu Thr
 260 265

<210> 9
 <211> 266
 <212> PRT
 <213> Homo sapiens

<400> 9
 Ser Asp Leu Cys Val His Thr Ala Ser Gly Pro Glu Asp Val Ala Leu
 1 5 10 15
 Tyr Val Gly Xaa Ile Ala Val Ala Xaa Cys Leu Val Leu Leu Leu
 20 25 30
 Val Leu Ile Leu Val Tyr Cys Arg Lys Lys Glu Gly Leu Asp Ser Xaa
 35 40 45
 Val Ala Asp Ser Ser Ile Leu Thr Ser Gly Phe Gln Pro Val Ser Ile
 50 55 60
 Lys Pro Ser Lys Ala Asp Asn Pro His Leu Leu Thr Ile Gln Pro Asp
 65 70 75 80
 Leu Ser Thr Thr Thr Thr Thr Tyr Gln Gly Ser Leu Cys Pro Arg Gln
 85 90 95

Asp Gly Pro Ser Pro Lys Phe Gln Leu Thr Asn Gly His Leu Leu Ser
 100 105 110
 Pro Leu Gly Gly Gly Arg His Thr Leu His His Ser Ser Pro Thr Ser
 115 120 125
 Glu Ala Glu Glu Phe Val Ser Arg Leu Ser Thr Gln Asn Tyr Phe Arg
 130 135 140
 Ser Leu Pro Arg Gly Thr Ser Asn Met Thr Tyr Gly Thr Phe Asn Phe
 145 150 155 160
 Leu Gly Gly Arg Leu Met Ile Pro Asn Thr Gly Ile Lys Pro Pro His
 165 170 175
 Pro Pro Arg Cys His Thr Pro Arg Glu Asp Leu Asp Leu Pro His Ala
 180 185 190
 Cys Thr Ser Arg Lys Thr Gly Cys Pro Leu Ala Val Arg Pro Cys Val
 195 200 205
 Pro Ser Leu Ala Cys Gly Pro Pro Gly Val Leu Leu Thr Arg Pro Val
 210 215 220
 Ile Leu Ala Met Asp His Cys Gly Glu Pro Ser Pro Asp Ser Trp Ser
 225 230 235 240
 Leu Arg Leu Lys Lys Gln Ser Cys Glu Gly Ser Trp Glu Asp Val Leu
 245 250 255
 His Leu Gly Glu Glu Ala Pro Ser His Ser
 260 265

<210> 10
 <211> 266
 <212> PRT
 <213> Homo sapiens

<400> 10
 Val Thr Ser Val Tyr Thr Leu Leu Leu Ala Leu Arg Thr Trp Pro Ser
 1 5 10 15
 Met Trp Ala Xaa Ser Pro Trp Pro Xaa Ala Trp Ser Cys Cys Cys Leu
 20 25 30
 Ser Ser Ser Ser Phe Ile Ala Gly Arg Arg Arg Gly Trp Thr Xaa Met
 35 40 45
 Trp Leu Thr Arg Pro Phe Ser Pro Gln Ala Ser Ser Pro Ser Ala Ser
 50 55 60
 Ser Pro Ala Lys Gln Thr Thr Pro Ile Cys Ser Pro Ser Ser Arg Thr
 65 70 75 80
 Ser Ala Pro Pro Pro Pro Pro Thr Arg Ala Val Ser Val Pro Gly Arg
 85 90 95

Met Gly Pro Ala Pro Ser Ser Ser Ser Pro Met Gly Thr Cys Ser Ala
 100 105 110

Pro Trp Val Ala Ala Ala Thr His Cys Thr Thr Ala Leu Pro Pro Leu
 115 120 125

Arg Pro Arg Ser Ser Ser Pro Ala Ser Pro Pro Arg Thr Thr Ser Ala
 130 135 140

Pro Cys Pro Glu Ala Pro Ala Thr Pro Met Gly Pro Ser Thr Ser Ser
 145 150 155 160

Gly Ala Gly Ser Leu Ile Gln Glu Ser Ser Leu Leu Ile Pro Pro Asp
 165 170 175

Ala Ile Pro Arg Gly Lys Ile Tyr Glu Ile Tyr Leu Thr Leu Ala Gln
 180 185 190

Ala Gly Arg Arg Glu Val Ala Pro Ser Trp Leu Ser Asp Pro Ala Glu
 195 200 205

Ser His Arg Leu Val Asp Pro Leu Ala Ser Cys Ser Pro Gly Gln Ser
 210 215 220

Ser Trp Leu Trp Thr Thr Val Gly Ser Pro Ala Leu Thr Ala Gly Ala
 225 230 235 240

Cys Ala Ser Lys Ser Ser Arg Ala Arg Ala Ala Gly Arg Met Cys Cys
 245 250 255

Thr Trp Ala Arg Arg Arg Pro Pro Thr His
 260 265

<210> 11

<211> 6981

<212> DNA

<213> *Caenorhabditis elegans*

<400> 11

```

atgtcgtcgg tggatgacga gcatcatcct tcaattgaag ttgatattcc tgacgtttat 60
gaaagtgcac ctgactgtga aaaaactgaa gactgcacct atctaggatc tattctcaag 120
gcgaaaaaat cattgcgaaa aaccaagaaa gtcgctagtc ctggtatcta tccgggctcg 180
gcgggtgctc ttcatctctt ttcaaatggc ctagccgatg agaatagatc gccaaactagt 240
gctgaagttt ctgattcagt atgtggacaa aaatctataa attcagttga cttgaggttc 300
agaggattga gagatgaacg tgaactcgtg caaaagaaaa catttacaaa atgggtcaac 360
tcacacttgg ttcgagtcag ctgcaaagta caagacctct acatggatat gcgagacgga 420
aaaatgctcc tccgactcct cgcagttctt tccggtgaac gtctgccgaa accgacgccg 480
ggaaaaatgc gtatccactg tcttgagaac gttgagaaag gtttgcaatt cttgcgcaat 540
caacacgtgc atctcgaaaa cttgggttca cacgatatcg ttgacggaaa ttcacgcctc 600
acgttgggtc tcatctggac gatcatcctt cgattccaga tccaagatat cacatttgaa 660
gacgctgaca atcacgagac acgttcagcg aaggaggcct tgttactgtg gtgccagatg 720
aaaactgctg gatatccaaa tgtcaacgtc aagaacttct caaccagttg gagagatggt 780
cttgcatcca atgcacttat tcataaacat agacctgac tcgtagacta cgataattta 840
caaaaatcga atgtctctta caatttgcaa tctgcttttg ataccgcaga aaatcaattg 900
ggattggcca agttcctcga tgccgaagat gtgaacgttg accaacctga tgagaaatcc 960
attatcactt atgtagttac atattatcat tacttcaaca aactgaaaca agataacatc 1020

```


caaggaaaac	gtatcggaaa	agtgattaat	gagttgatgg	agaacgacaa	aatgatcaat	1080
cgatacgaac	ctctttcatc	tgatttgctc	gaattggatca	atgccaaagat	ccaacttctc	1140
aacgaacgctc	attttgagaa	taatttgtaa	gggtgtcaaa	gacagctcac	cgagttcaac	1200
gactaccgta	ctcaggagaa	accaccaaaag	ttcgatgaaa	agggagagct	cgaagtactt	1260
ctgttcaactc	ttcaatcagc	tatgcgtgcc	aacaatcaga	gacctttcgt	gccgagagaa	1320
ggaaaactga	ttgctgatat	caaccgagca	tggcaatccc	ttgagaaggc	agaacacgaa	1380
cgagaacttg	tcctgaaaga	ggaactcatt	cgtcaagaga	aactcgaaca	actcgcagcc	1440
cgattcaaca	gaaaggccga	gatgcgagag	acttggtcca	cagaaaacca	acggcttgct	1500
agtcaggaca	atttcggaaa	cgacttgctc	tcggtggaag	ctgccaccaa	aaagcacgaa	1560
gccatcgaga	cggacatctt	tgcttacgag	gagcgtgttc	aagccgtcgt	cgctgttgct	1620
ggagagcttg	aagccgagaa	ctaccatgat	caagccaaaa	tcaatgagag	aaaggagaat	1680
gttcttcaac	tctggaacta	tcttttccaa	cttcttttgg	ctcgcagagt	tcgattggag	1740
ttgtcaatgg	ccattcaaaa	gatcttccac	gatatgcttc	ttactctcga	tctcatggat	1800
gatattaaga	gcagactttt	aagcgaggat	cttgaggccc	atcttatgga	cgtagaagat	1860
ttgcttcaaa	agcacgctct	tcttgagtct	gatattaata	ttattggaga	acgagttaac	1920
aattctattg	ctcaagctca	acgcttccga	aatccagatg	gaccagatgg	aagtggatac	1980
aagccagttg	aaccaggaac	cattgatgag	agaagtgatg	ttctacaaaa	acgttacaa	2040
gagcttcttg	atttggctgc	tgaacgtaag	cgtcgtctcg	aagacaacaa	gagactttgc	2100
cagttctggt	gggatgttgc	tgagcttgaa	catggtatta	aggaacaaga	gcaagttctt	2160
tcgtccactg	atactggccg	tgatattgtc	actgtttcgc	atttgttggc	caaacataag	2220
aacgctgaga	acaaccttcg	cgacttgag	aagtacctcg	atcgtcttga	tgtttctgga	2280
aaagaattgc	aagatgaaag	catcccagga	agtgaacaca	ttctccaaag	gcttgccgag	2340
attcgtgatt	acatcaacaa	gctcaaggaa	ctctctgctt	ctcgcacaa	aagacttgcc	2400
ggtggagtcg	aatactacca	attcttcacc	gacgccgacg	atgtcgatcg	ctacttgat	2460
gatactctcc	gcgtcatgtc	atccgaagac	ggttgaaaag	acgagggaa	tgttcaactt	2520
ctcctcaaga	agcacgacga	tgtccatgac	gagctccaga	actttgacca	acacatcaag	2580
gttcttcacg	ccaaggccga	gtctcttcca	caggaagcca	gagaacatcc	agatatcaga	2640
caacgatttg	acacaactct	caagcagaag	gccgaactcg	aaaacctttc	tcaacttcgc	2700
aagcagagac	ttatcgatgc	tctctccctg	tacaagttgt	actcggatgc	cgattcagtc	2760
gagtcttgga	tcgatgagaa	gggaaaactt	ttggcaacat	tggtccctgg	acgcgatatc	2820
gaagagggtg	agatcatgaa	gcacgttttc	gatactcttg	agcaagatat	gaagaatcaa	2880
gaagctaagg	ttactaacgt	caatgacttg	gctcgtcaat	tgcttaatgt	ggaacatcca	2940
aactccgacg	acattcttca	ccgtcaaaaac	aagctcaacg	ctcgtggtgg	tcaacttcgc	3000
gacatggtcg	atcaaaaagag	aaacgagctc	gagagagctc	accgcctcga	aactttccgc	3060
atcgattgcc	aagaaacagt	tacttggtac	gaggacaaga	ctcgtgtact	cgaggattcg	3120
gacgcgttga	ccaacgatct	ttccggtgtc	atgaaacttc	aaagaagatt	gtccatgatg	3180
gaacgcgatt	tgggagcgat	tcaagccaag	ctcgactcgc	ttcacaaaga	agccgatgac	3240
atcgaaaagag	aacgaccaca	agaagctcaa	gccattcgtg	aagatatcaa	gagaatccac	3300
caagtctggg	atatccttaa	caagaaagtt	cgtgagcacg	aagctaaact	cgatgaagct	3360
ggagatcttc	aacgttccct	ccgtgatttg	gatcacttcc	aagcctggct	tactgccacc	3420
cagagacaag	ttgcctcaga	ggaagagcca	caatccttgg	ctgaagctga	gcaacttctc	3480
aatcaacacg	ctgccatccg	tgaagagatt	gacggatagc	ctgaggatta	caagaagatg	3540
cgtgcaatgg	gagatcgtgt	cactcaagat	caaaccgatc	cacaatacat	gttcttctgt	3600
caacgtcttg	ctggacttca	agaaggtatg	gaagagttgc	agcgaatgtg	ggacaacaga	3660
caacatttgc	tttctcaagg	actcaacctt	caaagtgttc	ttcgcgatgc	caaacaagca	3720
gaggttatgc	tctctcaaca	agaaaactat	ctcgccaagg	acgatatccc	acaatctttg	3780
gagcaagccg	agaaccaact	caagagacac	caagacttca	tcaccactat	ggatgccaac	3840
gacgaaaaga	ttcgcgcgct	cggaatgttc	ggtgatcagc	tctgccaaga	tggtcactat	3900
gccgctgaca	agatccataa	gaaggctaga	aacattgatg	aacgtcgtgg	agccaaccgc	3960
gagaaggctc	aagaagtact	caagaagctg	aaggacgcct	tgtctctcca	acaattcttg	4020
tcgactgctg	acgagctgag	agaatggatc	gaggagaaga	tgatccgtgc	tcaagatgag	4080
acttacagag	acgccaagac	tatcacctcc	aaattcgtcc	gacatcaagc	attccaatcc	4140
gaacttgctg	ctaacaagga	acgtcttgac	caacttaaac	atgctgccat	caaccttggt	4200
gacgacaagc	cagagtacca	cggaaaccatt	gatccacaga	tcgaggaaact	cgctactcaa	4260
tgggatgagt	tggaaaagac	tacagaggag	aagggaacaga	agttgtttga	tgctaaccgc	4320
caacaacttt	acgtacaaag	tattgctgac	atgaaggaat	gggcaaccca	acttgagaac	4380
gagatgactc	gtgaagacca	accaggagat	cttaccactg	tcaatgtggc	catgcaaaaa	4440
caacatttga	tcgaaactga	aatgatcaag	aaggctcaac	acattgatca	actcatggag	4500

11

```

atggagccac agctcgagga acttcaccca gacgagcttg aaaacattaa ggctcatcgt 4560
ttggcagttc aagaacaact tcaaagactc caggctccat tggacgaccg acgtaaggca 4620
ttggaacgca agaaggccgc cttccaattt ggtcgcgatg ttgatgacga gaaattgttg 4680
atttctgaga gacttggtct cgctaaagct caaaatcttg gagaaagcct tccagattgt 4740
catcgtctcc agaagaacct acaacttctt tccaatgaaa tcgacaacca cgaacctatg 4800
atcaaccaga tctgtaataa tggtaagag ttgattgacg aaggacatgc taacggacca 4860
gcattcgaga agaagattca agaactgcgc agtgcttggc aagagttgaa ggaagccgtc 4920
aaagacagaa agggagatct tggagaaagc gagaaggctc atcaattctt gtatgattgc 4980
ggagaggctg aagcctggat gagcgaacaa gaattgtaca tgatgcaaga cgaaagagga 5040
aaagacgagt tctcaaccaa gaaccaaate aagaaacacg aacgccttca atccgatatt 5100
gacaaatttg ctgatacgat ccgtgctctt gccaccaagg ctcaaaagt cgtcgaagag 5160
aagtcaccac tcaccgaaca gatccaagtt cgtcaagctc aaatcgagaa gctctacgca 5220
ggtcttcaag atttgtcgaa ggagcgcaga aagagactcg aagagacctt ggaactttac 5280
gctcttcacg gtgaaatcga cgatcttctt caatggatcg ccgacaagga agttgttgca 5340
ggaagtcaag agaacggaca agactacgaa cacgtccaaa tgcttcaaga gagattccaa 5400
cagtttgctc gtgacaccga aaacatcgga tccgaacgtg ttgccaatgc taatgatgga 5460
tgtgatactc tcattggtea cggacacact gacgctccga ctatagcatt gtggaaggat 5520
tcgttgaaatg aggcttggga gaatcttctg gagttgatgg acactcgtgc ccaaattctc 5580
gaggcttcta gacttcttca caagttctac cacgactgcc gtgattgctt gtcaagaatc 5640
atggaaaaga ctcattgctat gcctgatgat cttggacgtg actcaagcag tgttggtgca 5700
ctctccagaa aacatcagaa ctatctcaag gatattgctg caattggaga acaagttgct 5760
caaatcgaaa gagatgccgc agagcttcga gatggttacg ctggagacaa ggctcttgat 5820
atcggatctc gcgaaagcga ggttgtcaag gcatggaggc atctccgcgg actctgtgac 5880
gcccgtagat ctcgtctcat ggatacttct gatcttttca agttcatgaa tatggctcgt 5940
gatttggtgt tgtggatgga tgaggtgaag agagaaatga actcacaaga acgtccgaag 6000
gatgtgagcg gagtcgagtt gctcatgaac aatcatcaat cgctcaaggc tgaatcgat 6060
gctcgcgagg agaacttcaa cgctgcatc tcattgggac gagatctgct caacagaaaa 6120
cactacgcat caagtgaat cgagaagaag ctgatcaagt tgacaaccga aagagccgaa 6180
atgatgcgca gatgggaaga tcgttgggaa tatcttcagc tcattctgga agtgtaccaa 6240
ttcgcgcgag acgctgctgt cgccgaatct tggctcttcg cccaagaacc atatcttatt 6300
tcgaaggaat acggtagaaa cctcgaagaa accatcaaac tcattcaagaa acacgaggcg 6360
ttcgagaaat cggcattcgc acaagaagaa cgtttcttgg cgctcgagaa attgacaacg 6420
ttcgaattga aagaaactca acaccgcgag gaggagaccg ccaagcgacg tgggccagct 6480
catattggaa gtccttctag gtcaactcca gccgcggaaa catctttcgg cgcccaggat 6540
gatggagcca aacaaggaga agcattcgaa ggaacgctta tcagaaagca cacttacgag 6600
agtctcgacc ggaaagcggc taaccgctca tgggagaaac tttacgcagt gttgcggcag 6660
aatgaactgt cattctacaa agatccgaag catagagatg aatctgtgca tggagagcca 6720
ccaatggcac tgccaggatg ctctgtcaac gtggcatcag actatcaaaa gaagaagaac 6780
gtactgtcgc tgaggttacc catcggcgcc gagtacctat tccaatgcgg tagcgaagaa 6840
gacatgcagc gatggctcac cgagttgcaa gtcgccacgg ggcaagccca actggaagag 6900
gctagtagat cacagacgct accagcagaa ggcagtgccaa caaagaagaa gggaggattt 6960
ttctctcgag gcaagaagta a 6981

```

<210> 12

<211> 2326

<212> PRT

<213> *Caenorhabditis elegans*

<400> 12

```

Met Ser Ser Val Asp Asp Glu His His Pro Ser Ile Glu Val Asp Ile
  1                      5                      10                      15

```

```

Pro Asp Val Tyr Glu Ser Ala Ser Asp Cys Glu Lys Thr Glu Asp Cys
      20                      25                      30

```

```

Thr Tyr Leu Gly Ser Ile Leu Lys Ala Lys Lys Ser Leu Arg Lys Thr
    35                      40                      45

```

12

Lys Lys Val Ala Ser Pro Gly Ile Tyr Pro Gly Ser Ala Gly Ala Leu
50 55 60

Ser Ser Leu Ser Asn Gly Leu Ala Asp Glu Asn Arg Ser Pro Thr Ser
65 70 75 80

Ala Glu Val Ser Asp Ser Val Cys Gly Gln Lys Ser Ile Asn Ser Val
85 90 95

Asp Leu Arg Phe Arg Gly Leu Arg Asp Glu Arg Glu Leu Val Gln Lys
100 105 110

Lys Thr Phe Thr Lys Trp Val Asn Ser His Leu Val Arg Val Ser Cys
115 120 125

Lys Val Gln Asp Leu Tyr Met Asp Met Arg Asp Gly Lys Met Leu Leu
130 135 140

Arg Leu Leu Ala Val Leu Ser Gly Glu Arg Leu Pro Lys Pro Thr Pro
145 150 155 160

Gly Lys Met Arg Ile His Cys Leu Glu Asn Val Glu Lys Gly Leu Gln
165 170 175

Phe Leu Arg Asn Gln His Val His Leu Glu Asn Leu Gly Ser His Asp
180 185 190

Ile Val Asp Gly Asn Ser Arg Leu Thr Leu Gly Leu Ile Trp Thr Ile
195 200 205

Ile Leu Arg Phe Gln Ile Gln Asp Ile Thr Phe Glu Asp Ala Asp Asn
210 215 220

His Glu Thr Arg Ser Ala Lys Glu Ala Leu Leu Leu Trp Cys Gln Met
225 230 235 240

Lys Thr Ala Gly Tyr Pro Asn Val Asn Val Lys Asn Phe Ser Thr Ser
245 250 255

Trp Arg Asp Gly Leu Ala Phe Asn Ala Leu Ile His Lys His Arg Pro
260 265 270

Asp Leu Val Asp Tyr Asp Asn Leu Gln Lys Ser Asn Ala Leu Tyr Asn
275 280 285

Leu Gln Ser Ala Phe Asp Thr Ala Glu Asn Gln Leu Gly Leu Ala Lys
290 295 300

Phe Leu Asp Ala Glu Asp Val Asn Val Asp Gln Pro Asp Glu Lys Ser
305 310 315 320

Ile Ile Thr Tyr Val Val Thr Tyr Tyr His Tyr Phe Asn Lys Leu Lys
325 330 335

Gln Asp Asn Ile Gln Gly Lys Arg Ile Gly Lys Val Ile Asn Glu Leu
340 345 350

Met Glu Asn Asp Lys Met Ile Asn Arg Tyr Glu Thr Leu Ser Ser Asp

13

355	360	365
Leu Leu Glu Trp Ile Asn Ala Lys Ile Gln Leu Leu Asn Glu Arg His		
370	375	380
Phe Glu Asn Asn Leu Glu Gly Val Gln Arg Gln Leu Thr Glu Phe Asn		
385	390	395
Asp Tyr Arg Thr Gln Glu Lys Pro Pro Lys Phe Asp Glu Lys Gly Glu		
405	410	415
Leu Glu Val Leu Leu Phe Thr Leu Gln Ser Ala Met Arg Ala Asn Asn		
420	425	430
Gln Arg Pro Phe Val Pro Arg Glu Gly Lys Leu Ile Ala Asp Ile Asn		
435	440	445
Arg Ala Trp Gln Ser Leu Glu Lys Ala Glu His Glu Arg Glu Leu Val		
450	455	460
Leu Lys Glu Glu Leu Ile Arg Gln Glu Lys Leu Glu Gln Leu Ala Ala		
465	470	475
Arg Phe Asn Arg Lys Ala Glu Met Arg Glu Thr Trp Leu Thr Glu Asn		
485	490	495
Gln Arg Leu Val Ser Gln Asp Asn Phe Gly Asn Asp Leu Ser Ser Val		
500	505	510
Glu Ala Ala Thr Lys Lys His Glu Ala Ile Glu Thr Asp Ile Phe Ala		
515	520	525
Tyr Glu Glu Arg Val Gln Ala Val Val Ala Val Ala Gly Glu Leu Glu		
530	535	540
Ala Glu Asn Tyr His Asp Gln Ala Lys Ile Asn Glu Arg Lys Glu Asn		
545	550	555
Val Leu Gln Leu Trp Asn Tyr Leu Phe Gln Leu Leu Leu Ala Arg Arg		
565	570	575
Val Arg Leu Glu Leu Ser Met Ala Ile Gln Lys Ile Phe His Asp Met		
580	585	590
Leu Leu Thr Leu Asp Leu Met Asp Asp Ile Lys Ser Arg Leu Leu Ser		
595	600	605
Glu Asp Leu Gly Ala His Leu Met Asp Val Glu Asp Leu Leu Gln Lys		
610	615	620
His Ala Leu Leu Glu Ser Asp Ile Asn Ile Ile Gly Glu Arg Val Asn		
625	630	635
Asn Ser Ile Ala Gln Ala Gln Arg Phe Arg Asn Pro Asp Gly Pro Asp		
645	650	655
Gly Ser Gly Tyr Lys Pro Val Glu Pro Gly Thr Ile Asp Glu Arg Ser		
660	665	670

Asp	Val	Leu	Gln	Lys	Arg	Tyr	Lys	Glu	Leu	Leu	Asp	Leu	Ala	Ala	Glu	
		675						680				685				
Arg	Lys	Arg	Arg	Leu	Glu	Asp	Asn	Lys	Arg	Leu	Cys	Gln	Phe	Trp	Trp	
	690					695					700					
Asp	Val	Ala	Glu	Leu	Glu	His	Gly	Ile	Lys	Glu	Gln	Glu	Gln	Val	Leu	
705					710					715					720	
Ser	Ser	Thr	Asp	Thr	Gly	Arg	Asp	Ile	Val	Thr	Val	Ser	His	Leu	Leu	
				725					730					735		
Ala	Lys	His	Lys	Asn	Ala	Glu	Asn	Asn	Leu	Arg	Asp	Leu	Glu	Lys	Tyr	
			740					745					750			
Leu	Asp	Arg	Leu	Asp	Val	Ser	Gly	Lys	Glu	Leu	Gln	Asp	Glu	Ser	Ile	
	755						760					765				
Pro	Gly	Ser	Asp	Asn	Ile	Pro	Pro	Arg	Leu	Ala	Glu	Ile	Arg	Asp	Tyr	
	770					775					780					
Ile	Asn	Lys	Leu	Lys	Glu	Leu	Ser	Ala	Ser	Arg	Lys	Glu	Arg	Leu	Ala	
785					790					795					800	
Gly	Gly	Val	Glu	Tyr	Tyr	Gln	Phe	Phe	Thr	Asp	Ala	Asp	Asp	Val	Asp	
				805					810					815		
Arg	Tyr	Leu	Tyr	Asp	Thr	Leu	Arg	Val	Met	Ser	Ser	Glu	Asp	Val	Gly	
			820					825					830			
Lys	Asp	Glu	Gly	Thr	Val	Gln	Leu	Leu	Leu	Lys	Lys	His	Asp	Asp	Val	
		835					840					845				
His	Asp	Glu	Leu	Gln	Asn	Phe	Asp	Gln	His	Ile	Lys	Val	Leu	His	Ala	
	850					855					860					
Lys	Ala	Glu	Ser	Leu	Pro	Gln	Glu	Ala	Arg	Glu	His	Pro	Asp	Ile	Arg	
865					870					875					880	
Gln	Arg	Leu	Asp	Thr	Thr	Leu	Lys	Gln	Lys	Ala	Glu	Leu	Glu	Asn	Leu	
				885					890					895		
Ser	Gln	Leu	Arg	Lys	Gln	Arg	Leu	Ile	Asp	Ala	Leu	Ser	Leu	Tyr	Lys	
			900					905					910			
Leu	Tyr	Ser	Asp	Ala	Asp	Ser	Val	Glu	Ser	Trp	Ile	Asp	Glu	Lys	Gly	
		915					920					925				
Lys	Leu	Leu	Ala	Thr	Leu	Val	Pro	Gly	Arg	Asp	Ile	Glu	Glu	Val	Glu	
	930					935					940					
Ile	Met	Lys	His	Arg	Phe	Asp	Thr	Leu	Glu	Gln	Asp	Met	Lys	Asn	Gln	
945					950					955					960	
Glu	Ala	Lys	Val	Thr	Asn	Val	Asn	Asp	Leu	Ala	Arg	Gln	Leu	Leu	Asn	
				965					970					975		

15

Val Glu His Pro Asn Ser Asp Asp Ile Leu His Arg Gln Asn Lys Leu
 980 985 990

Asn Ala Arg Trp Ala Gln Leu Arg Asp Met Val Asp Gln Lys Arg Asn
 995 1000 1005

Glu Leu Glu Arg Ala His Arg Leu Glu Thr Phe Arg Ile Asp Cys Gln
 1010 1015 1020

Glu Thr Val Thr Trp Ile Glu Asp Lys Thr Arg Val Leu Glu Asp Ser
 1025 1030 1035 1040

Asp Ala Leu Thr Asn Asp Leu Ser Gly Val Met Lys Leu Gln Arg Arg
 1045 1050 1055

Leu Ser Met Met Glu Arg Asp Leu Gly Ala Ile Gln Ala Lys Leu Asp
 1060 1065 1070

Ser Leu His Lys Glu Ala Asp Asp Ile Glu Arg Glu Arg Pro Gln Glu
 1075 1080 1085

Ala Gln Ala Ile Arg Glu Asp Ile Lys Arg Ile His Gln Val Trp Asp
 1090 1095 1100

Ile Leu Asn Lys Lys Val Arg Glu His Glu Ala Lys Leu Asp Glu Ala
 1105 1110 1115 1120

Gly Asp Leu Gln Arg Phe Leu Arg Asp Leu Asp His Phe Gln Ala Trp
 1125 1130 1135

Leu Thr Ala Thr Gln Arg Gln Val Ala Ser Glu Glu Glu Pro Gln Ser
 1140 1145 1150

Leu Ala Glu Ala Glu Gln Leu Leu Asn Gln His Ala Ala Ile Arg Glu
 1155 1160 1165

Glu Ile Asp Gly Tyr Ala Glu Asp Tyr Lys Lys Met Arg Ala Met Gly
 1170 1175 1180

Asp Arg Val Thr Gln Asp Gln Thr Asp Pro Gln Tyr Met Phe Leu Arg
 1185 1190 1195 1200

Gln Arg Leu Ala Gly Leu Gln Glu Gly Trp Glu Glu Leu Gln Arg Met
 1205 1210 1215

Trp Asp Asn Arg Gln His Leu Leu Ser Gln Gly Leu Asn Leu Gln Met
 1220 1225 1230

Phe Leu Arg Asp Ala Lys Gln Ala Glu Val Met Leu Ser Gln Gln Glu
 1235 1240 1245

Asn Tyr Leu Ala Lys Asp Asp Ile Pro Gln Ser Leu Glu Gln Ala Glu
 1250 1255 1260

Asn Gln Leu Lys Arg His Gln Asp Phe Ile Thr Thr Met Asp Ala Asn
 1265 1270 1275 1280

Asp Glu Lys Ile Arg Ala Val Gly Met Phe Gly Asp Gln Leu Cys Gln

										16										
1285										1290	1295									
Asp	Gly	His	Tyr	Ala	Ala	Asp	Lys	Ile	His	Lys	Lys	Ala	Arg	Asn	Ile					
1300										1305	1310									
Asp	Glu	Arg	Arg	Gly	Ala	Asn	Arg	Glu	Lys	Ala	Gln	Glu	Val	Leu	Lys					
1315										1320	1325									
Lys	Leu	Lys	Asp	Ala	Leu	Ser	Leu	Gln	Gln	Phe	Leu	Ser	Asp	Cys	Asp					
1330										1335	1340									
Glu	Leu	Arg	Glu	Trp	Ile	Glu	Glu	Lys	Met	Ile	Arg	Ala	Gln	Asp	Glu					
1345										1350	1355									
Thr	Tyr	Arg	Asp	Ala	Lys	Thr	Ile	Thr	Ser	Lys	Phe	Val	Arg	His	Gln					
1365										1370	1375									
Ala	Phe	Gln	Ser	Glu	Leu	Ala	Ala	Asn	Lys	Glu	Arg	Leu	Asp	Gln	Leu					
1380										1385	1390									
Lys	His	Ala	Ala	Ile	Asn	Leu	Gly	Asp	Asp	Lys	Pro	Glu	Tyr	His	Gly					
1395										1400	1405									
Thr	Ile	Asp	Pro	Gln	Ile	Glu	Glu	Leu	Ala	Thr	Gln	Trp	Asp	Glu	Leu					
1410										1415	1420									
Glu	Lys	Thr	Thr	Glu	Glu	Lys	Gly	Gln	Lys	Leu	Phe	Asp	Ala	Asn	Arg					
1425										1430	1435									
Gln	Gln	Leu	Tyr	Val	Gln	Ser	Ile	Ala	Asp	Met	Lys	Glu	Trp	Ala	Thr					
1445										1450	1455									
Gln	Leu	Glu	Asn	Glu	Met	Thr	Arg	Glu	Asp	Gln	Pro	Gly	Asp	Leu	Thr					
1460										1465	1470									
Thr	Val	Asn	Val	Ala	Met	Gln	Lys	Gln	His	Leu	Ile	Glu	Thr	Glu	Met					
1475										1480	1485									
Ile	Lys	Lys	Ala	Gln	His	Ile	Asp	Gln	Leu	Met	Glu	Met	Glu	Pro	Gln					
1490										1495	1500									
Leu	Glu	Glu	Leu	His	Pro	Asp	Glu	Leu	Glu	Asn	Ile	Lys	Ala	His	Arg					
1505										1510	1515									
Leu	Ala	Val	Gln	Glu	Gln	Leu	Gln	Arg	Leu	Gln	Ala	Pro	Leu	Asp	Asp					
1525										1530	1535									
Arg	Arg	Lys	Ala	Leu	Glu	Arg	Lys	Lys	Ala	Ala	Phe	Gln	Phe	Gly	Arg					
1540										1545	1550									
Asp	Val	Asp	Asp	Glu	Lys	Leu	Trp	Ile	Ser	Glu	Arg	Leu	Val	Leu	Ala					
1555										1560	1565									
Lys	Ala	Gln	Asn	Leu	Gly	Glu	Ser	Leu	Pro	Asp	Cys	His	Arg	Leu	Gln					
1570										1575	1580									
Lys	Asn	Leu	Gln	Leu	Leu	Ser	Asn	Glu	Ile	Asp	Asn	His	Glu	Pro	Trp					
1585										1590	1595									
											1600									

17

Ile Asn Gln Ile Cys Asn Asn Gly Gln Glu Leu Ile Asp Glu Gly His
 1605 1610 1615

Ala Asn Gly Pro Ala Phe Glu Lys Lys Ile Gln Glu Leu Arg Ser Ala
 1620 1625 1630

Trp Gln Glu Leu Lys Glu Ala Val Lys Asp Arg Lys Gly Asp Leu Gly
 1635 1640 1645

Glu Ser Glu Lys Ala His Gln Phe Leu Tyr Asp Cys Gly Glu Ala Glu
 1650 1655 1660

Ala Trp Met Ser Glu Gln Glu Leu Tyr Met Met Gln Asp Glu Arg Gly
 1665 1670 1675 1680

Lys Asp Glu Phe Ser Thr Lys Asn Gln Ile Lys Lys His Glu Arg Leu
 1685 1690 1695

Gln Ser Asp Ile Asp Lys Phe Ala Asp Thr Ile Arg Ala Leu Ala Thr
 1700 1705 1710

Lys Ala His Lys Phe Val Glu Glu Lys Ser Pro Leu Thr Glu Gln Ile
 1715 1720 1725

Gln Val Arg Gln Ala Gln Ile Glu Lys Leu Tyr Ala Gly Leu Gln Asp
 1730 1735 1740

Leu Ser Lys Glu Arg Arg Lys Arg Leu Glu Glu Thr Leu Glu Leu Tyr
 1745 1750 1755 1760

Ala Leu His Arg Glu Ile Asp Asp Leu Leu Gln Trp Ile Ala Asp Lys
 1765 1770 1775

Glu Val Val Ala Gly Ser Gln Glu Asn Gly Gln Asp Tyr Glu His Val
 1780 1785 1790

Gln Met Leu Gln Glu Arg Phe Gln Gln Phe Ala Arg Asp Thr Glu Asn
 1795 1800 1805

Ile Gly Ser Glu Arg Val Ala Asn Ala Asn Asp Gly Cys Asp Thr Leu
 1810 1815 1820

Ile Gly His Gly His Thr Asp Ala Pro Thr Ile Ala Leu Trp Lys Asp
 1825 1830 1835 1840

Ser Leu Asn Glu Ala Trp Glu Asn Leu Leu Glu Leu Met Asp Thr Arg
 1845 1850 1855

Ala Gln Ile Leu Glu Ala Ser Arg Leu Leu His Lys Phe Tyr His Asp
 1860 1865 1870

Cys Arg Asp Cys Leu Ser Arg Ile Met Glu Lys Thr His Ala Met Pro
 1875 1880 1885

Asp Asp Leu Gly Arg Asp Ser Ser Ser Val Gly Ala Leu Ser Arg Lys
 1890 1895 1900

18

His Gln Asn Tyr Leu Lys Asp Ile Ala Ala Ile Gly Glu Gln Val Ala
 1905 1910 1915 1920

Gln Ile Glu Arg Asp Ala Ala Glu Leu Arg Asp Gly Tyr Ala Gly Asp
 1925 1930 1935

Lys Ala Leu Asp Ile Gly Ser Arg Glu Ser Glu Val Val Lys Ala Trp
 1940 1945 1950

Arg His Leu Arg Gly Leu Cys Asp Ala Arg Thr Ser Arg Leu Met Asp
 1955 1960 1965

Thr Ser Asp Leu Phe Lys Phe Met Asn Met Val Arg Asp Leu Leu Leu
 1970 1975 1980

Trp Met Asp Glu Val Lys Arg Glu Met Asn Ser Gln Glu Arg Pro Lys
 1985 1990 1995 2000

Asp Val Ser Gly Val Glu Leu Leu Met Asn Asn His Gln Ser Leu Lys
 2005 2010 2015

Ala Glu Ile Asp Ala Arg Glu Glu Asn Phe Asn Ala Cys Ile Ser Leu
 2020 2025 2030

Gly Arg Asp Leu Leu Asn Arg Lys His Tyr Ala Ser Ser Glu Ile Glu
 2035 2040 2045

Lys Lys Leu Ile Lys Leu Thr Thr Glu Arg Ala Glu Met Met Arg Arg
 2050 2055 2060

Trp Glu Asp Arg Trp Glu Tyr Leu Gln Leu Ile Leu Glu Val Tyr Gln
 2065 2070 2075 2080

Phe Ala Arg Asp Ala Ala Val Ala Glu Ser Trp Leu Phe Ala Gln Glu
 2085 2090 2095

Pro Tyr Leu Ile Ser Lys Glu Tyr Gly Arg Asn Leu Glu Glu Thr Ile
 2100 2105 2110

Lys Leu Ile Lys Lys His Glu Ala Phe Glu Lys Ser Ala Phe Ala Gln
 2115 2120 2125

Glu Glu Arg Phe Leu Ala Leu Glu Lys Leu Thr Thr Phe Glu Leu Lys
 2130 2135 2140

Glu Thr Gln His Arg Glu Glu Glu Thr Ala Lys Arg Arg Gly Pro Ala
 2145 2150 2155 2160

His Ile Gly Ser Pro Ser Arg Ser Thr Pro Ala Ala Glu Thr Ser Phe
 2165 2170 2175

Gly Ala Gln Asp Asp Gly Ala Lys Gln Gly Glu Ala Phe Glu Gly Thr
 2180 2185 2190

Leu Ile Arg Lys His Thr Tyr Glu Ser Leu Asp Arg Lys Ala Ala Asn
 2195 2200 2205

Arg Ser Trp Glu Lys Leu Tyr Ala Val Leu Arg Gln Asn Glu Leu Ser

19

2210

2215

2220

Phe Tyr Lys Asp Pro Lys His Arg Asp Glu Ser Val His Gly Glu Pro
 2225 2230 2235 2240

Pro Met Ala Leu Pro Gly Cys Ser Val Asn Val Ala Ser Asp Tyr Gln
 2245 2250 2255

Lys Lys Asn Val Leu Ser Leu Arg Leu Pro Ile Gly Ala Glu Tyr
 2260 2265 2270

Phe Gln Cys Gly Ser Glu Glu Asp Met Gln Arg Trp Leu Thr Glu
 2275 2280 2285

Val Ala Thr Gly Gln Ala Gln Leu Glu Glu Ala Ser Arg Ser
 2290 2295 2300

Thr Leu Pro Ala Glu Gly Ser Ala Thr Lys Lys Lys Gly Gly Phe
 2310 2315 2320

Ser Arg Gly Lys Lys
 2325

<210> 13

<211> 2192

<212> DNA

<213> Caenorhabditis elegans

<400> 13

```

gaacttgctg ctaacaagga acgtcttgac caacttaaac atgctgccat caaccttggt 60
gacgacaagg cagagtacca cggaaccatt gatccacaga tcgaggaact cgctactcaa 120
tgggatgagt tggaaaagac tacagaggag aaggggacaga agttgtttga tgctaaccgc 180
caacaacttt acgtacaaag tattgctgac atgaaggaat gggcaaccca acttgagaac 240
gagatgactc gtgaagacca accaggagat cttaccactg tcaatgtggc catgcaaaaa 300
caacatttga tcgaaactga aatgatcaag aaggctcaac acattgatca actcatggag 360
atggagccac agctcgagga acttcaccca gacgagcttg aaaacattaa ggctcatcgt 420
ctggcagttc aagaacaact tcaaagactc caggctccat tggacgaccg acgtaaggca 480
ctggaacgca agaaggccgc ctccaattt ggtcgcgatg ttgatgacga gaaattgtgg 540
atttctgaga gacttgttct cgctaaagct caaaatcttg gagaaagcct tccagattgt 600
catcgtctcc agaagaacct acaacttctt tccaatgaaa tcgacaacca cgaaccatgg 660
atcaaccaga tctgtaataa tggtaagag ttgattgacg aaggacatgc taacggacca 720
gcattcgaga agaagattca agaactgcgc agtgcttggc aagagttgaa ggaagccgtc 780
aaagacagaa agggagatct tggagaaagc gagaaggctc atcaattctt gtatgattgc 840
ggagaggctg aagcctggat gagcgaacaa gaattgtaca tgatgcaaga cgaaagagga 900
aaagacgagt tctcaaccaa gaaccaaatc aagaaacacg aacgccttca atccgatatt 960
gacaaatttg ctgatacgat ccgtgctctt gccaccaagg ctcaacaagt cgtcgaagag 1020
aagtcaccac tcaccgaaca gatccaagtt cgtcaagctc aaatcgagaa gctctacgca 1080
ggtcttcaag atttgtcgaa ggagcgcaga aagagactcg aagagacctt ggaactttac 1140
gctcttcacg gtgaaatcga cgatcttctt caatggatcg ccgacaagga agttgttgca 1200
ggaagtcaag agaacggaca agactacgaa cacgtccaaa tgcttcaaga gagattccaa 1260
cagtttgctc gtgacaccga aaacatcgga tccgaacgtg ttgccaatgc taatgatgga 1320
tgtgatactc tcattggtca cggacacact gacgctccga ctatagcatt gtggaaggat 1380
tcgttgaatg aggcctggga gaatcttctg gagttgatgg acactcgtgc ccaaattctc 1440
gaggcttcta gacttcttca caagttctac cacgactgcc gtgattgctt gtcaagaatc 1500
atggaaaaga ctcatgctat gcctgatgat cttggacgtg actcaagcag tgttggtgca 1560
ctctccagaa aacatcagaa ctatctcaag gatattgctg caattggaga acaagttgct 1620
caaatcgaaa gagatgccgc agagcttcga gatggttacg ctggagacaa ggctcttgat 1680

```

20

```

atcggatctc gcgaaagcga ggttgtcaag gcattggaggc atctccgcgg actctgtgac 1740
gcccgtagcat ctgcgtctcat ggatacttct gatctttttca agttcatgaa tatgggtccgt 1800
gatttgttgt tgtggatgga tgagggtgaag agagaaatga actcacaaga acgtccgaag 1860
gatgtgagcg gagtcgagtt gctcatgaac aatcatcaat cgctcaaggc tgaaatcgat 1920
gctcgcgagg agaacttcaa cgcgtgcac tcattggggac gagatctgct caacagaaaa 1980
cactacgcat caagtgaat cgagaagaag ctgatcaagt tgacaaccga aagagccgaa 2040
atgatgcgca gatgggaaga tcgttgggaa tatcttcagc tcattctgga agtgtaccaa 2100
ttcgcccgcg acgctgctgt cgccgaatct tggctcttcg cccaagaacc atatcttatt 2160
tcgaaggaat acggtagaaa cctcgaagaa ac 2192

```

<210> 14

<211> 731

<212> PRT

<213> *Caenorhabditis elegans*

<400> 14

```

Glu Leu Ala Ala Asn Lys Glu Arg Leu Asp Gln Leu Lys His Ala Ala
 1             5             10             15

```

```

Ile Asn Leu Gly Asp Asp Lys Pro Glu Tyr His Gly Thr Ile Asp Pro
      20             25             30

```

```

Gln Ile Glu Glu Leu Ala Thr Gln Trp Asp Glu Leu Glu Lys Thr Thr
      35             40             45

```

```

Glu Glu Lys Gly Gln Lys Leu Phe Asp Ala Asn Arg Gln Gln Leu Tyr
      50             55             60

```

```

Val Gln Ser Ile Ala Asp Met Lys Glu Trp Ala Thr Gln Leu Glu Asn
      65             70             75             80

```

```

Glu Met Thr Arg Glu Asp Gln Pro Gly Asp Leu Thr Thr Val Asn Val
      85             90             95

```

```

Ala Met Gln Lys Gln His Leu Ile Glu Thr Glu Met Ile Lys Lys Ala
      100            105            110

```

```

Gln His Ile Asp Gln Leu Met Glu Met Glu Pro Gln Leu Glu Glu Leu
      115            120            125

```

```

His Pro Asp Glu Leu Glu Asn Ile Lys Ala His Arg Leu Ala Val Gln
      130            135            140

```

```

Glu Gln Leu Gln Arg Leu Gln Ala Pro Leu Asp Asp Arg Arg Lys Ala
      145            150            155            160

```

```

Leu Glu Arg Lys Lys Ala Ala Phe Gln Phe Gly Arg Asp Val Asp Asp
      165            170            175

```

```

Glu Lys Leu Trp Ile Ser Glu Arg Leu Val Leu Ala Lys Ala Gln Asn
      180            185            190

```

```

Leu Gly Glu Ser Leu Pro Asp Cys His Arg Leu Gln Lys Asn Leu Gln
      195            200            205

```

```

Leu Leu Ser Asn Glu Ile Asp Asn His Glu Pro Trp Ile Asn Gln Ile
      210            215            220

```

21
 Cys Asn Asn Gly Gln Glu Leu Ile Asp Glu Gly His Ala Asn Gly Pro
 225 230 235 240
 Ala Phe Glu Lys Lys Ile Gln Glu Leu Arg Ser Ala Trp Gln Glu Leu
 245 250 255
 Lys Glu Ala Val Lys Asp Arg Lys Gly Asp Leu Gly Glu Ser Glu Lys
 260 265 270
 Ala His Gln Phe Leu Tyr Asp Cys Gly Glu Ala Glu Ala Trp Met Ser
 275 280 285
 Glu Gln Glu Leu Tyr Met Met Gln Asp Glu Arg Gly Lys Asp Glu Phe
 290 295 300
 Ser Thr Lys Asn Gln Ile Lys Lys His Glu Arg Leu Gln Ser Asp Ile
 305 310 315 320
 Asp Lys Phe Ala Asp Thr Ile Arg Ala Leu Ala Thr Lys Ala His Lys
 325 330 335
 Phe Val Glu Glu Lys Ser Pro Leu Thr Glu Gln Ile Gln Val Arg Gln
 340 345 350
 Ala Gln Ile Glu Lys Leu Tyr Ala Gly Leu Gln Asp Leu Ser Lys Glu
 355 360 365
 Arg Arg Lys Arg Leu Glu Glu Thr Leu Glu Leu Tyr Ala Leu His Arg
 370 375 380
 Glu Ile Asp Asp Leu Leu Gln Trp Ile Ala Asp Lys Glu Val Val Ala
 385 390 395 400
 Gly Ser Gln Glu Asn Gly Gln Asp Tyr Glu His Val Gln Met Leu Gln
 405 410 415
 Glu Arg Phe Gln Gln Phe Ala Arg Asp Thr Glu Asn Ile Gly Ser Glu
 420 425 430
 Arg Val Ala Asn Ala Asn Asp Gly Cys Asp Thr Leu Ile Gly His Gly
 435 440 445
 His Thr Asp Ala Pro Thr Ile Ala Leu Trp Lys Asp Ser Leu Asn Glu
 450 455 460
 Ala Trp Glu Asn Leu Leu Glu Leu Met Asp Thr Arg Ala Gln Ile Leu
 465 470 475 480
 Glu Ala Ser Arg Leu Leu His Lys Phe Tyr His Asp Cys Arg Asp Cys
 485 490 495
 Leu Ser Arg Ile Met Glu Lys Thr His Ala Met Pro Asp Asp Leu Gly
 500 505 510
 Arg Asp Ser Ser Ser Val Gly Ala Leu Ser Arg Lys His Gln Asn Tyr
 515 520 525
 Leu Lys Asp Ile Ala Ala Ile Gly Glu Gln Val Ala Gln Ile Glu Arg

22

530

535

540

Asp Ala Ala Glu Leu Arg Asp Gly Tyr Ala Gly Asp Lys Ala Leu Asp
545 550 555 560

Ile Gly Ser Arg Glu Ser Glu Val Val Lys Ala Trp Arg His Leu Arg
565 570 575

Gly Leu Cys Asp Ala Arg Thr Ser Arg Leu Met Asp Thr Ser Asp Leu
580 585 590

Phe Lys Phe Met Asn Met Val Arg Asp Leu Leu Leu Trp Met Asp Glu
595 600 605

Val Lys Arg Glu Met Asn Ser Gln Glu Arg Pro Lys Asp Val Ser Gly
610 615 620

Val Glu Leu Leu Met Asn Asn His Gln Ser Leu Lys Ala Glu Ile Asp
625 630 635 640

Ala Arg Glu Glu Asn Phe Asn Ala Cys Ile Ser Leu Gly Arg Asp Leu
645 650 655

Leu Asn Arg Lys His Tyr Ala Ser Ser Glu Ile Glu Lys Lys Leu Ile
660 665 670

Lys Leu Thr Thr Glu Arg Ala Glu Met Met Arg Arg Trp Glu Asp Arg
675 680 685

Trp Glu Tyr Leu Gln Leu Ile Leu Glu Val Tyr Gln Phe Ala Arg Asp
690 695 700

Ala Ala Val Ala Glu Ser Trp Leu Phe Ala Gln Glu Pro Tyr Leu Ile
705 710 715 720

Ser Lys Glu Tyr Gly Arg Asn Leu Glu Glu Thr
725 730

<210> 15

<211> 3561

<212> DNA

<213> Caenorhabditis elegans

<400> 15

atgagctcta gtagtagtga tgaaaatgaa acaacgatac acagaacagg atcaaatacc 60
ggtggaagtg gaatctactc acaacctcga gcaggatcat caaaaagaac atcgaatgtg 120
cgacatgatg ttagtgatgt agatgatgaa gaagagcatt atgcaagatt tcgcgaagat 180
acggcgatcg aggttgacga tgctataaca gttcttcttt catctctaca ttctgaacac 240
aaacgtgata ttgttccgac cgatgaagat gataataaac ttcgagaact tcacgaaaag 300
atTTTTGcat tgataacgag tgaatctgat gttaacagaa aaagacggct gaaaaaagct 360
cttcttgcgt caaactgtgt tagagaacaa gtatattatc ttcgaaggaa accatcaaca 420
ccaccagctt cttattatca tcgactaaat gcagctcttc acacaatcgt taaggaatca 480
tttgagaag aatatcgaaa agttgctaca gtattaggac ttgttgaagc gcttgcagaa 540
gttttaattc ttgaagttca cacatttgga atcaatgaga ccaatcctgg agagcatcga 600
aatattcgaa aacttattgc caatgctctt acgaatttaa catacgggtca aattcactct 660
aaacgccggc tatgctcata tgatggattc attcgatgcg ttgttcgaat tgtgatcgaa 720
tctccaaata taactcaagt atacgctgga ctaatcagaa atctctcatg gaacgccgat 780

23

```

tcaggaatga gtgaagctct tcaaccaaca gttcatgcac tttcaattgc tgcagtacat 840
gcacatacac atagattcga tgttacagca acattatctg ctttgtggaa tcttgcctggt 900
cactcagtag agaataaacg aactatttgt gatactccga attgtttaaa agtattagcc 960
agccttctat ctcttgatgc aagattcacg tcaactgttg attcagctac tgggaattctg 1020
aagtatgtat cacaatatct cgcgaatact tccacgcatt tagagctaag aagcttgctc 1080
atcactcgaa tgctcacttt gctcaagagt gcctcgttca cttgtgttac aaatactcta 1140
ggagctattg caaaccta atgtcaaagat ccccatatgc agcaa atgat tccggcaggat 1200
atggctgcag tacagcaact caacgtactc cgaaactcga atcgtgatga tattcggaca 1260
gcagtgaagt ctgtgctgaa tactctta atcaaccgtgta gtcacgtta tgggtgatatg 1320
tcacattctg ttggaggagg agccacaggg atgcaa atgc tttcggagcc acaacttcag 1380
atgcaa acat ctcatcatgc ttatcatgga actgcgtcac caagattact atcactgaga 1440
gcaactcgag catcacctgg aaaatatata caaccacagg ctcaacaaca gttgatacag 1500
actccacaag ttgatcaaag atctagtagt ctgccaagac attttgcctg tcaacgaa at 1560
ggatttgtga tggcacagtc ctacaatcaa caaatggatc aacatcagca acaacaa atg 1620
atctatcaat tgcagcaaca acaacaa at atgacggagg atcaagcgca aatgga acat 1680
catcaacaaa tcatgtacct tcagcagcaa caacaaca at ttcacaa at tcaacaac at 1740
caacaa atgc aaaaagctca ggaagctgat ccagttctct ctacggatga cgaactag at 1800
attcccat atctaccgta atgggaacacga agtaacagtg aaagaagtct cggctcgatg 1860
aatcctggaa gtgttatgac aaactgga at tcttctctg atactgcagc caacagttct 1920
cgtgctcttt ctctgtatc atacaatgat attccagctt ctccaaca at gtgtgctcag 1980
gtgttcaatt tacctaaatc cactgaatcg gaacatcatc aattgacgtc tcaacagcag 2040
aacactacac attatagcag tggatcagct aacactatga ctccggagtga tgggtgca act 2100
actgtgcca tggataacat tattacacca acttatgcta ttttgaatcc aatattggta 2160
cacgaacaga caccgaacgg gacagttcca cgaaagactt cagaagagtt ggatagtcct 2220
gatgatgttc tccaggtcc atctcttgag gaggaagaag gtgattatgc tataatagga 2280
ggtgccgcac aaaagacaga tgacgagctt ttgactcgtt ctattcaatc tgaaatgcct 2340
acttcgtcgt ctactccgaa gatgaaagtc tcgcctcgcc ttaatggatt cttctctcca 2400
actcagaaaa caacatcgtc tctgcatgg tctcatccag atacctcacc gattccaaag 2460
tcatcttctc atcgaactca accta atcgt cgtcaagatg cttctgatgc agatcgtctt 2520
ttaatggaat caataatgtc agagatgcca aaaagtcgaa ttatatctcc acgacttgct 2580
ggtacacaac aatatcttga acccgagcca gagagaagaa gtcattcaaa aaacgaggaa 2640
gccgatcgcc gcgacgcatt caccgcacg catgagccca gcgatcataa cggcattgat 2700
gtggcaagag gctcagactg gtctccacaa caacaattac atcgaatgga gtcattggaa 2760
agccaagcta gtagtgaaga tagttttgga ttaactgctg aagaaccaa ttcacaa act 2820
tctggtgctg ctgcaa acac tatgagattt gacgatgaga tcgatgcac tcttcca atg 2880
gattgtgtcg atgatgatga ttacgactat acttatgatc atttcgaaga ttatga agat 2940
gaggaggatc ctgatgcgac tcagtttgat gatggagttg atgcacaact aactatcgat 3000
tgttcaatga tttctagtgg aagcgggttca tcgcaaagaa atgaaactac gacaacgtca 3060
cgagattcaa aagcttttagc tacttccaca ccaaaggat ctgcatcttc actcccagga 3120
gttcgacaag ccacccgagt atcaacgaat ggaaagtc aa gactgcctgt tccaaaaacg 3180
aatggatcac ttgttgataa gaatcccaag ccaatcatcg cttcccgggc gccacgattg 3240
ccaccgaagc cgacactttt aaaagataag caactccag aagaggattc gattgaga at 3300
cagacgagag atgatacgat atagtgaat gctccagttg ttgaggcaga acaagaacga 3360
atztatatga atgcattgaa gcaacagaag aacattgagc aatcaccgtc aattggaa ac 3420
ggatcaccta tagctaaatc tgcaattgta acgcctaca attatcagaa accgcctttc 3480
actggtcgaa ata atggtga aatgagcaac gagaagagtg tgacaccgaa tcctaaacaa 3540
atgcttgtaa caatagtcta a 3561

```

<210> 16

<211> 1186

<212> PRT

<213> Caenorhabditis elegans

<400> 16

```

Met Ser Ser Ser Ser Ser Asp Glu Asn Glu Thr Thr Ile His Arg Thr
  1                      5                      10                      15

```

```

Gly Ser Asn Thr Gly Gly Ser Gly Ile Tyr Ser Gln Pro Arg Ala Gly

```

					24										
20					25					30					
Ser	Ser	Lys	Arg	Thr	Ser	Asn	Val	Arg	His	Asp	Val	Ser	Asp	Val	Asp
		35					40					45			
Asp	Glu	Glu	Glu	His	Tyr	Ala	Arg	Phe	Arg	Glu	Asp	Thr	Ala	Ile	Glu
	50					55					60				
Val	Asp	Asp	Ala	Ile	Thr	Val	Leu	Leu	Ser	Ser	Leu	His	Phe	Glu	His
	65					70					75				80
Lys	Arg	Asp	Ile	Val	Pro	Thr	Asp	Glu	Asp	Asp	Asn	Lys	Leu	Arg	Glu
				85					90					95	
Leu	His	Glu	Lys	Ile	Phe	Ala	Leu	Ile	Thr	Ser	Glu	Ser	Asp	Val	Asn
			100					105					110		
Arg	Lys	Arg	Arg	Leu	Lys	Lys	Ala	Leu	Pro	Ala	Ser	Asn	Cys	Val	Arg
		115					120					125			
Glu	Gln	Val	Tyr	Tyr	Leu	Arg	Arg	Lys	Pro	Ser	Thr	Pro	Pro	Ala	Ser
	130					135					140				
Tyr	Tyr	His	Arg	Leu	Asn	Ala	Ala	Leu	His	Thr	Ile	Val	Lys	Glu	Ser
	145					150					155				160
Phe	Gly	Glu	Glu	Tyr	Arg	Lys	Val	Ala	Thr	Val	Leu	Gly	Leu	Val	Glu
				165					170					175	
Ala	Leu	Ala	Glu	Val	Leu	Ile	Leu	Glu	Val	His	Thr	Phe	Gly	Ile	Asn
			180					185					190		
Glu	Thr	Asn	Pro	Gly	Glu	His	Arg	Asn	Ile	Arg	Lys	Leu	Ile	Ala	Asn
		195					200					205			
Ala	Leu	Thr	Asn	Leu	Thr	Tyr	Gly	Gln	Ile	His	Ser	Lys	Arg	Arg	Leu
	210					215					220				
Cys	Ser	Tyr	Asp	Gly	Phe	Ile	Arg	Cys	Val	Val	Arg	Ile	Val	Ile	Glu
	225					230					235				240
Ser	Pro	Asn	Ile	Thr	Gln	Val	Tyr	Ala	Gly	Leu	Ile	Arg	Asn	Leu	Ser
				245					250					255	
Trp	Asn	Ala	Asp	Ser	Gly	Met	Ser	Glu	Ala	Leu	Gln	Pro	Thr	Val	His
			260					265					270		
Ala	Leu	Ser	Ile	Ala	Ala	Val	His	Ala	His	Thr	His	Arg	Phe	Asp	Val
		275					280					285			
Thr	Ala	Thr	Leu	Ser	Ala	Leu	Trp	Asn	Leu	Ala	Gly	His	Ser	Val	Glu
	290					295					300				
Asn	Lys	Arg	Thr	Ile	Cys	Asp	Thr	Pro	Asn	Cys	Leu	Lys	Val	Leu	Ala
	305					310					315				320
Ser	Leu	Leu	Ser	Pro	Asp	Ala	Arg	Phe	Thr	Ser	Leu	Val	Asp	Ser	Ala
				325					330					335	

Thr Gly Ile Leu Lys Tyr Val Ser Gln Tyr Leu Ala Asn Thr Ser Thr
 340 345 350
 His Leu Glu Leu Arg Ser Leu Leu Ile Thr Arg Met Leu Thr Leu Leu
 355 360 365
 Lys Ser Ala Ser Phe Thr Cys Val Thr Asn Thr Leu Gly Ala Ile Ala
 370 375 380
 Asn Leu Ile Val Lys Asp Pro His Met Gln Gln Met Ile Arg Gln Asp
 385 390 395 400
 Met Ala Ala Val Gln Gln Leu Asn Val Leu Arg Asn Ser Asn Arg Asp
 405 410 415
 Asp Ile Arg Thr Ala Val Lys Ser Val Leu Asn Thr Leu Asn Gln Pro
 420 425 430
 Cys Ser His Arg Tyr Gly Asp Met Ser His Ser Val Gly Gly Gly Ala
 435 440 445
 Thr Gly Met Gln Met Leu Ser Glu Pro Gln Leu Gln Met Gln Thr Ser
 450 455 460
 His His Ala Tyr His Gly Thr Ala Ser Pro Arg Leu Leu Ser Leu Arg
 465 470 475 480
 Ala Thr Arg Ala Ser Pro Gly Lys Tyr Ile Gln Pro Gln Ala Gln Gln
 485 490 495
 Gln Leu Ile Gln Thr Pro Gln Val Asp Gln Arg Ser Ser Ser Leu Pro
 500 505 510
 Arg His Phe Ala Val Gln Arg Asn Gly Phe Val Met Ala Gln Ser Tyr
 515 520 525
 Asn Gln Gln Met Asp Gln His Gln Gln Gln Gln Met Ile Tyr Gln Leu
 530 535 540
 Gln Gln Gln Gln Gln Ile Met Thr Glu Asp Gln Ala Gln Met Glu His
 545 550 555 560
 His Gln Gln Ile Met Tyr Leu Gln Gln Gln Gln Gln Phe His Gln
 565 570 575
 Ile Gln Gln Gln Gln Gln Met Gln Lys Ala Gln Glu Ala Asp Pro Val
 580 585 590
 Pro Pro Thr Asp Asp Asp Leu Asp Ile Pro Thr Ser Thr Val Met Gly
 595 600 605
 Thr Arg Ser Asn Ser Glu Arg Ser Leu Gly Ser Met Asn Pro Gly Ser
 610 615 620
 Val Met Thr Asn Trp Asn Ser Ser Leu Asp Thr Ala Ala Asn Ser Ser
 625 630 635 640

26

Arg Ala Leu Ser Pro Val Ser Tyr Asn Asp Ile Pro Ala Ser Pro Thr
645 650 655

Met Cys Ala Gln Val Phe Asn Leu Pro Lys Ser Thr Glu Ser Glu His
660 665 670

His Gln Leu Thr Ser Gln Gln Gln Asn Thr Thr His Tyr Ser Ser Gly
675 680 685

Ser Ala Asn Thr Met Thr Arg Ser Asp Gly Ala Thr Thr Val Pro Met
690 695 700

Asp Asn Ile Ile Thr Pro Thr Tyr Ala Ile Leu Asn Pro Ile Leu Val
705 710 715 720

His Glu Gln Thr Pro Asn Gly Thr Val Pro Arg Lys Thr Ser Glu Glu
725 730 735

Leu Asp Ser Pro Asp Asp Val Leu Pro Gly Pro Ser Leu Glu Glu Glu
740 745 750

Glu Gly Asp Tyr Ala Ile Ile Gly Gly Ala Ala Gln Lys Thr Asp Asp
755 760 765

Glu Leu Leu Thr Arg Ser Ile Gln Ser Glu Met Pro Thr Ser Ser Ser
770 775 780

Thr Pro Lys Met Lys Val Ser Pro Arg Leu Asn Gly Phe Phe Ser Pro
785 790 795 800

Thr Gln Lys Thr Thr Ser Ser Pro Ala Trp Ser His Pro Asp Thr Ser
805 810 815

Pro Ile Pro Lys Ser Ser Ser His Arg Thr Gln Pro Asn Arg Arg Gln
820 825 830

Asp Ala Ser Asp Ala Asp Arg Leu Leu Met Glu Ser Ile Met Ser Glu
835 840 845

Met Pro Lys Ser Arg Ile Ile Ser Pro Arg Leu Ala Gly Thr Gln Gln
850 855 860

Tyr Leu Glu Pro Glu Pro Glu Arg Arg Ser His Ser Lys Asn Glu Glu
865 870 875 880

Ala Asp Arg Arg Asp Ala Phe Thr Ala Ser His Glu Pro Ser Asp His
885 890 895

Asn Gly Ile Asp Val Ala Arg Gly Ser Asp Trp Ser Pro Gln Gln Gln
900 905 910

Leu His Arg Met Glu Ser Leu Glu Ser Gln Ala Ser Ser Glu Asp Ser
915 920 925

Phe Gly Leu Thr Ala Glu Glu Pro Asn Ser Ser Thr Ser Gly Ala Ala
930 935 940

Ala Asn Thr Met Arg Phe Asp Asp Glu Ile Asp Ala Ser Leu Pro Met

27

945 950 955 960
 Asp Cys Val Asp Asp Asp Asp Tyr Asp Tyr Thr Tyr Asp His Phe Glu
 965 970 975
 Asp Tyr Glu Asp Glu Glu Asp Pro Asp Ala Thr Gln Phe Asp Asp Gly
 980 985 990
 Val Asp Ala Gln Leu Thr Ile Asp Cys Ser Met Ile Ser Ser Gly Ser
 995 1000 1005
 Gly Ser Ser Gln Arg Asn Glu Thr Thr Thr Thr Ser Arg Asp Ser Lys
 1010 1015 1020
 Ala Leu Ala Thr Ser Thr Pro Lys Gly Ser Ala Ser Ser Leu Pro Gly
 1025 1030 1035 1040
 Val Arg Gln Ala Thr Arg Val Ser Thr Asn Gly Lys Ser Arg Leu Pro
 1045 1050 1055
 Val Pro Lys Thr Asn Gly Ser Leu Val Asp Lys Asn Pro Lys Pro Ile
 1060 1065 1070
 Ile Ala Ser Arg Arg Pro Arg Leu Pro Pro Lys Pro Thr Leu Leu Lys
 1075 1080 1085
 Asp Lys His Tyr Pro Glu Glu Asp Ser Ile Glu Asn Gln Thr Arg Asp
 1090 1095 1100
 Asp Thr Ile Tyr Val Asn Ala Pro Val Val Glu Ala Glu Gln Glu Arg
 1105 1110 1115 1120
 Ile Tyr Met Asn Ala Leu Lys Gln Gln Lys Asn Ile Glu Gln Ser Pro
 1125 1130 1135
 Ser Ile Gly Asn Gly Ser Pro Ile Ala Lys Ser Ala Ile Val Thr Pro
 1140 1145 1150
 Tyr Asn Tyr Gln Lys Pro Pro Phe Thr Gly Arg Asn Asn Gly Glu Met
 1155 1160 1165
 Ser Asn Glu Lys Ser Val Thr Pro Asn Pro Lys Gln Met Leu Val Thr
 1170 1175 1180
 Ile Val
 1185

<210> 17

<211> 1742

<212> DNA

<213> *Caenorhabditis elegans*

<400> 17

atgagctcta gtagtagtga tgaaaatgaa acaacgatac acagaacagg atcaaatacc 60
 ggtggaagtg gaatctactc acaacctcga gcaggatcat caaaaagaac atcgaatgtg 120
 cgacatgatg ttagtgatgt agatgatgaa gaagagcatt atgcaagatt tcgcgaagat 180
 acggcgatcg aggttgacga tgctataaca gttcttcttt catctctaca tttcgaacac 240

28

```

aaacgtgata ttgttccgac cgatgaagat gataataaac ttcgagaact tcacgaaaag 300
atTTTTgcat tgataacgag tgaatctgat gttaacagaa aaagacggct gaaaaaagct 360
cttcctgcgt caaactgtgt tagagaacaa gtatatattc ttcgaaggaa accatcaaca 420
ccaccagctt cttattatca tcgactaaat gcagctcttc acacaatcgt taaggaatca 480
tttgagagaag aatatcgaaa agttgctaca gtattaggac ttgttgaagc gcttgcagaa 540
gttttaattc ttgaagttca cacatttgga atcaatgaga ccaatcctgg agagcatcga 600
aatattcgaa aacttattgc caatgctctt acgaatttaa catacgggtc aattcactct 660
aaacgccggc tatgctcata tgatggattc attcgatgcg ttgttcgaat tgtgatcgaa 720
tctccaaata taactcaagt atacgctgga ctaatcagaa atctctcatg gaacgccgat 780
tcaggaatga gtgaagctct tcaaccaaca gttcatgcac tttcaattgc tgcagtacat 840
gcacatacac atagattcga tgttacagca acattatctg ctttgtggaa tcttgtctgt 900
cactcagtag agaataaacg aactatttgt gatactccga attgtttaaa agtattagcc 960
agccttctat ctctgatgc aagattcacg tcaactgttg attcagctac tgggaattctg 1020
aagtatgtat cacaatatct cgcgaatact tccacgcatt tagagctaag aagcttgctc 1080
atcactcgaa tgctcacttt gctcaagagt gcctcgttca cttgtgttac aaatactcta 1140
ggagctattg caaaccta atgtcaaagat cccacatgc agcaa atgat tccggcaggat 1200
atggctgcag tacagcaact caacgtactc cgaaactcga atcgtgatga tattcggaca 1260
gcagtgaagt ctgtgctgaa tactctta atcaaccgtgta gtcatcgta tgggtgatag 1320
tcacattctg ttggaggagg agccacaggg atgcaa atgc tttcggagcc acaacttcag 1380
atgcaa acat ctcatcatgc ttatcatgga actgcgtcac caagattact atcactgaga 1440
gcaactcgag catcacctgg aaaatatata caaccacagg ctcaacaaca gttgatacac 1500
actccacaag ttgatcaaa atctagtagt ctgccaaagc attttgccgt tcaacgaa at 1560
ggatttgtga tggcacagtc ctacaatcaa caaatggatc aacatcagca acaacaa atg 1620
atctatcaat tgcagcaaca acaacaa at atgacggagg atcaagcgca aatggaacat 1680
catcaacaaa tcatgtacct tcagcagcaa caacaacaat ttcatcaaat tcaacaacag 1742
ca

```

<210> 18

<211> 509

<212> PRT

<213> *Caenorhabditis elegans*

<400> 18

```

Met Ser Ser Ser Ser Ser Asp Glu Asn Glu Thr Thr Ile His Arg Thr
  1              5              10              15

Gly Ser Asn Thr Gly Gly Ser Gly Ile Tyr Ser Gln Pro Arg Ala Gly
      20              25              30

Ser Ser Lys Arg Thr Ser Asn Val Arg His Asp Val Ser Asp Val Asp
      35              40              45

Asp Glu Glu Glu His Tyr Ala Arg Phe Arg Glu Asp Thr Ala Ile Glu
      50              55              60

Val Asp Asp Ala Ile Thr Val Leu Leu Ser Ser Leu His Phe Glu His
      65              70              75              80

Lys Arg Asp Ile Val Pro Thr Asp Glu Asp Asp Asn Lys Leu Arg Glu
      85              90              95

Leu His Glu Lys Ile Phe Ala Leu Ile Thr Ser Glu Ser Asp Val Asn
      100              105              110

Arg Lys Arg Arg Leu Lys Lys Ala Leu Pro Ala Ser Asn Cys Val Arg
      115              120              125

Glu Gln Val Tyr Tyr Leu Arg Arg Lys Pro Ser Thr Pro Pro Ala Ser

```

29

130	135	140
Tyr Tyr His Arg Leu Asn Ala Ala Leu His Thr Ile Val Lys Glu Ser		
145	150	155 160
Phe Gly Glu Glu Tyr Arg Lys Val Ala Thr Val Leu Gly Leu Val Glu		
	165	170 175
Ala Leu Ala Glu Val Leu Ile Leu Glu Val His Thr Phe Gly Ile Asn		
	180	185 190
Glu Thr Asn Pro Gly Glu His Arg Asn Ile Arg Lys Leu Ile Ala Asn		
	195	200 205
Ala Leu Thr Asn Leu Thr Tyr Gly Gln Ile His Ser Lys Arg Arg Leu		
	210	215 220
Cys Ser Tyr Asp Gly Phe Ile Arg Cys Val Val Arg Ile Val Ile Glu		
	225	230 235 240
Ser Pro Asn Ile Thr Gln Val Tyr Ala Gly Leu Ile Arg Asn Leu Ser		
	245	250 255
Trp Asn Ala Asp Ser Gly Met Ser Glu Ala Leu Gln Pro Thr Val His		
	260	265 270
Ala Leu Ser Ile Ala Ala Val His Ala His Thr His Arg Phe Asp Val		
	275	280 285
Thr Ala Thr Leu Ser Ala Leu Trp Asn Leu Ala Gly His Ser Val Glu		
	290	295 300
Asn Lys Arg Thr Ile Cys Asp Thr Pro Asn Cys Leu Lys Val Leu Ala		
	305	310 315 320
Ser Leu Leu Ser Pro Asp Ala Arg Phe Thr Ser Leu Val Asp Ser Ala		
	325	330 335
Thr Gly Ile Leu Lys Tyr Val Ser Gln Tyr Leu Ala Asn Thr Ser Thr		
	340	345 350
His Leu Glu Leu Arg Ser Leu Leu Ile Thr Arg Met Leu Thr Leu Leu		
	355	360 365
Lys Ser Ala Ser Phe Thr Cys Val Thr Asn Thr Leu Gly Ala Ile Ala		
	370	375 380
Asn Leu Ile Val Lys Asp Pro His Met Gln Gln Met Ile Arg Gln Asp		
	385	390 395 400
Met Ala Ala Val Gln Gln Leu Asn Val Leu Arg Asn Ser Asn Arg Asp		
	405	410 415
Asp Ile Arg Thr Ala Val Lys Ser Val Leu Asn Thr Leu Asn Gln Pro		
	420	425 430
Cys Ser His Arg Tyr Gly Asp Met Ser His Ser Val Gly Gly Gly Ala		
	435	440 445

Thr Gly Met Gln Met Leu Ser Glu Pro Gln Leu Gln Met Gln Thr Ser
450 455 460

His His Ala Tyr His Gly Thr Ala Ser Pro Arg Leu Leu Ser Leu Arg
465 470 475 480

Ala Thr Arg Ala Ser Pro Gly Lys Tyr Ile Gln Pro Gln Ala Gln Gln
485 490 495

Pro Leu Ile Gln Thr Pro Gln Val Asp Gln Arg Ser Ser
500 505

1998-1999

1999-2000

2000-2001

2001-2002 Caenorhabditis elegans

1998-1999

atgaatggaat tgtgcgaact gcacatgatg cctgaagagg atcaatggcc cgatgacatt 60
atgaatggaat tgcgtgctct caacttttgt ggagaagatt cgatgctctt tgaatcagtt 120
gataatctga tatcaactga ttctttagac tctcaacagt ttcgagagag atgtcaaatt 180
aaaaaagaag attttcaatt agcattcgca gactctggac attggcaatc aggtataaat 240
gataatctga caacttgggg tggattcgg acatctgaac cattggatga acgtactgcc 300
agtgcctcag atgtttggaa tgaaaaaaga agtgatagtg ctcgatcacc aaatcgtcca 360
aattcaactga ttgccaaact tgtttccgga gatgctactc gattcgtcga tgaatatgat 420
aatgaaatcc gcgaggcaaa tgaagaaata attcgtaaag atcgttggag aagagattca 480
ccgagacgat gctcatctgg aggacaaaat cagaaacgaa catttgcgga tattctggaa 540
aadaatgtaa cagcaccaac ttcaatggca atcacatcgt ctgataatga aaagcctccg 600
aaattagact tccctggcaat gcatcatgag atgccatctc tctgcgagtc attcacgcgt 660
tcgttccgtg atgctattat taaaatgcag aaatgtgagc cactaccgtc gattacttca 720
accaatgatt ttccgctctt ctttcaagaa gactctcccg actcaggact cgggtgtagt 780
ggtccgagcc acattgaaga ttggcaatct ctatctgttc ttctgcccac acacgtcgca 840
gaagcatgtt cattcttcaa gagcaacacc caattattaa catcaagtac atcaaaaaca 900
gcaccccaaa catcaacaaa catcgtatca aattgcattg atcgccgtat ctctggtatt 960
tcagcatcag caaatgaagc atgtcgaacg tgttatcgag tacgaaggag gatacaccca 1020
ccagtttggg ctcaaactgc ccaatcaaag acggttcttt gtgactgcgc atcaacaccc 1080
acggatacga atttctcatt tgcaccaaca acttcaacga ctgccatca actgcgcgca 1140
aaagagctct caattgtcgg attgccgatt tatgcagcaa agcggacact cgttgagaat 1200
gtgttggaag gcgttgctgc aatttcaaga ggggatggaa gtgatttgct tgtcatcgcc 1260
atgagatgct taattgaaga tggcttcaa gaaaatgtat cggcatggac aatgattcag 1320
acggttacct caaaaaggccc agctacaaaa gatgttcatt caattgtaaa acaattggaa 1380
gaatgttcaa agactgacaa cgtcaaagtt gaaatcttct ttgaggagct tatcagagaa 1440
aactcattgg actgctggct gtgctatatt gtgttgaaag agaaggtgct gaaaacattg 1500
tattctgaaa atgcattcct tctttctgcg agttctgaat acagaactct tctttggaga 1560
atggctgaca gtttgtctct tttgccagtg atcgaagctc gcagtgattc agttcaccaa 1620
cagttcaaat caatgcaaca atggggcgga gcatccagaa tagcttctga ctcaagagtt 1680
ccaaagagtt catcgttccc agcaagatta tcaactgctc catcaagaag atcaaggata 1740
ccattgtcaa caagtcgcat cagtatcagc tcaacaactt caacacctcg atcagctcga 1800
tcaccttcaa cgacatctcg tattcgagtt gcatctataa tgggtgactt cacacttgcc 1860
aatttctccc tctcagacgg agaaaaagtt agtgttctat caactcgtgg aggacttgct 1920
cgatgtgtcc gtttaacgac ttctcattca aaaatcaaca atggagttat tccgattgaa 1980
catcttcttt tccagtga 1998

<210> 20

<211> 665

<212> PRT

```

Met Val Glu Leu Cys Glu Leu His Met Met Pro Glu Glu Asp Gln Trp
1 5 10 15
Pro Asp Asp Ile Asp Ala Arg Ile Ala Ala Leu Asn Phe Cys Gly Glu
20 25 30
Asp Ser Met Leu Phe Glu Ser Val Asp Pro Ser Val Ser Thr Asp Ser
35 40 45
Leu Asp Ser Gln Gln Phe Arg Glu Arg Cys Gln Met Lys Lys Glu Asp
50 55 60
Phe Gln Leu Ala Phe Ala Asp Ser Gly His Trp Gln Ser Gly Ile Asn
65 70 75 80
Asp Asn Leu Thr Thr Trp Gly Arg Ile Arg Thr Ser Glu Pro Leu Asp
85 90 95
Glu Arg Thr Ala Ser Ala Pro Asp Val Trp Asn Val Lys Arg Ser Asp
100 105 110
Ser Ala Arg Ser Pro Asn Arg Pro Asn Ser Leu Ile Ala Asn Phe Val
115 120 125
Ser Gly Asp Ala Thr Arg Phe Val Asp Val Asn Asp Asn Glu Ile Arg
130 135 140
Glu Ala Asn Glu Glu Ile Ile Arg Lys Asp Arg Trp Arg Arg Asp Ser
145 150 155 160
Ala Arg Arg Cys Ser Ser Gly Gly Gln Asn Gln Lys Arg Thr Phe Ala
165 170 175
Asp Ile Leu Glu Lys Asn Val Thr Ala Pro Thr Ser Met Ala Ile Thr
180 185 190
Ser Ser Asp Asn Glu Lys Pro Pro Lys Leu Asp Phe Leu Ala Met His
195 200 205
His Glu Met Pro Ser Leu Cys Glu Ser Phe Thr Ala Ser Phe Arg Asp
210 215 220
Ala Ile Ile Lys Met Gln Lys Cys Glu Pro Leu Pro Ser Ile Thr Ser
225 230 235 240
Thr Asn Asp Phe Pro Leu Phe Phe Gln Glu Asp Ser Pro Asp Ser Gly
245 250 255
Leu Gly Cys Ser Gly Pro Ser His Ile Glu Asp Trp Gln Ser Leu Ser
260 265 270
Val Leu Leu Pro Lys His Val Ala Glu Ala Cys Ser Phe Phe Lys Ser
275 280 285
Asn Thr Gln Leu Leu Thr Ser Ser Thr Ser Lys Thr Ala Pro Gln Thr

```

32

290		295		300
Ser Thr Asn Ile Val	Ser Asn Cys Ile Asp Arg Arg Ile Ser Gly Ile			
305	310	315		320
Ser Ala Ser Ala Asn Glu Ala Cys Arg Thr Cys Tyr Arg Val Arg Arg				
	325	330		335
Arg Ile His Pro Pro Val Trp Ala Gln Thr Ala Gln Ser Lys Thr Val				
	340	345		350
Leu Cys Asp Cys Ala Ser Thr Pro Thr Asp Thr Asn Phe Ser Phe Ala				
	355	360		365
Pro Thr Thr Ser Thr Thr Arg His Gln Leu Arg Ala Lys Glu Leu Ser				
	370	375		380
Ile Val Gly Leu Pro Ile Tyr Ala Ala Lys Arg Thr Leu Val Glu Asn				
385	390	395		400
Val Val Glu Gly Val Ala Ala Ile Ser Arg Gly Asp Gly Ser Asp Leu				
	405	410		415
Leu Val Ile Ala Met Arg Cys Leu Ile Glu Asp Gly Leu Gln Glu Asn				
	420	425		430
Val Ser Ala Trp Thr Met Ile Gln Thr Val Thr Ser Lys Gly Pro Ala				
	435	440		445
Thr Lys Asp Val His Ser Ile Val Lys Gln Leu Glu Glu Cys Ser Lys				
	450	455		460
Thr Asp Asn Val Lys Val Glu Ile Phe Phe Glu Glu Leu Ile Arg Glu				
465	470	475		480
Asn Ser Leu Asp Cys Trp Leu Cys Tyr Ile Val Leu Lys Glu Lys Val				
	485	490		495
Leu Lys Thr Leu Tyr Ser Glu Asn Ala Phe Leu Leu Ser Ala Ser Ser				
	500	505		510
Glu Tyr Arg Thr Leu Leu Trp Arg Met Val Asp Ser Leu Ser Leu Leu				
	515	520		525
Pro Val Ile Glu Ala Arg Ser Asp Ser Val His Gln Gln Phe Lys Ser				
	530	535		540
Met Gln Gln Trp Gly Gly Ala Ser Arg Ile Ala Ser Asp Ser Arg Val				
545	550	555		560
Pro Lys Ser Ser Ser Phe Pro Ala Arg Leu Ser Thr Ala Pro Ser Arg				
	565	570		575
Arg Ser Arg Ile Pro Leu Ser Thr Ser Arg Ile Ser Ile Ser Ser Thr				
	580	585		590
Thr Ser Thr Pro Arg Ser Ala Arg Ser Pro Ser Thr Thr Ser Arg Ile				
	595	600		605

Ser Asp Gly Glu Lys Val Ser Val Leu Ser Thr Arg Gly Gly Leu Ala
625 630 635 640

Arg Cys Val Arg Leu Thr Thr Ser His Ser Lys Ile Asn Asn Gly Val
645 650 655

Leu His Leu Phe Gln
660 665

[illegible]

gattgtcaa	gatgtcaaat	gaaaaaaagaa	gatttttcaat	tagcatttcgc	agactctcgga	60
cagggtataaa	cagggtataaa	tgataatctg	acaacttggg	gtcggatttcg	gacatctgaa	120
aacgtactgc	aacgtactgc	cagtgtccca	gatgtttgga	atgtaaaaag	aagtgatagt	180
caaatcgtcc	caaatcgtcc	aaattcactg	attgccaaact	ttgtttccgg	agatgctact	240
atgtaaataga	atgtaaataga	taatgaaatt	cgcgaggcaa	atgaagaaat	aattcgtaaa	300
gaagagattc	gaagagattc	agcgagacga	tgctcatctg	gaggacaaaa	tcagaaacga	360
atattctgga	atattctgga	aaagaatgta	acagcaccaa	cttcaatggc	aatcacatcg	420
aaaagcctcc	aaaagcctcc	gaaatttagac	ttcctggcaa	tgcattcatga	gatgccatct	480
catttcaccgc	catttcaccgc	ttcgttccgt	gatgctatta	ttaaaatgca	gaaatgtgag	540
cgattacttc	cgattacttc	aaccaatgat	tttccgctct	tctttcaaga	agactctccc	600
tcggttgtag	tcggttgtag	tggtccgagc	cacattgaag	attggcaatc	tctatctggt	660
aacacgtcgc	aacacgtcgc	agaagcatgt	tcattcttca	agagcaaac	ccaattatta	720
catcaaaaaac	catcaaaaaac	agcaccocaa	acatcaacaa	acatcgtatc	aaattgcatt	780
tctctgggtat	tctctgggtat	ttcagcatca	gcaaatgaag	catgtcgaac	gtgttatcga	840
ggatacaccc	ggatacaccc	accagtttgg	gctcaaactg	cccaatcaaa	gacggttctt	900
catcaacacc	catcaacacc	cacggatacg	aatttctcat	ttgcaccaac	aacttcaacg	960
aactgcgcgc	aactgcgcgc	aaaagagctc	taatttgtcg	gattgccgat	ttatgcagca	1020
tcgttgagaa	tcgttgagaa	tggttgtgaa	ggcgttgctg	caatttcaag	aggggatgga	1080
ttgtcatctg	ttgtcatctg	catgagatgc	ttaattgaag	atggtcttca	agaaaatgta	1140
caatgattca	caatgattca	gacggttacc	tcaaaaggcc	cagctacaaa	agatgttcat	1200
aacaatttga	aacaatttga	agaatgttca	aagactgaca	acgtcaaagt	tgaaatcttc	1260
ttatcagaga	ttatcagaga	aaactcattg	gactgctggc	tgtgctatat	tgtgttgaaa	1320
tgaaaacatt	tgaaaacatt	gtattctgaa	aatgcattcc	ttctttctgc	gagttctgaa	1380
ttctttggag	ttctttggag	aatggtcgac	agtttgtctc	ttttgccagt	gatcgaagct	1440
cagttcacca	cagttcacca	acagttcaaa	tcaatgcaac	aatggggcgg	agcatccaga	1500
actcaagagt	actcaagagt	tccaaagagt	tcategttcc	cagcaagatt	atcaactgct	1560
gatcaaggat	gatcaaggat	accattgtca	acaagtcgca	tcagtatcag	ctcaacaact	1620
atcaccttca	atcaccttca	atcaccttca	acgacatctc	gtattcgagt	tgcattcata	1680
caatttctcc	caatttctcc	ctctcagacg	gagaaaaagt	tagtgttcta		1740
tcgatgtgtc	tcgatgtgtc	cgtttaacga	cttctcattc	aaaaatcaac		1800
acattcttctt	acattcttctt	ttccagtgga				1839

```
<210> 22
<211> 612
<212> PRT
<213> Caenorhabditis elegans
```

<400> 22

Phe Arg Glu Arg Cys Gln Met Lys Lys ³⁴ Glu Asp Phe Gln Leu Ala Phe
 1 5 10 15
 Ala Asp Ser Gly His Trp Gln Ser Gly Ile Asn Asp Asn Leu Thr Thr
 20 25 30
 Trp Gly Arg Ile Arg Thr Ser Glu Pro Leu Asp Glu Arg Thr Ala Ser
 35 40 45
 Ala Pro Asp Val Trp Asn Val Lys Arg Ser Asp Ser Ala Arg Ser Pro
 50 55 60
 Asn Arg Pro Asn Ser Leu Ile Ala Asn Phe Val Ser Gly Asp Ala Thr
 65 70 75 80
 Arg Phe Val Asp Val Asn Asp Asn Glu Ile Arg Glu Ala Asn Glu Glu
 85 90 95
 Ile Ile Arg Lys Asp Arg Trp Arg Arg Asp Ser Ala Arg Arg Cys Ser
 100 105 110
 Ser Gly Gly Gln Asn Gln Lys Arg Thr Phe Ala Asp Ile Leu Glu Lys
 115 120 125
 Asn Val Thr Ala Pro Thr Ser Met Ala Ile Thr Ser Ser Asp Asn Glu
 130 135 140
 Lys Pro Pro Lys Leu Asp Phe Leu Ala Met His His Glu Met Pro Ser
 145 150 155 160
 Leu Cys Glu Ser Phe Thr Ala Ser Phe Arg Asp Ala Ile Ile Lys Met
 165 170 175
 Gln Lys Cys Glu Pro Leu Pro Ser Ile Thr Ser Thr Asn Asp Phe Pro
 180 185 190
 Leu Phe Phe Gln Glu Asp Ser Pro Asp Ser Gly Leu Gly Cys Ser Gly
 195 200 205
 Pro Ser His Ile Glu Asp Trp Gln Ser Leu Ser Val Leu Leu Pro Lys
 210 215 220
 His Val Ala Glu Ala Cys Ser Phe Phe Lys Ser Asn Thr Gln Leu Leu
 225 230 235 240
 Thr Ser Ser Thr Ser Lys Thr Ala Pro Gln Thr Ser Thr Asn Ile Val
 245 250 255
 Ser Asn Cys Ile Asp Arg Arg Ile Ser Gly Ile Ser Ala Ser Ala Asn
 260 265 270
 Glu Ala Cys Arg Thr Cys Tyr Arg Val Arg Arg Arg Ile His Pro Pro
 275 280 285
 Val Trp Ala Gln Thr Ala Gln Ser Lys Thr Val Leu Cys Asp Cys Ala
 290 295 300
 Ser Thr Pro Thr Asp Thr Asn Phe Ser Phe Ala Pro Thr Thr Ser Thr

305					310					315					320				
Thr	Arg	His	Gln	Leu	Arg	Ala	Lys	Glu	Leu	Ser	Ile	Val	Gly	Leu	Pro				
				325					330					335					
Ile	Tyr	Ala	Ala	Lys	Arg	Thr	Leu	Val	Glu	Asn	Val	Val	Glu	Gly	Val				
			340					345					350						
Ala	Ala	Ile	Ser	Arg	Gly	Asp	Gly	Ser	Asp	Leu	Leu	Val	Ile	Ala	Met				
		355					360					365							
Arg	Cys	Leu	Ile	Glu	Asp	Gly	Leu	Gln	Glu	Asn	Val	Ser	Ala	Trp	Thr				
	370					375					380								
Met	Ile	Gln	Thr	Val	Thr	Ser	Lys	Gly	Pro	Ala	Thr	Lys	Asp	Val	His				
385					390					395					400				
Ser	Ile	Val	Lys	Gln	Leu	Glu	Glu	Cys	Ser	Lys	Thr	Asp	Asn	Val	Lys				
				405					410					415					
Val	Glu	Ile	Phe	Phe	Glu	Glu	Leu	Ile	Arg	Glu	Asn	Ser	Leu	Asp	Cys				
			420					425					430						
Trp	Leu	Cys	Tyr	Ile	Val	Leu	Lys	Glu	Lys	Val	Leu	Lys	Thr	Leu	Tyr				
		435					440					445							
Ser	Glu	Asn	Ala	Phe	Leu	Leu	Ser	Ala	Ser	Ser	Glu	Tyr	Arg	Thr	Leu				
	450					455					460								
Leu	Trp	Arg	Met	Val	Asp	Ser	Leu	Ser	Leu	Leu	Pro	Val	Ile	Glu	Ala				
465					470					475					480				
Arg	Ser	Asp	Ser	Val	His	Gln	Gln	Phe	Lys	Ser	Met	Gln	Gln	Trp	Gly				
				485					490					495					
Gly	Ala	Ser	Arg	Ile	Ala	Ser	Asp	Ser	Arg	Val	Pro	Lys	Ser	Ser	Ser				
			500					505					510						
Phe	Pro	Ala	Arg	Leu	Ser	Thr	Ala	Pro	Ser	Arg	Arg	Ser	Arg	Ile	Pro				
		515					520					525							
Leu	Ser	Thr	Ser	Arg	Ile	Ser	Ile	Ser	Ser	Thr	Thr	Ser	Thr	Pro	Arg				
	530					535					540								
Ser	Ala	Arg	Ser	Pro	Ser	Thr	Thr	Ser	Arg	Ile	Arg	Val	Ala	Ser	Ile				
545					550					555					560				
Met	Gly	Asp	Phe	Thr	Leu	Ala	Asn	Phe	Ser	Leu	Ser	Asp	Gly	Glu	Lys				
				565					570					575					
Val	Ser	Val	Leu	Ser	Thr	Arg	Gly	Gly	Leu	Ala	Arg	Cys	Val	Arg	Leu				
			580					585					590						
Thr	Thr	Ser	His	Ser	Lys	Ile	Asn	Asn	Gly	Val	Ile	Pro	Ile	Glu	His				
			595				600					605							
Leu	Leu	Phe	Gln																
	610																		

<210> 23

<211> 3435

<212> DNA

<213> *Caenorhabditis elegans*

<400> 23

atgcaggcga	tagatgaatc	caagcgaat	caaaaagtgc	cgcctgcaaa	acgaaagcgg	60
atataattgt	ctgacgagga	agaggaagat	tttgctgaag	cggcgacgt	tgagaacaca	120
gtccccgagc	gtgcaactcg	acgtagcacc	agaagacgtt	catcaatgca	cgaagaactt	180
ggagtttcag	aacaggaaga	gtcgccggtt	cgcaggactc	gcaaagccgc	caagcgctt	240
ggaagtgagc	aaccagagga	aaatctagca	gcagatgac	cgttgccaat	ggaaggaggt	300
ggcgagattg	tgctaccaat	tgctgaaatt	gatggaatgg	ctgaacaaga	aatgaggac	360
ttgattgaga	aaattggaag	ggaagaagag	gaggaaggcg	ctgaagaaga	tgagcaaagc	420
ggtgaaaaag	atccagaaga	agaagaggat	gatagcagca	atgcagaaag	ttcagaggaa	480
tcaactgctc	cacgtcaata	cagtcctcgc	cgcgcgtcaac	cagttgtcca	gttcaatgca	540
tcagaagctc	gtgaaaatcg	acgggctcgt	cttgaacatc	atcgggttgc	aatcaaaac	600
agacatcacc	gcaatcgaaa	tgatctcgt	cgaagacgaa	gcgattcgga	ttctgatagt	660
gatgatattg	tgcttccgag	acctgataaa	cgtcaatcga	ggcctcatat	gcataaccgt	720
ggagaacgtg	aacgtggtcg	atttatgccc	atcaatatga	cggaaaaaga	attgcagtct	780
gccaacaca	ttctgatgga	tcgaatgaga	aaaactgatg	ctggtcaagg	tgcaagtgc	840
attgatccaa	tgagtgttga	ttcgtcgggt	ggtttcgatc	aagttggagg	actcgggtcat	900
catattcaat	ctctcaaaga	agttgtcctt	ttcccaatgc	tttatcctga	agtatttgaa	960
aagttcagaa	taaatccgcc	aaaagggtgc	gtatttctatg	ggcccccagg	aaccggaaaa	1020
actcttgttg	cacgtgctct	tgcaaatgaa	tgccgaagag	gagccaacaa	agttgcattc	1080
tttatgcgaa	aaggagctga	ttgtttgagt	aaatgggtcg	gagagtctga	aagacaactt	1140
cgactattgt	ttgatcaagc	atatgccatg	cgtccatcaa	ttatcttttt	tgatgaaatc	1200
gatggtttag	ctccagttcg	ttcttcgaaa	caagatcaaa	ttcatgcgag	catagtgcgt	1260
acattgttag	caatgatgga	cggattagat	ggtcgaggag	aagttgttgt	aattggagct	1320
acaaatcgat	tagatactct	tgatccagct	ctacgaagac	caggacgttt	tgatagggaa	1380
ctccgttttt	cccttcctga	tttgaatgcc	cgacgacaaa	ttttagatat	tcacacttcc	1440
aaatgggagg	aaaacaaacc	gattccggaa	acactcgatg	ctattgcaga	gagaactagt	1500
ggatattgag	gtgccgattt	gaaattcttg	tgacagaag	cagttcttat	tggaattgaa	1560
tctcgatatc	ctcatatcta	catgtgttct	gaaaggctga	aactcgacgt	tgccaccatt	1620
aaaatcactt	ctgagcattt	tggaatgca	atgcggagga	tcacacctgc	ttccagacga	1680
gatcttacaa	ttccatcgag	accattggat	gaacgaactt	caattttact	tggaataact	1740
gtgagcaact	tgatttcggt	gagaattcca	caaggatatc	gatgcgtgga	aaatgcaatg	1800
gcgacagctt	caagcgaact	ggaacaagtt	gttagggcat	tggaacctaa	ttcaaccgtg	1860
cctgctatct	gtcttcttct	atgtggatct	gagcaactcg	cggaagggtg	acaaacgtct	1920
tcaagttctt	cgccattctt	agcaaaactg	gatcatctac	cggtgttctc	tttttctgtt	1980
tcaagttctt	taacagatgg	acgtccagaa	gaagcatttt	caaagtcaat	tcagtcggca	2040
atgcgtgcat	cagcaaccgg	cccatgtatc	atgcttcttc	catcaatcga	tgaatggatt	2100
aaagtcattc	ctgtatcagt	tcaacatatg	cttatcacat	gtctggaatc	aatgactggg	2160
ttcacgccga	ttcttttctt	atcgacgctt	gacacttctg	ttgaagatgc	gcctgaatat	2220
gtcacggaaa	ttttcagaca	tgcaaaactgt	atcactttga	atccttcccg	ccgaacaatt	2280
cgtcaaaaat	atttcgagca	cgttatttgag	aagattaaca	ctccaccaaa	agtatttgat	2340
ccacgtctta	tgcgagatcg	tcgattcgtt	gaatttgcgt	agcccgtgga	tcgggatgag	2400
gctgaggact	attatgagat	tatcgaaaca	ccgatttgta	tgaggatgat	tatggaaaag	2460
ctgaataatt	gcgaatataa	tcatgcggac	aaatttggtg	ctgacttgat	attgattcaa	2520
acgaatgctc	tcgaatataa	tcggtcgaca	acaaaagacg	gaaaactgat	tcgtcaaatt	2580
gcaaatacac	ttcgagatgc	aattgatgat	ctgatcgagt	gtgaacttga	cgaatcggtt	2640
gtcgaacgaa	ttgaacaggt	ttcacgaatg	ctacaagacg	ctggagtaac	ttcaacctct	2700
gataaattac	tcacagaaat	tcccaaagggt	tttgcccga	aaaaggcgtg	gtctatgacc	2760
aattcacttg	caaaagaaat	tgagcaatgg	acatcagagc	gtgaagctga	aaatcaaaaa	2820
atgttgagca	agcttggtgt	agctgctcca	acattggaac	tcgttggtgt	ccctgtagaa	2880
gatatgaaaa	gtgaagaagg	aacgagcaca	tcaactgatg	gagttccagc	ttctgctgga	2940
aataaaaaaga	aattgctcaa	aaagaagaag	ggtcaaaaaga	aaagcaaaac	cggcgaaatct	3000

37

```

gaagagcacg atgaagatag tacagttgaa gacgcaggag aagatacaat tgtagaaaaat 3060
cttgaaatca agaaaaatca ggaaactcca aacagtgaac atgatatcga gatqaaagat 3120
gcttctaaag attctacacc ttccgtgcaa atttcgattg ctgagaaaga attgatagtt 3180
tcgaagccag caacatgcga gctgattcag tgttggtgctg aaaagtcgga gggttgggtca 3240
gtcagcgagt tggaacgttt gtcttctgtt ctatcacata caattgaacg attccgggac 3300
gaatggaacc gcgaaaatct accagcccaa cttaccctaaa ttgtacgtga atggcaaaaca 3360
gctgacgatt cgaacaatac aattgttaat ggaacctca acaaatcgaa tggaaatctt 3420
gccaatggac actaa 3435

```

<210> 24

<211> 1144

<212> PRT

<213> *Caenorhabditis elegans*

<400> 24

```

Met Gln Ala Ile Asp Glu Ser Lys Arg Asn Gln Lys Val Pro Pro Ala
  1             5             10             15

```

```

Lys Arg Lys Arg Ile Tyr Leu Ser Asp Glu Glu Glu Glu Asp Phe Ala
          20             25             30

```

```

Glu Ala Ala His Val Glu Asn Thr Val Pro Glu Arg Ala Thr Arg Arg
      35             40             45

```

```

Ser Thr Arg Arg Arg Ser Ser Met His Glu Glu Leu Gly Val Ser Glu
      50             55             60

```

```

Gln Glu Glu Ser Pro Val Arg Arg Thr Arg Lys Ala Ala Lys Arg Leu
      65             70             75             80

```

```

Gly Ser Glu Gln Pro Glu Glu Asn Leu Ala Ala Asp Asp Pro Leu Pro
          85             90             95

```

```

Met Glu Gly Gly Gly Glu Ile Val Leu Pro Ile Ala Glu Ile Asp Gly
      100             105             110

```

```

Met Ala Glu Gln Glu Asn Glu Asp Leu Ile Glu Lys Ile Gly Arg Glu
      115             120             125

```

```

Glu Glu Glu Glu Gly Ala Glu Glu Asp Glu Gln Ser Gly Glu Lys Asp
      130             135             140

```

```

Pro Glu Glu Glu Glu Asp Asp Ser Ser Asn Ala Glu Ser Ser Glu Glu
      145             150             155             160

```

```

Ser Thr Ala Pro Arg Gln Tyr Ser Leu Arg Arg Arg Gln Pro Val Val
          165             170             175

```

```

Gln Phe Asn Ala Ser Glu Ala Arg Glu Asn Arg Arg Ala Arg Leu Glu
          180             185             190

```

```

His His Arg Val Ala Asn Gln Asn Arg His His Arg Asn Arg Asn Gly
          195             200             205

```

```

Ser Arg Arg Arg Arg Ser Asp Ser Asp Ser Asp Ser Asp Asp Met Val
      210             215             220

```

```

Leu Pro Arg Pro Asp Lys Arg Gln Ser Arg Pro His Met His Asn Arg

```

38

225		230		235		240
Gly Glu Arg Glu Arg Gly Arg Phe Met Pro Ile Asn Met Thr Glu Lys						
		245		250		255
Glu Leu Gln Ser Ala Gln His Ile Leu Met Asp Arg Met Arg Lys Thr						
		260		265		270
Asp Ala Gly Gln Gly Ala Ser Asp Ile Asp Pro Met Ser Val Asp Ser						
		275		280		285
Ser Val Gly Phe Asp Gln Val Gly Gly Leu Gly His His Ile Gln Ser						
		290		295		300
Leu Lys Glu Val Val Leu Phe Pro Met Leu Tyr Pro Glu Val Phe Glu						
305		310		315		320
Lys Phe Arg Ile Asn Pro Pro Lys Gly Val Val Phe Tyr Gly Pro Pro						
		325		330		335
Gly Thr Gly Lys Thr Leu Val Ala Arg Ala Leu Ala Asn Glu Cys Arg						
		340		345		350
Arg Gly Ala Asn Lys Val Ala Phe Phe Met Arg Lys Gly Ala Asp Cys						
		355		360		365
Leu Ser Lys Trp Val Gly Glu Ser Glu Arg Gln Leu Arg Leu Leu Phe						
		370		375		380
Asp Gln Ala Tyr Ala Met Arg Pro Ser Ile Ile Phe Phe Asp Glu Ile						
385		390		395		400
Asp Gly Leu Ala Pro Val Arg Ser Ser Lys Gln Asp Gln Ile His Ala						
		405		410		415
Ser Ile Val Ser Thr Leu Leu Ala Leu Met Asp Gly Leu Asp Gly Arg						
		420		425		430
Gly Glu Val Val Val Ile Gly Ala Thr Asn Arg Leu Asp Thr Leu Asp						
		435		440		445
Pro Ala Leu Arg Arg Pro Gly Arg Phe Asp Arg Glu Leu Arg Phe Ser						
		450		455		460
Leu Pro Asp Leu Asn Ala Arg Arg Gln Ile Leu Asp Ile His Thr Ser						
465		470		475		480
Lys Trp Glu Glu Asn Lys Pro Ile Pro Glu Thr Leu Asp Ala Ile Ala						
		485		490		495
Glu Arg Thr Ser Gly Tyr Cys Gly Ala Asp Leu Lys Phe Leu Cys Thr						
		500		505		510
Glu Ala Val Leu Ile Gly Leu Arg Ser Arg Tyr Pro His Ile Tyr Met						
		515		520		525
Cys Ser Glu Arg Leu Lys Leu Asp Val Ala Thr Ile Lys Ile Thr Ser						
		530		535		540

Glu His Phe Gly His Ala Met Arg Arg Ile Thr Pro Ala Ser Arg Arg
 545 550 555 560
 Asp Leu Thr Ile Pro Ser Arg Pro Leu Asp Glu Arg Thr Ser Ile Leu
 565 570 575
 Leu Gly Asp Thr Val Ser Asn Leu Ile Ser Leu Arg Ile Pro Gln Gly
 580 585 590
 Tyr Arg Cys Val Glu Asn Ala Met Ala Thr Ala Ser Ser Glu Leu Glu
 595 600 605
 Gln Val Val Arg Ala Leu Glu Pro Asn Pro Thr Val Pro Ala Ile Arg
 610 615 620
 Leu Leu Leu Cys Gly Ser Glu Gln Leu Ala Asp Gly Gly Gln Thr Ser
 625 630 635 640
 Tyr Val Leu Pro Ala Ile Leu Ala Lys Leu Asp His Leu Pro Val Phe
 645 650 655
 Ser Leu Ser Val Ser Ser Leu Leu Thr Asp Gly Arg Pro Glu Glu Ala
 660 665 670
 Phe Ser Asn Ala Ile Gln Ser Ala Met Arg Ala Ser Ala Thr Gly Pro
 675 680 685
 Cys Ile Met Leu Leu Pro Ser Ile Asp Glu Trp Ile Lys Val Ile Pro
 690 695 700
 Val Ser Val Gln His Met Leu Ile Thr Cys Leu Glu Ser Met Thr Gly
 705 710 715 720
 Phe Thr Pro Ile Leu Phe Leu Ser Thr Leu Asp Thr Ser Phe Glu Asp
 725 730 735
 Ala Pro Glu Tyr Val Thr Glu Ile Phe Arg His Ala Asn Cys Ile Thr
 740 745 750
 Leu Asn Pro Ser Arg Arg Thr Ile Arg Gln Lys Tyr Phe Glu His Val
 755 760 765
 Ile Glu Lys Ile Asn Thr Pro Pro Lys Val Phe Asp Pro Arg Leu Met
 770 775 780
 Arg Asp Arg Arg Phe Val Glu Phe Val Glu Pro Val Asp Pro Asp Glu
 785 790 795 800
 Ala Glu Asp Tyr Tyr Glu Ile Ile Glu Thr Pro Ile Cys Met Gln Asp
 805 810 815
 Ile Met Glu Lys Leu Asn Asn Cys Glu Tyr Asn His Ala Asp Lys Phe
 820 825 830
 Val Ala Asp Leu Ile Leu Ile Gln Thr Asn Ala Leu Glu Tyr Asn Pro
 835 840 845

40

Ser Thr Thr Lys Asp Gly Lys Leu Ile Arg Gln Met Ala Asn Thr Leu
850 855 860

Arg Asp Ala Ile Asp Asp Leu Ile Glu Cys Glu Leu Asp Glu Ser Phe
865 870 875 880

Val Glu Arg Ile Glu Thr Val Ser Arg Met Leu Gln Asp Ala Gly Val
885 890 895

Thr Pro Thr Ser Asp Lys Leu Leu Thr Glu Ile Pro Lys Gly Phe Ala
900 905 910

Arg Lys Lys Ala Trp Ser Met Thr Asn Ser Leu Ala Lys Glu Ile Glu
915 920 925

Gln Trp Thr Ser Glu Arg Glu Ala Glu Asn Gln Lys Met Leu Ser Lys
930 935 940

Leu Gly Val Ala Ala Pro Thr Leu Glu Leu Val Val Val Pro Val Glu
945 950 955 960

Asp Met Lys Ser Glu Glu Gly Thr Ser Thr Ser Thr Asp Gly Val Pro
965 970 975

Ala Ser Ala Gly Asn Lys Lys Lys Leu Leu Lys Lys Lys Lys Gly Gln
980 985 990

Lys Lys Ser Lys Thr Gly Glu Ser Glu Glu His Asp Glu Asp Ser Thr
995 1000 1005

Val Glu Asp Ala Gly Glu Asp Thr Ile Val Glu Asn Leu Glu Ile Lys
1010 1015 1020

Lys Asn Gln Glu Thr Pro Asn Ser Glu His Asp Ile Glu Met Lys Asp
1025 1030 1035 1040

Ala Ser Lys Asp Ser Thr Pro Ser Val Gln Ile Ser Ile Ala Glu Lys
1045 1050 1055

Glu Leu Ile Val Ser Lys Pro Ala Thr Cys Glu Leu Ile Gln Cys Cys
1060 1065 1070

Val Glu Lys Ser Glu Gly Trp Ser Val Ser Glu Leu Glu Arg Leu Ser
1075 1080 1085

Ser Val Leu Ser His Thr Ile Glu Arg Phe Arg Asp Glu Trp Asn Arg
1090 1095 1100

Glu Asn Leu Pro Ala Gln Leu Thr Gln Ile Val Arg Glu Trp Gln Thr
1105 1110 1115 1120

Ala Asp Asp Ser Asn Asn Thr Ile Val Asn Gly Thr Leu Asn Lys Ser
1125 1130 1135

Asn Gly Asn Leu Ala Asn Gly His
1140

<210> 25
 <211> 1908
 <212> DNA
 <213> *Caenorhabditis elegans*

<400> 25
 gaagaagaagg aggatgatag cagcaatgca gaaagttcag aggaatcaac tgctccacgt 60
 caatacagtc ttccgcccgcg tcaaccagtt gtccagttca atgcatcaga agctcgtgaa 120
 aatcgacggg ctcgctctga acatcatcgg gttgcaaatc aaaacagaca tcaccgcaat 180
 cgaaatggat ctcgtcgaag acgaagcgat tcggattctg atagtgatga tatgggtgctt 240
 ccgagacctg ataaacgtca atcgaggcct catatgcata accgtggaga acgtgaacgt 300
 ggtcgattta tgccgatcaa tatgaccgaa aaagaattgc agtctgcccc acacattctg 360
 atggatcgaa tgagaaaaac tgatgctggt caaggtgcaa gtgacattga tccaatgagt 420
 gttgatccgt cggttgggtt cgatcaagtt ggaggactcg gtcacatcat tcaatctctc 480
 aaagaagttg tctttttccc aatgctttat cctgaagtat ttgaaaagtt cagaataaat 540
 ccgccaaaag gtgtcgtatt ctatgggccc ccaggaaccg gaaaaactct tgttgcacgt 600
 gctcttgcca atgaatgccg aagaggagcc aacaaagttg cattctttat gcgaaaagga 660
 gctgattgtt tgagttaaat ggtcggagag tctgaaagac aacttcgact attgtttgat 720
 caagcatatg ccattgcgtcc atcaattatc ttttttgatg aaatcgatgg tttagctcca 780
 gttcgttctt cgaacaaga tcaaattcat gcgagcatag tgagtacatt gttagcactg 840
 atggacggat tagatgggtc aggagaagtt gttgttaatt gagctacaaa tctagtagat 900
 actcttgatc cagctctacc aagaccagga cgttttgata gggaactccg tttttccctt 960
 cctgatttga atgcccgaag acaaatttta gatattcaca cttccaaatg ggaggaaaac 1020
 aaaccgattc cggaaacact cgatgctatt gcagagagaa ctagtggata ttgcggtgcc 1080
 gatttgaaat tcttggtgac agaagcagtt cttattggat tgagatctcg atatcctcat 1140
 atctacatgt gttctgaaag gctgaaactc gacgttgcca ccattaaaat cacttctgag 1200
 cattttggac atgcaatgcg gaggatcaca cctgcttcca gacgagatct tacaattcca 1260
 tcgagaccat tggatgaacg aacttcaatt ttacttggag atactgtgag caacttgatt 1320
 tcgttgagaa ttccacaagg atatcgatgc gtggaaaatg caatggcgac agcttcaagc 1380
 gaactggaac aagttgttag ggcattggaa cctaattcaa ccgtgcctgc tattcgtctt 1440
 cttctatgtg gatctgagca actcgcggac ggtggacaaa cgtcttacgt tcttcccgcc 1500
 attctagcaa aactggatca tctaccggtg ttctctcttt ctgtttcaag tcttttaaca 1560
 gatggacgtc cagaagaagc attttcaaat gcaattcagt cggcaatgcg tgcacagca 1620
 accggcccat gtatcatgct tcttccatca atcgatgaat ggattaaagt cattcctgta 1680
 tcagttcaac atatgcttat cacatgtctg gaatcaatga ctggtttcac gccgattctt 1740
 ttcttatcga cgttgacac ttcgtttgaa gatgcgcctg aatatgtcac ggaaattttc 1800
 agacatgcaa actgtatcac ttggaatcct tcccgccgaa caattcgtca aaaatatttc 1860
 gagcacgtta ttgagaagat taacactcca caaaagtat ttgatcca 1908

<210> 26
 <211> 636
 <212> PRT
 <213> *Caenorhabditis elegans*

<400> 26
 Glu Glu Glu Glu Asp Asp Ser Ser Asn Ala Glu Ser Ser Glu Glu Ser
 1 5 10 15
 Thr Ala Pro Arg Gln Tyr Ser Leu Arg Arg Arg Gln Pro Val Val Gln
 20 25 30
 Phe Asn Ala Ser Glu Ala Arg Glu Asn Arg Arg Ala Arg Leu Glu His
 35 40 45
 His Arg Val Ala Asn Gln Asn Arg His His Arg Asn Arg Asn Gly Ser
 50 55 60
 Arg Arg Arg Arg Ser Asp Ser Asp Ser Asp Ser Asp Met Val Leu

65			70			42			75			80			
Pro	Arg	Pro	Asp	Lys	Arg	Gln	Ser	Arg	Pro	His	Met	His	Asn	Arg	Gly
				85					90					95	
Glu	Arg	Glu	Arg	Gly	Arg	Phe	Met	Pro	Ile	Asn	Met	Thr	Glu	Lys	Glu
			100					105				110			
Leu	Gln	Ser	Ala	Gln	His	Ile	Leu	Met	Asp	Arg	Met	Arg	Lys	Thr	Asp
			115				120					125			
Val	Gly	Gln	Gly	Ala	Ser	Asp	Ile	Asp	Pro	Met	Ser	Val	Asp	Ser	Ser
						135					140				
Val	Gly	Phe	Asp	Gln	Val	Gly	Gly	Leu	Gly	His	His	Ile	Gln	Ser	Leu
					150					155					160
Tyr	Gln	Val	Val	Leu	Phe	Pro	Met	Leu	Tyr	Pro	Glu	Val	Phe	Glu	Lys
				165					170					175	
Phe	Arg	Ile	Asn	Pro	Pro	Lys	Gly	Val	Val	Phe	Tyr	Gly	Pro	Pro	Gly
			180					185					190		
Thr	Gly	Lys	Thr	Leu	Val	Ala	Arg	Ala	Leu	Ala	Asn	Glu	Cys	Arg	Arg
			195				200					205			
Gly	Ala	Asn	Lys	Val	Ala	Phe	Phe	Met	Arg	Lys	Gly	Ala	Asp	Cys	Leu
						215					220				
Ser	Lys	Trp	Val	Gly	Glu	Ser	Glu	Arg	Gln	Leu	Arg	Leu	Leu	Phe	Asp
					230					235					240
Gln	Ala	Tyr	Ala	Met	Arg	Pro	Ser	Ile	Ile	Phe	Phe	Asp	Glu	Ile	Asp
				245					250					255	
Gly	Leu	Ala	Pro	Val	Arg	Ser	Ser	Lys	Gln	Asp	Gln	Ile	His	Ala	Ser
			260					265					270		
Ile	Val	Ser	Thr	Leu	Leu	Ala	Leu	Met	Asp	Gly	Leu	Asp	Gly	Arg	Gly
			275					280				285			
Glu	Val	Val	Val	Ile	Gly	Ala	Thr	Asn	Arg	Leu	Asp	Thr	Leu	Asp	Pro
						295					300				
Ala	Leu	Arg	Arg	Pro	Gly	Arg	Phe	Asp	Arg	Glu	Leu	Arg	Phe	Ser	Leu
					310					315					320
Pro	Asp	Leu	Asn	Ala	Arg	Arg	Gln	Ile	Leu	Asp	Ile	His	Thr	Ser	Lys
				325					330					335	
Trp	Glu	Glu	Asn	Lys	Pro	Ile	Pro	Glu	Thr	Leu	Asp	Ala	Ile	Ala	Glu
				340				345					350		
Arg	Thr	Ser	Gly	Tyr	Cys	Gly	Ala	Asp	Leu	Lys	Phe	Leu	Cys	Thr	Glu
			355				360					365			
Ala	Val	Leu	Ile	Gly	Leu	Arg	Ser	Arg	Tyr	Pro	His	Ile	Tyr	Met	Cys
						375					380				

43

Ser Glu Arg Leu Lys Leu Asp Val Ala Thr Ile Lys Ile Thr Ser Glu
 385 390 395 400
 His Phe Gly His Ala Met Arg Arg Ile Thr Pro Ala Ser Arg Arg Asp
 405 410 415
 Leu Thr Ile Pro Ser Arg Pro Leu Asp Glu Arg Thr Ser Ile Leu Leu
 420 425 430
 Gly Asp Thr Val Ser Asn Leu Ile Ser Leu Arg Ile Pro Gln Gly Tyr
 435 440 445
 Arg Cys Val Glu Asn Ala Met Ala Thr Ala Ser Ser Glu Leu Glu Gln
 450 455 460
 Val Val Arg Ala Leu Glu Pro Asn Pro Thr Val Pro Ala Ile Arg Leu
 465 470 475 480
 Leu Leu Cys Gly Ser Glu Gln Leu Ala Asp Gly Gly Gln Thr Ser Tyr
 485 490 495
 Val Leu Pro Ala Ile Leu Ala Lys Leu Asp His Leu Pro Val Phe Ser
 500 505 510
 Leu Ser Val Ser Ser Leu Leu Thr Asp Gly Arg Pro Glu Glu Ala Phe
 515 520 525
 Ser Asn Ala Ile Gln Ser Ala Met Arg Ala Ser Ala Thr Gly Pro Cys
 530 535 540
 Ile Met Leu Leu Pro Ser Ile Asp Glu Trp Ile Lys Val Ile Pro Val
 545 550 555 560
 Ser Val Gln His Met Leu Ile Thr Cys Leu Glu Ser Met Thr Gly Phe
 565 570 575
 Thr Pro Ile Leu Phe Leu Ser Thr Leu Asp Thr Ser Phe Glu Asp Ala
 580 585 590
 Pro Glu Tyr Val Thr Glu Ile Phe Arg His Ala Asn Cys Ile Thr Leu
 595 600 605
 Asn Pro Ser Arg Arg Thr Ile Arg Gln Lys Tyr Phe Glu His Val Ile
 610 615 620
 Glu Lys Ile Asn Thr Pro Pro Lys Val Phe Asp Pro
 625 630 635

<210> 27

<211> 3024

<212> DNA

<213> Caenorhabditis elegans

<400> 27

atggaacgac acggttcaga attacaagga gaagtggttt tcactacgac gagtactgcg 60
 aataacaatg tgaaacgagc cgtcgaatat ttcgaagatg ataatacaaga tgatgcacta 120

44

```

acatccactt catccggcaa cagtacacag aaggaatcgt ctccgttcac agattttgat 180
gatggtccgc cgccaccagt gggtccagaa actccgggtc cagcccaaaa ccgccgagaa 240
tctgcgtccc ccgaacgtca attccttgat gagagtcacc tcggcggaat tggatctccg 300
ttatcacaga gtacaaggct cgatgagacg tttattgagg aatactctat tgagttggac 360
acctctggga aaaacaacat ttctccgca gcttcacctg gtcccaagtc tccatttgac 420
gatgatttta ctgatacagc tgccccggta gccccgccac cagcacctac aaaagctgcc 480
gaggaatata gccggcaacc acatcagaat ccgtttgatg aggaagagga agaagaatca 540
cagtttgtag gggaactct gtccggtaga gacccatttg atgaagattc tggaaactct 600
aacgaaaacc agctccgcga gaagaagctc cacaataaag agcaactagc tcaccggctc 660
tctctctctt ccgaagaaat tgtggaagcc tcaattcacg aggatgagcc aattgtgatg 720
gctcaaattc cagaggagaa gcccacaccg aaggctatcc cggttttga taacgcctat 780
gacgccgact ttgacaattc cccaccactt catcattact cggcggttca tttggaaact 840
gggtctctac cgcttgagga gggtcagaga gctctccgag ccaaccgagc aaggcataag 900
cogtcgaatg tatcgttggc agaggaggcg aagcttgctg ccagacagag atactcgaat 960
gcatcggata ttagaagaga agaggaggaa gaagtgggtg aagaagatcc agcagtggta 1020
gttccagttc tacggaagga tctggaagtt gaggaggctc cgaaatcggt acgaccgctt 1080
agatatcgga agtcaaggga aattgaggaa ccggtgggtg ttgatcggtt gtttgaggaa 1140
gaagttgatg agaaggagga tattgatgcg atttttgaga aatatcgaaa gacgtctgta 1200
tccgccgata caaaatctca cacgccgatt ttgatggcgg acgagtacaa agaaccacag 1260
aagcaagtgc ctgcaccagt tgtcgttgct caggagtgcg cgatcttaaa acgaagaaac 1320
tctctagtac catcaaggat cagtggaagg cagtcgacgc ggcaagtgt caccagtgtt 1380
cggagtatga gaggaaaacg gaagaccggt gcgattcccg agttcttcga cctaaccgga 1440
catcagaaca ttgggtccg tgcctcagct acgaaaaaga aacgcataag cctacaccgc 1500
gtcaggagca ccgaagtctg cgtcgagctc ctgaacggcc aaaaagtga agtggcatgc 1560
cgaagtgaag tcatctcgcg tgacgtgttc tctcttatcg tccagaacat gaatatcaat 1620
gagcacgtgt tcttcgggct ctctgttctt cgtgatggcg agcactactt tatagaggat 1680
catcaacggc tcgaaaagtt tgcaccgtcc ggatggaaaa gtgtggcacg cgtgggcgtt 1740
aaggtgccat acgtgttgca cttacgattc aaattttatc cgcagatttt ggatttcatc 1800
aaaacagacg taacgatgaa cgagttgtat ctacaatgta gacgagacgt actcgaagag 1860
agaatccaac ccaaaagaga cgcagcattc gaactcgccg cgctcgccct ccaagccgaa 1920
tttggaaatc gaccgccacc ggtgatcacc gattatttctg atattcaaca ctacctgcc 1980
aagaagtata gctcatttga agatcagtcg cggtgaaga acattctcgc cgagctgcac 2040
gggcattacg cgggcacccg gatttctgag gccaaagcaca aatacattca aatctgtcag 2100
cgacacccag attttggagc gcatgtgcat cgtgtgttcc gaacgaagcc aacatcagct 2160
cacggagcat ctccgttcga tctgatact gggtcacgcg tttggattgg aattatgcca 2220
cgtggaatat cgatttatga gcagcaggga ggagcccggt aggtgattgc cgagcatgtt 2280
tggccgcaga cgcagaccct gcaattcgat aagaagcgat ttgtgattgt tgccgttgga 2340
gtcacgatg agcaaattga gagcacattt tatacggatc atcactcgaa atcctctat 2400
ttcgtgcgat tcgccgcctc ccaacatcgt tggatgatga agatgcgtca gtggaagagc 2460
acgtcccgcc acgagaatac gattcaggcg atgccagacg tgattgttga agggcagact 2520
atcccgccgg cgcctatacg gcaaggctc gaagaatcac ctccatcaac tccactgctc 2580
gcctctgccg atcagatctt tgcgaaaatg tcagtgaacc aggaaaaacc ggccgccaac 2640
cgaccgcggc aactgccacc accggcaccg tcgtcgaaat tcgcggctca atatgatacg 2700
gttgatgaag gaattgtttg tgattcccaa gctgaaaact ttgagcgcgt cgactcgact 2760
gacaacggga acgtgacgcc acgtggcatg caatttgaca ttttgctcgt gaaagacccc 2820
gccaacggtc tgggtcttac cctagtcgac gggaaatctc acggagtctc aggagtgtat 2880
gtgaagcttg tcgccgacaa tggagccgga atgaaagcgg taagaattcg aaatttcagt 2940
caatatccct tttctcggg gtgtacacta gagttgtgta aatctacaca taacgttttt 3000
tcgattatct ctgaaaaatc gtaa 3024

```

<210> 28

<211> 1007

<212> PRT

<213> *Caenorhabditis elegans*

<400> 28

Met Glu Arg His Gly Ser Glu Leu Gln Gly Glu Val Val Phe Thr Thr

1

5

10

15

45

Thr Ser Thr Ala Asn Asn Asn Val Lys Arg Ala Val Glu Tyr Phe Glu
20 25 30

Asp Asp Asn Gln Asp Asp Ala Leu Thr Ser Thr Ser Ser Gly Asn Ser
35 40 45

Thr Gln Lys Glu Ser Ser Pro Phe Thr Asp Phe Asp Asp Val Pro Pro
55 60

Val Val Ala Pro Glu Thr Pro Ala Pro Ala Gln Asn Arg Arg Glu
70 75 80

Ala Ser Pro Glu Arg Gln Phe Leu Asp Glu Ser His Leu Gly Gly
85 90 95

Thr Ser Pro Leu Ser Gln Ser Thr Arg Leu Asp Glu Thr Phe Ile
100 105 110

Thr Ser Tyr Ser Ile Glu Leu Asp Thr Ser Gly Lys Asn Asn Ile Ser
115 120 125

Ala Ala Ser Pro Gly Pro Lys Ser Pro Phe Asp Asp Asp Phe Thr
130 135 140

Asp Thr Ala Ala Pro Val Ala Pro Pro Pro Ala Pro Thr Lys Ala Ala
145 150 155 160

Glu Glu Tyr Arg Arg Gln Pro His Gln Asn Pro Phe Asp Glu Glu Glu
165 170 175

Glu Glu Glu Ser Gln Phe Gly Gly Gly Thr Leu Ser Gly Arg Asp Pro
180 185 190

Phe Asp Glu Asp Ser Gly Asn Ser Asn Glu Asn Gln Leu Arg Glu Lys
195 200 205

Lys Leu His Lys Lys Glu Gln Leu Ala His Arg Leu Ser Ser Ser Ser
210 215 220

Glu Glu Ile Val Glu Ala Ser Ile His Glu Asp Glu Pro Ile Val Met
225 230 235 240

Ala Gln Ile Pro Glu Glu Lys Pro Lys Pro Lys Ala Ile Pro Ala Phe
245 250 255

Asp Asn Ala Tyr Asp Ala Asp Phe Asp Asn Ser Pro Pro Leu His His
260 265 270

Tyr Ser Ala Val His Leu Glu Thr Gly Leu Ser Pro Leu Glu Glu Ala
275 280 285

Gln Arg Ala Leu Arg Ala Asn Arg Ala Arg His Lys Pro Ser Asn Val
290 295 300

Ser Leu Ala Glu Glu Ala Lys Leu Ala Ala Arg Gln Arg Tyr Ser Asn
305 310 315 320

46

Ala Ser Asp Ile Arg Arg Glu Glu Glu Glu Glu Val Val Glu Glu Asp
 325 330 335

Pro Ala Val Val Val Pro Val Leu Arg Lys Asp Leu Glu Val Glu Glu
 340 345 350

Ala Pro Lys Ser Val Arg Pro Pro Arg Tyr Arg Lys Ser Arg Glu Ile
 355 360 365

Glu Glu Pro Val Val Val Asp Arg Phe Val Glu Glu Glu Val Asp Glu
 370 375 380

Lys Glu Asp Ile Asp Ala Ile Phe Glu Lys Tyr Arg Lys Thr Ser Val
 385 390 395 400

Ser Ala Asp Pro Lys Ser His Thr Pro Ile Leu Met Ala Asp Glu Tyr
 405 410 415

Lys Glu Pro Gln Lys Gln Val Pro Ala Pro Val Val Val Ala Gln Glu
 420 425 430

Ser Pro Ile Leu Lys Arg Arg Asn Ser Leu Val Pro Ser Arg Ile Ser
 435 440 445

Gly Arg Gln Ser Thr Arg Arg Ser Val Thr Ser Val Arg Ser Met Arg
 450 455 460

Gly Lys Arg Lys Thr Arg Ala Ile Pro Glu Phe Phe Asp Leu Thr Arg
 465 470 475 480

His Gln Asn Ile Arg Leu Arg Ala Pro Ala Thr Lys Lys Lys Arg Ile
 485 490 495

Ser Leu His Arg Val Glu Asp Thr Glu Val Val Val Glu Leu Leu Asn
 500 505 510

Gly Gln Lys Val Glu Val Ala Cys Arg Ser Asp Val Ile Ser Arg Asp
 515 520 525

Val Phe Ser Leu Ile Val Gln Asn Met Asn Ile Asn Glu His Val Phe
 530 535 540

Phe Gly Leu Ser Phe Leu Arg Asp Gly Glu His Tyr Phe Ile Glu Asp
 545 550 555 560

His Gln Arg Leu Glu Lys Phe Ala Pro Ser Gly Trp Lys Ser Val Ala
 565 570 575

Arg Val Gly Val Lys Val Pro Tyr Val Leu His Leu Arg Phe Lys Phe
 580 585 590

Tyr Pro Gln Ile Leu Asp Phe Ile Lys Thr Asp Val Thr Met Asn Glu
 595 600 605

Leu Tyr Leu Gln Cys Arg Arg Asp Val Leu Glu Glu Arg Ile Gln Pro
 610 615 620

Lys Arg Asp Ala Ala Phe Glu Leu Ala Ala Leu Ala Leu Gln Ala Glu

47

625		630		635		640
Phe Gly Asn Arg	Pro Pro Pro Val	Ile Thr Asp Tyr Phe Asp	Ile Gln			
	645	650	655			
His Tyr Leu Pro	Lys Lys Tyr Ser	Ser Phe Glu Asp Gln Ser Arg	Leu			
	660	665	670			
Lys Asn Ile Leu	Ala Glu Leu His	Gly His Tyr Ala Gly Thr Arg	Ile			
	675	680	685			
Ser Glu Ala Lys	His Lys Tyr Ile	Gln Ile Cys Gln Arg His Pro	Asp			
	690	695	700			
Phe Gly Ala His	Val His Arg Val	Phe Arg Thr Lys Pro Thr Ser	Ala			
	705	710	715			720
His Gly Ala Ser	Pro Phe Asp Pro	Asp Thr Gly Ser Ser Leu Trp	Ile			
	725	730	735			
Gly Ile Met Pro	Arg Gly Ile Ser	Ile Tyr Glu Gln Gln Gly Gly	Ala			
	740	745	750			
Arg Glu Val Ile	Ala Glu His Val	Trp Pro Gln Thr Gln Thr	Leu Gln			
	755	760	765			
Phe Asp Lys Lys	Arg Phe Val Ile	Val Ala Val Gly Ala His	Asp Glu			
	770	775	780			
Gln Ile Glu Ser	Thr Phe Tyr Thr	Asp His His Ser Lys Ser Ser	Tyr			
	785	790	795			800
Phe Val Arg Phe	Ala Ala Ser Gln	His Arg Trp Met Met Lys Met	Arg			
	805	810	815			
Gln Trp Lys Ser	Thr Leu Arg His	Glu Asn Thr Ile Gln Ala Met	Pro			
	820	825	830			
Asp Val Ile Val	Glu Gly Gln Thr	Ile Pro Pro Ala Pro Ile Arg	Gln			
	835	840	845			
Gly Leu Glu Glu	Ser Pro Pro Ser	Thr Pro Leu Leu Ala Ser	Ala Asp			
	850	855	860			
Gln Ile Phe Ala	Lys Met Ser Val	Ser Gln Glu Lys Pro Ala Ala	Asn			
	865	870	875			880
Arg Pro Ala Glu	Leu Pro Pro Pro	Ala Pro Ser Ser Lys Phe	Ala Ala			
	885	890	895			
Gln Tyr Asp Thr	Val Asp Glu Gly	Ile Val Cys Asp Ser Gln	Ala Glu			
	900	905	910			
Asn Phe Glu Arg	Val Asp Ser Thr	Asp Asn Gly Asn Val Thr	Pro Arg			
	915	920	925			
Gly Met Gln Phe	Asp Ile Leu Leu	Val Lys Asp Pro Ala Asn	Gly Leu			
	930	935	940			

Gly Leu Thr Leu Val Asp Gly Asn Leu Asn Gly Val Pro Gly Val Tyr
 945 950 955 960

Val Lys Leu Val Ala Asp Asn Gly Ala Gly Met Lys Ala Val Arg Ile
 965 970 975

Arg Asn Phe Ser Gln Tyr Pro Phe Ser Ser Gly Cys Thr Leu Glu Leu
 980 985 990

Cys Lys Ser Thr His Asn Val Phe Ser Ile Ile Ser Glu Lys Ser
 995 1000 1005

<210> 29

<211> 1311

<212> DNA

<213> Caenorhabditis elegans

<400> 29

```

aaaccgaagg ctatcccggc ttttgataac gcctatgacg ccgactttga caattcccca 60
ccacttcatac attactcggc ggttcatttg gaaactgggc tctcaccgct tgaggaggct 120
cagagagctc tccgagccaa ccgagcaagg cataagccgt cgaatgtatc gttggcagag 180
gaggcgaagc ttgctgccag acagagatac tcgaatgcat cggatattag aagagaagag 240
gaggaagaag tgggtggaaga agatccagca gtggtagtgc cagttctacg gaaggatctg 300
gaagttgagg aggtcccgaa atcggtagca ccgcctagat atcgggaagtc aagggaaatt 360
gaggaaccgg tggttgttga tcggtttgtt gaggaagaag ttgatgagaa ggaggatatt 420
gatgcgattt ttgagaaata tcgaaagacg tctgtatccg ccgatccaaa atctcacacg 480
ccgattttga tggccgacga gtacaaagaa ccacagaagc aagtgcctgc accagttgtc 540
gttgctcagg agtcgccgat cttaaaacga agaaactctc tagtaccatc aaggatcagt 600
ggaaggcagt cgacgcggcg aagtgtcacc agtggtcggg gtatgagagg aaaacggaag 660
acccgtgcga ttcccagatt cttcgacctc acccgacatc agaacattcg gctccgtgct 720
ccagctacga aaaagaaaac cataagccta caccgcgtcg aggacaccga agtcgtcgtc 780
gagctcctga acggccaaaa agttgaagtg gcatgccgaa gtgacgtcat ctgcggtgac 840
gtgttctctc ttatcgtcca gaacatgaat atcaatgagc acgtgttctt cgggctctcg 900
ttccttcgtg atggcgagca ctactttata gaggatcatc aacggctcga aaagtttgca 960
ccgtccggat ggaaaagtgt ggcacgcgtg ggcgttaagg tgccatacgt gttgcactta 1020
cgattcaaat ttatccgca gattttgcat ttcatcaaaa cagacgtaac gatgaacgag 1080
ttgtatctac aatgtagacg agacgtactc gaagagagaa tccaacccaa aagagacgca 1140
gcattcgaac tcgccgcgct cgccctccaa gccgaatttg gaaatcgacc gccaccggtg 1200
atcaccgatt atttcgatat tcaacactac ctgcccaaga agtatagctc atttgaagat 1260
cagtcacggc tgaagaacat tctcgcgag ctgcacgggc attacgcggg c 1311

```

<210> 30

<211> 437

<212> PRT

<213> Caenorhabditis elegans

<400> 30

Lys Pro Lys Ala Ile Pro Ala Phe Asp Asn Ala Tyr Asp Ala Asp Phe
 1 5 10 15

Asp Asn Ser Pro Pro Leu His His Tyr Ser Ala Val His Leu Glu Thr
 20 25 30

Gly Leu Ser Pro Leu Glu Glu Ala Gln Arg Ala Leu Arg Ala Asn Arg
 35 40 45

49

Ala Arg His Lys Pro Ser Asn Val Ser Leu Ala Glu Glu Ala Lys Leu
 50 55 60

Ala Ala Arg Gln Arg Tyr Ser Asn Ala Ser Asp Ile Arg Arg Glu Glu
 65 70 75 80

Glu Glu Glu Val Val Glu Glu Asp Pro Ala Val Val Val Pro Val Leu
 85 90 95

Arg Lys Asp Leu Glu Val Glu Glu Ala Pro Lys Ser Val Arg Pro Pro
 100 105 110

Arg Tyr Arg Lys Ser Arg Glu Ile Glu Glu Pro Val Val Val Asp Arg
 115 120 125

Phe Val Glu Glu Glu Val Asp Glu Lys Glu Asp Ile Asp Ala Ile Phe
 130 135 140

Glu Lys Tyr Arg Lys Thr Ser Val Ser Ala Asp Pro Lys Ser His Thr
 145 150 155 160

Pro Ile Leu Met Ala Asp Glu Tyr Lys Glu Pro Gln Lys Gln Val Pro
 165 170 175

Ala Pro Val Val Val Ala Gln Glu Ser Pro Ile Leu Lys Arg Arg Asn
 180 185 190

Ser Leu Val Pro Ser Arg Ile Ser Gly Arg Gln Ser Thr Arg Arg Ser
 195 200 205

Val Thr Ser Val Arg Ser Met Arg Gly Lys Arg Lys Thr Arg Ala Ile
 210 215 220

Pro Glu Phe Phe Asp Leu Thr Arg His Gln Asn Ile Arg Leu Arg Ala
 225 230 235 240

Pro Ala Thr Lys Lys Lys Arg Ile Ser Leu His Arg Val Glu Asp Thr
 245 250 255

Glu Val Val Val Glu Leu Leu Asn Gly Gln Lys Val Glu Val Ala Cys
 260 265 270

Arg Ser Asp Val Ile Ser Arg Asp Val Phe Ser Leu Ile Val Gln Asn
 275 280 285

Met Asn Ile Asn Glu His Val Phe Phe Gly Leu Ser Phe Leu Arg Asp
 290 295 300

Gly Glu His Tyr Phe Ile Glu Asp His Gln Arg Leu Glu Lys Phe Ala
 305 310 315 320

Pro Ser Gly Trp Lys Ser Val Ala Arg Val Gly Val Lys Val Pro Tyr
 325 330 335

Val Leu His Leu Arg Phe Lys Phe Tyr Pro Gln Ile Leu Asp Phe Ile
 340 345 350

Lys Thr Asp Val Thr Met Asn Glu Leu Tyr Leu Gln Cys Arg Arg Asp

50

355

360

365

Val Leu Glu Glu Arg Ile Gln Pro Lys Arg Asp Ala Ala Phe Glu Leu
 370 375 380

Ala Ala Leu Ala Leu Gln Ala Glu Phe Gly Asn Arg Pro Pro Pro Val
 385 390 395 400

Ile Thr Asp Tyr Phe Asp Ile Gln His Tyr Leu Pro Lys Lys Tyr Ser
 405 410 415

Ser Phe Glu Asp Gln Ser Arg Leu Lys Asn Ile Leu Ala Glu Leu His
 420 425 430

Gly His Tyr Ala Gly
 435

<210> 31

<211> 2574

<212> DNA

<213> *Caenorhabditis elegans*

<400> 31

```

atgcctgcta atgagctttt cggagattct gatccggaag gggatgaaat ttttgaaaga 60
gttcgaaaagg tgcaacccaaa gtcgatcaat gtaactgaga atcaaaagggt agaccctatg 120
cgtaaagtca aaatcgagct tcaagctggt ttggttgcg gaaaaatacc aattagtaca 180
gaagaaatca gacggcgtct gctggattct tatggtgcat gtctgatcc gaaaagatat 240
aactgttcga ctttggaacga tcttcttcaa gcatgctcgg agtcaattgt acacactttc 300
ggccgtgatg gaatacaccg atatgggcca agaactactg aagccaacca agatattatc 360
gaaatggtec agcagcagtc gagctcaaaa cgcccgggccc gctcgttttt aggttcagga 420
gctactaata acctcagcac tcatgggtca tcattccggg cattcagagg tccgtatgcg 480
tcagaggaaa tcgctaatac gagagggaaca cctgagcaat tcaagcaag acacaagttg 540
gggtccagcaa aaacaatttc tcgcgtaaaa aaccttgcag aggttttgaa agaatatgct 600
gatgagatag gagtttcaca tcctgatgag ccaaatcgca agattgtaac actggcagct 660
cttgccaata agttcaaaaca gttgtattgt ttaccagcat ggggaaagaa catatcgga 720
agtgaactat acattcagct caatgttctt ctttcaacg aatatctgca tttctggcgt 780
cttagcgaaa aaggtgacat cttcgttgat tgtattgatc gtgacaatgc cgatccaact 840
caaaaaagtg aacaaaatcc gtcagcagat gtttctatcc aatctgaatc ttttggcggt 900
aaaagttcag cttcagcgtt tgaacaatct gtagtatccg ctcttcaac tattagagat 960
caaacatccg attcctttga cgggttcaac agtttcgaag tgcccccaga aaatggaagc 1020
aaagattcaa aaattttcaa ctggaatcaa gaaagcatcg atgactatcc aggaaatgct 1080
atatctcgag atcgaaaccg tgatattgacc gacattgcat tgcgctttgg aactgtctct 1140
gtggcaagcc aacaatgtcc ggtatcttcg tcaactgttc caaaaatgg aattcttcgt 1200
cagtcgcgtg ctcaagaaga cgacaacaac acatctatcc taactattca atcatctcgt 1260
cgcaatcatt cagtgtctcg tcatcgtagc atcaagcctc gcaatccaac acaaaatctt 1320
gctgaagtcg taaaaactca tggtagcatt ctttatgaag cgctttcgga ttgtgataag 1380
attatcgteg acttaggaaa gaacattttc aaagtttatg caactcaacc tggagaaatg 1440
atggtccgcc tttgtgatcc ccacgttgac acgactacat tgccactcct agagaacaat 1500
cttcgggatc ctgtcgagtc tgattttacgt tggatgacac tgggaaattc ccatatcaag 1560
aaacaatctg ttaaagtggg caagcctgca atgtttattg aggttgctac tatggggaat 1620
attttaaaag atgaagaacg tgaagaaatg gacgttgaaa aggttgctac tatggggaat 1680
atattgcggg ccgtgatggg agcgctatct gtggagctcc agcgtgaaac cgtccgcacg 1740
ggatcagctg cagtctacgt ttatcgacaa ggagcggagg tgcgctatta tagagtgttg 1800
atagttggac aagctaaaca agatggtgaa gtgttggttt tgttggtgta tgtcgatgat 1860
caatatctcg tggatgtaca tctatctcat ttgttcccga ttccggaaga agccagcttc 1920
aaacactttc cctcgaatgt tgtattcgca acattgcatg gagtactggg tttgacgctt 1980
tctgagcagg atgtgatggt cgaaaacatt gataatgatg atacaaaacg atttgtgggt 2040

```

51

```

ggatattttc atggaaacga tgacagaatt cttaacatcg atatggtttg gaaaaatgag 2100
cgtgggtcaat ttgagtggct ttcacaaatt gtcaagagac gtggagcagt tacttcgtcc 2160
gatgccaaaca tcattcactt tccacattct gcactcgatg tgataaagtc tgttggacca 2220
gattgttcgg tgtgctttgt cgactattca gttcgtgatg aatctgcaac atcttcattg 2280
atggaatcga ctagaattgt tcatgatagt cgtgaatcta tgacaactac ttatgttggt 2340
gagatgccaa gcccaattat cgaagaaatc gatgcaacat cttcatttga cccaaaactc 2400
ttgaatctcc attcattgtt cgataagtta atcgaggaac agaattgttac tatgattgtg 2460
gggatgttcc aattcgttcg aagtttgaag gatttattcg gcgataacaa tgaatgggaa 2520
cgcttgctca cgtacatgct cactgactggt aaaaacaata acattcgtct ctga 2574

```

<210> 32

<211> 857

<212> PRT

<213> *Caenorhabditis elegans*

<400> 32

```

Met Pro Ala Asn Glu Leu Phe Gly Asp Ser Asp Pro Glu Gly Asp Glu
 1              5              10              15

Ile Phe Glu Arg Val Arg Lys Val Gln Pro Lys Ser Ile Asn Val Thr
      20              25              30

Glu Asn Gln Lys Val Asp Pro Met Arg Lys Val Lys Ile Glu Leu Gln
      35              40              45

Ala Val Leu Val Ala Glu Lys Ile Pro Ile Ser Thr Glu Glu Ile Arg
      50              55              60

Arg Arg Leu Leu Asp Ser Tyr Gly Ala Cys Pro Asp Pro Lys Arg Tyr
      65              70              75              80

Asn Cys Ser Thr Leu Asp Asp Leu Leu Gln Ala Cys Ser Glu Ser Ile
      85              90              95

Val His Thr Phe Gly Arg Asp Gly Ile His Arg Tyr Gly Pro Arg Thr
      100             105             110

Thr Glu Ala Asn Gln Asp Ile Ile Glu Met Val Gln Gln Gln Ser Ser
      115             120             125

Ser Lys Arg Pro Ala Arg Ser Phe Leu Gly Ser Gly Ala Thr Asn Asn
      130             135             140

Leu Ser Thr His Gly Ser Ser Phe Arg Ala Phe Arg Gly Pro Tyr Ala
      145             150             155             160

Ser Glu Glu Ile Ala Lys Ser Arg Gly Thr Pro Glu Gln Phe Lys Ala
      165             170             175

Arg His Lys Leu Gly Pro Ala Lys Thr Ile Ser Arg Val Lys Asn Leu
      180             185             190

Ala Glu Val Leu Lys Glu Tyr Ala Asp Glu Ile Gly Val Ser His Pro
      195             200             205

Asp Glu Pro Asn Arg Lys Ile Val Thr Leu Ala Ala Leu Ala Asn Lys
      210             215             220

```

52

Phe Lys Gln Leu Tyr Cys Leu Pro Ala Trp Gly Lys Asn Ile Ser Glu
 225 230 235 240
 Ser Glu Leu Tyr Ile Gln Leu Asn Val Pro Phe Asn Glu Tyr Leu
 245 250 255
 His Phe Trp Arg Leu Ser Glu Lys Gly Asp Ile Phe Val Asp Cys Ile
 260 265 270
 Asp Arg Asp Asn Ala Asp Pro Thr Gln Lys Ser Glu Gln Asn Pro Ser
 275 280 285
 Ala Asp Val Ser Ile Gln Ser Glu Ser Phe Gly Gly Lys Ser Ser Ala
 290 295 300
 Ser Ala Phe Glu Gln Ser Val Val Ser Ala Pro Ser Thr Ile Arg Asp
 305 310 315 320
 Gln Thr Ser Asp Ser Phe Asp Gly Phe Asn Ser Phe Glu Val Pro Pro
 325 330 335
 Glu Asn Gly Ser Lys Asp Ser Lys Ile Phe Asn Ser Asn Gln Glu Ser
 340 345 350
 Ile Asp Asp Tyr Pro Gly Asn Ala Ile Ser Arg Asp Arg Thr Ala Asp
 355 360 365
 Met Thr Asp Ile Ala Leu Arg Phe Gly Thr Val Ser Val Ala Ser Gln
 370 375 380
 Gln Cys Pro Val Ser Ser Ser Leu Val Pro Gln Asn Gly Ile Leu Arg
 385 390 395 400
 Gln Ser Arg Ala Gln Glu Asp Asp Asn Asn Thr Ser Ile Leu Thr Ile
 405 410 415
 Gln Ser Ser Arg Arg Asn His Ser Val Leu Arg His Arg Thr Ile Lys
 420 425 430
 Pro Arg Asn Pro Thr Gln Asn Leu Ala Glu Val Val Lys Thr His Gly
 435 440 445
 Ser Ile Pro Tyr Glu Ala Leu Ser Asp Cys Asp Lys Ile Ile Val Asp
 450 455 460
 Leu Gly Lys Asn Ile Phe Lys Val Tyr Ala Thr Gln Pro Gly Glu Met
 465 470 475 480
 Met Val Arg Leu Cys Asp Pro His Val Asp Thr Thr Thr Leu Pro Leu
 485 490 495
 Leu Glu Asn Asn Leu Arg Asp Pro Val Glu Ser Asp Leu Arg Trp Met
 500 505 510
 Thr Leu Gly Asn Ser His Ile Lys Lys Gln Ser Val Lys Val Val Lys
 515 520 525
 Pro Ala Met Phe Ile Ala Pro Arg Gly Phe Leu Leu Ile Leu Lys Asp

53

530

535

540

Glu Glu Arg Glu Glu Met Asp Val Glu Lys Val Ala Thr Met Gly Asn
 545 550 555 560
 Ile Leu Arg Ala Val Met Val Ala Pro Ile Val Glu Leu Gln Arg Glu
 565 570 575
 Thr Val Arg Thr Gly Ser Ala Ala Val Tyr Val Tyr Arg Gln Gly Ala
 580 585 590
 Glu Val Arg Tyr Tyr Arg Val Leu Ile Val Gly Gln Ala Lys Gln Asp
 595 600 605
 Gly Glu Val Leu Val Leu Leu Ala Asp Val Asp Asp Gln Tyr Phe Val
 610 615 620
 Asp Val His Leu Ser His Leu Phe Pro Ile Pro Glu Glu Ala Ser Phe
 625 630 635 640
 Lys His Phe Pro Ser Asn Val Val Phe Ala Thr Leu His Gly Val Leu
 645 650 655
 Gly Leu Thr Leu Ser Glu Gln Asp Val Met Phe Glu Asn Ile Asp Asn
 660 665 670
 Asp Asp Thr Lys Arg Phe Val Gly Gly Tyr Phe His Gly Asn Asp Asp
 675 680 685
 Arg Ile Leu Asn Ile Asp Met Val Trp Lys Asn Glu Arg Gly Gln Phe
 690 695 700
 Glu Trp Leu Ser Gln Ile Val Lys Arg Arg Gly Ala Val Thr Ser Ser
 705 710 715 720
 Asp Ala Asn Ile Ile His Phe Pro His Ser Ala Leu Asp Val Ile Lys
 725 730 735
 Ser Val Gly Pro Asp Cys Ser Val Cys Phe Val Asp Tyr Ser Val Arg
 740 745 750
 Asp Glu Ser Ala Thr Ser Ser Leu Met Glu Ser Thr Arg Ile Val His
 755 760 765
 Asp Ser Arg Glu Ser Met Thr Thr Thr Tyr Val Gly Glu Met Pro Ser
 770 775 780
 Pro Ile Ile Glu Glu Ile Asp Ala Thr Ser Ser Phe Asp Pro Lys Leu
 785 790 795 800
 Leu Asn Leu His Ser Leu Phe Asp Lys Leu Ile Glu Glu Gln Asn Val
 805 810 815
 Thr Met Ile Val Gly Met Phe Gln Phe Val Arg Ser Leu Lys Asp Leu
 820 825 830
 Phe Gly Asp Asn Asn Glu Trp Glu Arg Leu Leu Thr Tyr Met Leu Thr
 835 840 845

Thr Gly Lys Asn Asn Asn Ile Arg Leu
850 855

<210> 33

<211> 1587

<212> DNA

<213> Caenorhabditis elegans

<400> 33

```

1111111111 gagttcgaaa ggtgcaacca aagtcgatca atgtaactga gaatcaaaag 60
1111111111 tgcgtaaagt caaaatcgag cttcaagctg ttttggttgc ggaaaaaata 120
1111111111 cagaagaaat cagacggcgt ctgctggatt cttatggtgc atgtcctgat 180
1111111111 ataactgttc gactttggac gatcttcttc aagcatgctc ggagtcaatt 240
1111111111 tcggccgtga tggaaatacac cgatatgggc caagaactac tgaagccaac 300
1111111111 tcgaaatggt ccagcagcag tcgagctcaa aacgcccggc ccgctcgttt 360
1111111111 gagctactaa taacctcagc actcatgggt catcattccg ggcattcaga 420
1111111111 cgtcagagga aatcgctaaa tcgagaggaa cacctgagca attcaaagca 480
1111111111 tgggtccagc aaaaacaatt tctcgcgtaa aaaaccttgc agaggttttg 540
1111111111 ctgatgagat aggagtttca catcctgatg agccaaatcg caagattgta 600
1111111111 ctcttgccaa taagttcaaa cagttgtatt gtttaccagc atggggaaaag 660
1111111111 aaagtgaact atacattcag ctcaatgttc ctcccttcaa cgaatatctg 720
1111111111 gtcttagcga aaaaggtgac atcttcgttg attgtattga tcgtgacaat 780
1111111111 ctcaaaaaag tgaacaaaat ccgtcagcag atgtttctat tcaatctgaa 840
1111111111 gtaaaagtgc agcttcagcg tttgaacaat ctgtagtatc cgctccttca 900
1111111111 atcaaacatc cgattccttt gacgggttca acagtttcga agtgcccca 960
1111111111 gcaaagattc aaaaattttc aactcgaatc aagaaagcat cgatgactat 1020
1111111111 ctatatctcg agatcgaacc gctgatatga ccgacattgc attgcgcttt 1080
1111111111 ctgtggcaag ccaacaatgt ccggtatctt cgtcactcgt tccacaaaat 1140
1111111111 gtcagtcgcg tgctcaagaa gacgacaaca acacatctat tctaactatt 1200
1111111111 gtcgcaatca ttcagtgcct cgtcatcgta cgatcaagcc tcgcaatcca 1260
1111111111 ttgctgaagt cgtaaaaact catggtagca ttccttatga agcgctttcg 1320
1111111111 agattatcgt cgacttagga aagaacattt tcaaagttta tgcaactcaa 1380
1111111111 tgatggtccg cctttgtgat cccacggttg acacgactac attgccactc 1440
1111111111 atcttcggga tctgtcgag tctgatttac gttggatgac actgggaaat 1500
1111111111 agaaacaatc tggttaaagtg gtcaagcctg caatgtttat tgcgccacgc 1560
1111111111 tgatttttaa agatgaa 1587

```

<210> 34

<211> 529

<212> PRT

<213> Caenorhabditis elegans

<400> 34

```

Ile Phe Glu Arg Val Arg Lys Val Gln Pro Lys Ser Ile Asn Val Thr
1           5           10          15

Glu Asn Gln Lys Val Asp Pro Met Arg Lys Val Lys Ile Glu Leu Gln
20          25          30

Ala Val Leu Val Ala Glu Lys Ile Pro Ile Ser Thr Glu Glu Ile Arg
35          40          45

Arg Arg Leu Leu Asp Ser Tyr Gly Ala Cys Pro Asp Pro Lys Arg Tyr
50          55          60

Asn Cys Ser Thr Leu Asp Asp Leu Leu Gln Ala Cys Ser Glu Ser Ile

```

65	70	55	75	80
Val His Thr Phe Gly Arg Asp Gly Ile His Arg Tyr Gly Pro Arg Thr	85	90		95
Thr Glu Ala Asn Gln Asp Ile Ile Glu Met Val Gln Gln Gln Ser Ser	100	105		110
Ser Lys Arg Pro Ala Arg Ser Phe Leu Gly Ser Gly Ala Thr Asn Asn	115	120		125
Leu Ser Thr His Gly Ser Ser Phe Arg Ala Phe Arg Gly Pro Tyr Ala	130	135		140
Ser Glu Glu Ile Ala Lys Ser Arg Gly Thr Pro Glu Gln Phe Lys Ala	145	150		155
Arg His Lys Leu Gly Pro Ala Lys Thr Ile Ser Arg Val Lys Asn Leu	165	170		175
Ala Glu Val Leu Lys Glu Tyr Ala Asp Glu Ile Gly Val Ser His Pro	180	185		190
Asp Glu Pro Asn Arg Lys Ile Val Thr Leu Ala Ala Leu Ala Asn Lys	195	200		205
Phe Lys Gln Leu Tyr Cys Leu Pro Ala Trp Gly Lys Asn Ile Ser Glu	210	215		220
Ser Glu Leu Tyr Ile Gln Leu Asn Val Pro Pro Phe Asn Glu Tyr Leu	225	230		235
His Phe Trp Arg Leu Ser Glu Lys Gly Asp Ile Phe Val Asp Cys Ile	245	250		255
Asp Arg Asp Asn Ala Asp Pro Thr Gln Lys Ser Glu Gln Asn Pro Ser	260	265		270
Ala Asp Val Ser Ile Gln Ser Glu Ser Phe Gly Gly Lys Ser Ser Ala	275	280		285
Ser Ala Phe Glu Gln Ser Val Val Ser Ala Pro Ser Thr Ile Arg Asp	290	295		300
Gln Thr Ser Asp Ser Phe Asp Gly Phe Asn Ser Phe Glu Val Pro Pro	305	310		315
Glu Asn Gly Ser Lys Asp Ser Lys Ile Phe Asn Ser Asn Gln Glu Ser	325	330		335
Ile Asp Asp Tyr Pro Gly Asn Ala Ile Ser Arg Asp Arg Thr Ala Asp	340	345		350
Met Thr Asp Ile Ala Leu Arg Phe Gly Thr Val Ser Val Ala Ser Gln	355	360		365
Gln Cys Pro Val Ser Ser Ser Leu Val Pro Gln Asn Gly Ile Leu Arg	370	375		380

56

Gln Ser Arg Ala Gln Glu Asp Asp Asn Asn Thr Ser Ile Leu Thr Ile
385 390 395 400

Gln Ser Ser Arg Arg Asn His Ser Val Leu Arg His Arg Thr Ile Lys
405 410 415

Pro Arg Asn Pro Thr Gln Asn Leu Ala Glu Val Val Lys Thr His Gly
420 425 430

Ser Ile Pro Tyr Glu Ala Leu Ser Asp Cys Asp Lys Ile Ile Val Asp
435 440 445

Leu Gly Lys Asn Ile Phe Lys Val Tyr Ala Thr Gln Pro Gly Glu Met
450 455 460

Met Val Arg Leu Cys Asp Pro His Val Asp Thr Thr Thr Leu Pro Leu
465 470 475 480

Leu Glu Asn Asn Leu Arg Asp Pro Val Glu Ser Asp Leu Arg Trp Met
485 490 495

Thr Leu Gly Asn Ser His Ile Lys Lys Gln Ser Val Lys Val Val Lys
500 505 510

Pro Ala Met Phe Ile Ala Pro Arg Gly Phe Leu Leu Ile Leu Lys Asp
515 520 525

Glu

<210> 35

<211> 1593

<212> DNA

<213> *Caenorhabditis elegans*

<400> 35

```

atgcgcattg tccgtacaca ccgcgacgag tttttacgga cattgtgctt gaacttgttt 60
tgttgctgtg tgatcaactc aattgagaaa tcaaaacaaa ttcaatcttc agcgtatttt 120
tttcgaaatt ctcaactctt cgccatcgaa aagttcaaaa gaaaacaaca aaaaatgcct 180
cgcggtctac ggagagcaga tttagtcaaa cgacatcgcc actcaacgac aggagacaaa 240
gacggaggag taccagaagt aataggatgc ccagttttag atcctattat ctgccaatgt 300
ccaaaagatg agatcgagct tggatgaagg gtcaagatga cgtgcacttg ggaatcatgc 360
ccgtactcta gtagaccact tcatcacata tgctatcaac tgctcgagga caatcttgtc 420
aagcgattag cctcactggg aagtgcacga ggatggacag tgccacaacg gaggaataac 480
ttatgggaga ggaaggggtc gtccctgac ggaaagttct gccgatgtcg ctgcatcgcg 540
ggacaaatga ccagagacaa gcaggcttta tatgagaaag agaaggctgt ggaaaaagag 600
aagaagaaga aggccaaaga agcaaaacaa ctgccccagc tacaatttaa ttctaaacct 660
ttggcagcta tcgaggagaa aaagcgagga gacgctgatg tattccactc accgtccatt 720
gcctcaagta cacggcatca cacattctcg acgacgacac gatcgcgact tcatactgat 780
cgttcggctt cttccatttt aacacacact attggaagaa cgtgggtccga atcttcgttt 840
gccggtgaaa caaatggtca gtacgacaac aatcaggagc cacatccatc aaattgtgaa 900
tgcgattttc atcacgatta cgacgctgac gatcaaatag atacggattt cgagtgtgaa 960
agcaatcaca gcgacgtaat agttccagct ccacttccac cacttcaggc gaaaagctat 1020
gcagcgacaa taatgagaaa cgggacaccg aagggtacaa attattcacc ggatagtggg 1080
ctcgatcagc aaactccaag gttttcattg tcttcttcga gtggaggaga tgtcgataat 1140
caacatggag acttccacgt ggaaactaga atttccgagc atctcaacgc gttgggactc 1200

```

57

```

agcataatgt cgccggtgga gaatgcgaat gaaaatgtca attatgaaga atcgccgttc 1260
taccgggagc tgacatcgac tccaatcgtc tccaagaagc agcgggaacc tctccgagcg 1320
aaaaagagca catctgtctc gaagcttcca cttgctccgt cgtcacagct attcaatgaa 1380
gaatcgcggt gtggattcag attcaatgtg ccggttcgag aaatgatgga catatggcaa 1440
gagtcctggag ccttgtcgcc ggcaattcga gaaacacagg ctgaaaatac tgaaaaaaga 1500
gctgaagaatg cgtcgggtgt actccaatat ggatggactc cattcttcgg caatggcttc 1560
aatctcgag agcgcctcta ctacttccca tag 1593

```

1118 36

1118 330

1118 387

1118 Caenorhabditis elegans

1118 37

```

Met Arg Ile Val Arg Thr His Arg Asp Glu Phe Leu Arg Thr Leu Cys
      5              10              15

```

```

Leu Arg Leu Phe Cys Cys Leu Leu Ile Asn Ser Ile Glu Lys Ser Lys
      20              25              30

```

```

Leu Ile Gln Ser Ser Ala Tyr Phe Phe Arg Asn Ser His Ser Phe Ala
      35              40              45

```

```

Ile Glu Lys Phe Lys Arg Lys Gln Gln Lys Met Pro Arg Gly Leu Arg
      50              55              60

```

```

Arg Ala Asp Leu Val Lys Arg His Arg His Ser Thr Thr Gly Asp Lys
      65              70              75              80

```

```

Asp Gly Gly Val Pro Glu Val Ile Gly Cys Pro Val Leu Asp Pro Ile
      85              90              95

```

```

Ile Cys Gln Cys Pro Lys Asp Glu Ile Glu Leu Gly Glu Gly Val Lys
      100             105             110

```

```

Met Thr Cys Thr Trp Glu Ser Cys Pro Tyr Ser Ser Arg Pro Leu His
      115             120             125

```

```

His Ile Cys Tyr Gln Leu Leu Glu Asp Asn Leu Val Lys Arg Leu Ala
      130             135             140

```

```

Ser Leu Gly Ser Ala Arg Gly Trp Thr Val Pro Gln Arg Arg Asn Asn
      145             150             155             160

```

```

Leu Trp Glu Arg Lys Gly Gln Ser Leu Ile Gly Lys Phe Cys Arg Cys
      165             170             175

```

```

Arg Cys Asp Arg Gly Gln Met Thr Arg Asp Lys Gln Ala Leu Tyr Glu
      180             185             190

```

```

Lys Glu Lys Ala Val Glu Lys Glu Lys Lys Lys Lys Ala Lys Lys Ala
      195             200             205

```

```

Lys Gln Leu Pro Gln Leu Gln Phe Asn Ser Lys Pro Leu Ala Ala Ile
      210             215             220

```

```

Glu Glu Lys Lys Arg Gly Asp Ala Asp Val Phe His Ser Pro Ser Ile
      225             230             235             240

```


58

Ala	Ser	Ser	Thr	Arg	His	His	Thr	Phe	Ser	Thr	Thr	Thr	Arg	Ser	Arg	245	250	255
Leu	His	Thr	Asp	Arg	Ser	Ala	Ser	Ser	Ile	Leu	Thr	His	Thr	Ile	Gly	260	265	270
Arg	Thr	Trp	Ser	Glu	Ser	Ser	Phe	Ala	Gly	Glu	Thr	Asn	Gly	Gln	Tyr	275	280	285
Asp	Asn	Asn	Gln	Glu	Pro	His	Pro	Ser	Asn	Cys	Glu	Cys	Val	Phe	His	290	295	300
His	Asp	Tyr	Asp	Ala	Asp	Asp	Gln	Ile	Asp	Thr	Asp	Phe	Glu	Cys	Glu	305	310	315
Ser	Asn	His	Ser	Asp	Val	Ile	Val	Pro	Ala	Pro	Leu	Pro	Pro	Leu	Gln	325	330	335
Ala	Lys	Ser	Tyr	Ala	Ala	Thr	Ile	Met	Arg	Asn	Gly	Thr	Pro	Lys	Val	340	345	350
Thr	Asn	Tyr	Ser	Pro	Asp	Ser	Gly	Leu	Asp	Gln	Gln	Thr	Pro	Arg	Phe	355	360	365
Ser	Leu	Ser	Ser	Ser	Ser	Gly	Gly	Asp	Val	Asp	Asn	Gln	His	Gly	Asp	370	375	380
Phe	His	Val	Glu	Thr	Arg	Ile	Ser	Glu	His	Leu	Asn	Ala	Leu	Gly	Leu	385	390	395
Ser	Ile	Met	Ser	Pro	Val	Glu	Asn	Ala	Asn	Glu	Asn	Val	Asn	Tyr	Glu	405	410	415
Glu	Ser	Pro	Phe	Tyr	Pro	Glu	Leu	Thr	Ser	Thr	Pro	Ile	Val	Ser	Lys	420	425	430
Lys	Gln	Arg	Glu	Pro	Leu	Arg	Ala	Lys	Lys	Ser	Thr	Ser	Val	Ser	Lys	435	440	445
Leu	Pro	Leu	Ala	Pro	Ser	Ser	Gln	Leu	Phe	Asn	Glu	Glu	Ser	Arg	Cys	450	455	460
Gly	Phe	Arg	Phe	Asn	Val	Pro	Val	Arg	Glu	Met	Met	Asp	Ile	Trp	Gln	465	470	475
Glu	Ser	Gly	Ala	Leu	Ser	Pro	Ala	Ile	Arg	Glu	Thr	Gln	Ala	Glu	Asn	485	490	495
Thr	Glu	Lys	Arg	Ala	Glu	Asn	Ala	Ser	Gly	Val	Leu	Gln	Tyr	Gly	Trp	500	505	510
Thr	Pro	Phe	Phe	Gly	Asn	Gly	Phe	Asn	Leu	Gly	Glu	Arg	Leu	Tyr	Tyr	515	520	525
Phe	Pro															530		

<210> 37
 <211> 1458
 <212> DNA
 <213> *Caenorhabditis elegans*

<400> 37
 tcttttcgcc tgcgaaaagtt caaaaagaaaa caacaaaaaaa tgcctcgcgg tctacggaga 60
 gcagatttag tcaaacgcaca tcgccactca acgacaggag acaaagacgg aggagtacca 120
 gaagtaataag gatgccccagt tttagatcct attatctgcc aatgtccaaa agatgagatc 180
 gagcttgggtg aaggagtcaa gatgacgtgc acttgggaat catgcccgtg ctctagtaga 240
 ccacttcatc acatatgcta tcaactgctc gaggacaatc ttgtcaagcg attagcctca 300
 ctgggaagtg caccgaggatg gacagtgcc caacggagga ataacttatg ggagaggaag 360
 ggtcagtcctc tgatcggaaa gttctgccga tgtcgtcgcg atcggggaca aatgaccaga 420
 gacaagcagg ctttatatga gaaagagaag gctgtggaaa aagagaagaa gaagaaggcc 480
 aagaaaagcaa aacaactgcc ccagctacaa tttaattcta aacctttggc agctatcgag 540
 gagaaaaagc gaggagacgc tgatgtattc cactcaccgt ccattgcctc aagtacacgg 600
 catcacacat tctcgacgac gacacgatcg cgacttcata ctgacgttc ggcttcttcc 660
 attttaacac acactattgg aagaacgtgg tccgaatctt cgtttgccgg tgaaacaaat 720
 ggtcagtacg acaacaatca ggagccacat ccatcaaatt gtgaatgcgt atttcatcac 780
 gattacgacg ctgacgatca aatagatacg gatttcgagt gtgaaagcaa tcacagcgac 840
 gtaatagtcc cagctccact tccaccactt caggcgaaaa gctatgcagc gacaataatg 900
 agaaacggga caccgaaggt tacaaattat tcaccggata gtggtctcga tcagcaaact 960
 ccaaggtttt cattgtcttc ttcgagtggg ggagatgtcg ataatacaaca tggagacttc 1020
 cacgtggaaa ctagaatttc cgagcatctc aacgcgttgg gactcagcat aatgtcggcg 1080
 gtggagaatg cgaatgaaaa tgtcaattat gaagaatcgc cgttctaccc ggagctgaca 1140
 tcgactccaa tcgtctcgaa gaagcagcgg gaacctctcc gagcgaaaaa gagcacatct 1200
 gtctcgaagc ttccacttgc tccgtcgtca cagctattca atgaagaatc gcgttgtgga 1260
 ttcagattca atgtgccggg tcgcgaaatg atggacatat ggcaagagtc tggagccttg 1320
 tcgccggcaa ttcgagaaac acaggctgaa aatactgaaa aaagagctga gaatgcgtcg 1380
 ggtgtactcc aatatggatg gactccattc ttcggcaatg gcttcaatct cggagagcgc 1440
 ctctactact tcccatag 1458

<210> 38
 <211> 485
 <212> PRT
 <213> *Caenorhabditis elegans*

<400> 38
 Ser Phe Ala Ile Glu Lys Phe Lys Arg Lys Gln Gln Lys Met Pro Arg
 1 5 10 15
 Gly Leu Arg Arg Ala Asp Leu Val Lys Arg His Arg His Ser Thr Thr
 20 25 30
 Gly Asp Lys Asp Gly Gly Val Pro Glu Val Ile Gly Cys Pro Val Leu
 35 40 45
 Asp Pro Ile Ile Cys Gln Cys Pro Lys Asp Glu Ile Glu Leu Gly Glu
 50 55 60
 Gly Val Lys Met Thr Cys Thr Trp Glu Ser Cys Pro Tyr Ser Ser Arg
 65 70 75 80
 Pro Leu His His Ile Cys Tyr Gln Leu Leu Glu Asp Asn Leu Val Lys
 85 90 95
 Arg Leu Ala Ser Leu Gly Ser Ala Arg Gly Trp Thr Val Pro Gln Arg

									60						
									105						110
Arg	Asn	Asn	Leu	Trp	Glu	Arg	Lys	Gly	Gln	Ser	Leu	Ile	Gly	Lys	Phe
		115					120					125			
Cys	Arg	Cys	Arg	Cys	Asp	Arg	Gly	Gln	Met	Thr	Arg	Asp	Lys	Gln	Ala
	130					135					140				
Leu	Tyr	Glu	Lys	Glu	Lys	Ala	Val	Glu	Lys	Glu	Lys	Lys	Lys	Lys	Ala
145					150					155					160
Lys	Lys	Ala	Lys	Gln	Leu	Pro	Gln	Leu	Gln	Phe	Asn	Ser	Lys	Pro	Leu
				165					170					175	
Ala	Ala	Ile	Glu	Glu	Lys	Lys	Arg	Gly	Asp	Ala	Asp	Val	Phe	His	Ser
			180					185					190		
Pro	Ser	Ile	Ala	Ser	Ser	Thr	Arg	His	His	Thr	Phe	Ser	Thr	Thr	Thr
		195					200					205			
Arg	Ser	Arg	Leu	His	Thr	Asp	Arg	Ser	Ala	Ser	Ser	Ile	Leu	Thr	His
	210					215					220				
Thr	Ile	Gly	Arg	Thr	Trp	Ser	Glu	Ser	Ser	Phe	Ala	Gly	Glu	Thr	Asn
225					230					235					240
Gly	Gln	Tyr	Asp	Asn	Asn	Gln	Glu	Pro	His	Pro	Ser	Asn	Cys	Glu	Cys
				245					250					255	
Val	Phe	His	His	Asp	Tyr	Asp	Ala	Asp	Asp	Gln	Ile	Asp	Thr	Asp	Phe
			260					265					270		
Glu	Cys	Glu	Ser	Asn	His	Ser	Asp	Val	Ile	Val	Pro	Ala	Pro	Leu	Pro
		275					280					285			
Pro	Leu	Gln	Ala	Lys	Ser	Tyr	Ala	Ala	Thr	Ile	Met	Arg	Asn	Gly	Thr
	290					295					300				
Pro	Lys	Val	Thr	Asn	Tyr	Ser	Pro	Asp	Ser	Gly	Leu	Asp	Gln	Gln	Thr
305					310					315					320
Pro	Arg	Phe	Ser	Leu	Ser	Ser	Ser	Ser	Gly	Gly	Asp	Val	Asp	Asn	Gln
				325					330					335	
His	Gly	Asp	Phe	His	Val	Glu	Thr	Arg	Ile	Ser	Glu	His	Leu	Asn	Ala
			340					345					350		
Leu	Gly	Leu	Ser	Ile	Met	Ser	Pro	Val	Glu	Asn	Ala	Asn	Glu	Asn	Val
		355					360					365			
Asn	Tyr	Glu	Glu	Ser	Pro	Phe	Tyr	Pro	Glu	Leu	Thr	Ser	Thr	Pro	Ile
	370					375					380				
Val	Ser	Lys	Lys	Gln	Arg	Glu	Pro	Leu	Arg	Ala	Lys	Lys	Ser	Thr	Ser
385					390					395					400
Val	Ser	Lys	Leu	Pro	Leu	Ala	Pro	Ser	Ser	Gln	Leu	Phe	Asn	Glu	Glu
				405					410					415	

61

Ser Arg Cys Gly Phe Arg Phe Asn Val Pro Val Arg Glu Met Met Asp
 420 425 430

Ile Trp Gln Glu Ser Gly Ala Leu Ser Pro Ala Ile Arg Glu Thr Gln
 435 440 445

Ala Glu Asn Thr Glu Lys Arg Ala Glu Asn Ala Ser Gly Val Leu Gln
 450 455 460

Tyr Gly Trp Thr Pro Phe Phe Gly Asn Gly Phe Asn Leu Gly Glu Arg
 465 470 475 480

Leu Tyr Tyr Phe Pro
 485

<210> 39

<211> 1056

<212> DNA

<213> *Caenorhabditis elegans*

<400> 39

```

atgcaaaaca cacagatatt tactaacttc gctcacagag cacatgatgg attaccgttt 60
aacagtgcga atccttccaa caaagatcca attttcacia tgccaatatc ggtcaaaccg 120
aaaactcgtg agccggcttc tttcacagat aacaggatat atgtcagcaa tattcccttc 180
tcgtttcgtg aacaagattt ggcggcaatg ttcttcgcat atggaagagt cctgagtgtg 240
gaaatcgta caaatgatcg tggatccaaa ggggttcgggt ttgtcacact cgattccatc 300
gaatcctgtg agaaagctcg tgctgcgctt cacgaatcac atgttcaagg aagaattata 360
gaagtgaaga gagcgacacc aaccgcgaga aagcttatca acaatccaca aaatgaagtt 420
ttgccaccac caaagctgtg tgctgatctt cgagcccctc ataatttatg gagagctgag 480
ccaatgcata agttgttcaa ggaaaaggag aacacaacat gttttcccga agctggattc 540
atgatggcac catacgttag caatggaatt ttcaacacgc gtagtcttgt gcagaccaa 600
ccacctgat gcaccaagca cagcgagctc aagctttctt cagctgggtg atacttctgc 660
aaaaacggcg agcctacgac ggaaacaagt attctgatgt gcatgcacag acaaaactca 720
ccatgcagca ataagtgttc tgattcttcg aatcacgagc tgtctgatgt ggagttgaac 780
tctatatccc cacatcatct tcgtgaccag attactgctc ttctcgacac ttcaaaccat 840
tttgatcag gaaataatag tgctaacaaa ggaaagagag caccatctgt gacatcttct 900
ggattgagat catcagagag cgagacagtt tcagacgaag agattcattg gtccccacat 960
aacagccctg attatcttct cgctgctctc tacgaagggt ccacatcgtt ccacggaaaag 1020
tctgtttctc caccaaaaga atcgtcaagc cagtaa 1056

```

<210> 40

<211> 351

<212> PRT

<213> *Caenorhabditis elegans*

<400> 40

Met Gln Asn Thr Gln Ile Phe Thr Asn Phe Ala His Arg Ala His Asp
 1 5 10 15

Gly Leu Pro Phe Asn Ser Ala Asn Pro Ser Asn Lys Asp Pro Ile Phe
 20 25 30

Thr Met Pro Ile Ser Val Lys Pro Lys Thr Arg Glu Pro Ala Ser Phe
 35 40 45

Thr Asp Asn Arg Ile Tyr Val Ser Asn Ile Pro Phe Ser Phe Arg Glu

50 55 62 60
 Gln Asp Leu Ala Ala Met Phe Phe Ala Tyr Gly Arg Val Leu Ser Val
 65 70 75 80
 Glu Ile Val Thr Asn Asp Arg Gly Ser Lys Gly Phe Gly Phe Val Thr
 85 90 95
 Ieu Asp Ser Ile Glu Ser Cys Glu Lys Ala Arg Ala Ala Leu His Glu
 100 105 110
 Ser His Val Gln Gly Arg Ile Ile Glu Val Arg Arg Ala Thr Pro Thr
 115 120 125
 Arg Arg Lys Leu Ile Asn Asn Pro Gln Asn Glu Val Leu Pro Pro Pro
 130 135 140
 Lys Leu Cys Val Asp Leu Arg Ala Pro His Asn Leu Trp Arg Ala Glu
 145 150 155 160
 Pro Met His Gln Leu Phe Lys Glu Lys Glu Asn Thr Thr Cys Phe Pro
 165 170 175
 Glu Ala Gly Phe Met Met Ala Pro Tyr Arg Ser Asn Gly Ile Phe Asn
 180 185 190
 Thr Arg Ser Leu Val Gln Thr Lys Pro Pro Arg Cys Thr Lys His Ser
 195 200 205
 Glu Leu Lys Leu Ser Ser Ala Gly Glu Tyr Phe Cys Lys Asn Gly Glu
 210 215 220
 Pro Thr Thr Glu Thr Ser Ile Leu Met Cys Met His Arg Gln Asn Ser
 225 230 235 240
 Pro Cys Ser Asn Lys Cys Ser Asp Ser Ser Asn His Glu Leu Ser Asp
 245 250 255
 Val Glu Leu Asn Ser Ile Phe Pro His His Leu Arg Asp Gln Ile Thr
 260 265 270
 Ala Leu Leu Asp Thr Ser Asn His Phe Gly Ser Gly Asn Asn Ser Ala
 275 280 285
 Asn Lys Gly Lys Arg Ala Pro Ser Val Thr Ser Ser Gly Leu Arg Ser
 290 295 300
 Ser Glu Ser Glu Thr Val Ser Asp Glu Glu Ile His Trp Ser Pro His
 305 310 315 320
 Asn Ser Pro Asp Tyr Leu Leu Ala Ala Leu Tyr Glu Gly Ser Thr Ser
 325 330 335
 Phe His Gly Lys Ser Val Ser Pro Pro Lys Glu Ser Ser Ser Gln
 340 345 350

63

<211> 1053

<212> DNA

<213> *Caenorhabditis elegans*

<400> 41

```

caaaacacac agatattttac taacttcgct cacagagcac atgatggatt accgtttaac 60
agtgcgaatc cttccaacaa agatccaatt ttcacaatgc caatatcggt caaaccgaaa 120
actcgtgagc cggcttcttt cacagataac aggatatatg tcagcaatat tcccttctcg 180
tttcgtgaac aagattttggc ggcaatgttc ttcgcataatg gaagagtcct gagtgtggaa 240
atcgtcacia atgatcgtgg atccaaaggg ttcggggttg tcacactcga ttccatcgaa 300
tccgtgtgaga aagctcgtgc tgcgcttcac gaatcacatg ttcaaggaag aattatagaa 360
gtgagaagag cgacaccaac ccgcagaaag cttatcaaca atccacaaaa tgaagttttg 420
ccaccaccaa agctgtgtgt cgatcttcga gcccctcata atttatggag agctgagcca 480
atgcatcagt tgttcaagga aaaggagaac acaacatgtt tccccgaagc tggattcatg 540
atggcaccat accgtagcaa tggaaatttc aacacgcgta gtcttgtgca gaccaaacca 600
cctcgatgca ccaagcacag cgagctcaag ctttcttcag ctggtgaata cttctgcaaa 660
aacggcgcagc ctacgcagga aacaagtatt ctgatgtgca tgcacagaca aaactcacca 720
tgcagcaata agtggttctga ttcttcgaat cagcagctgt ctgatgtgga gttgaactct 780
atattccac atcatcttcg tgaccagatt actgctcttc tcgacacttc aaaccatttt 840
ggatcaggaa ataatagtgc taacaaagga aagagagcac catctgtgac atcttctgga 900
ttgagatcat cagagagcga gacagtttca gacgaagaga ttcattgggc cccacataac 960
agccctgatt atcttctcgc tgctctctac gaaggttcca catcgttcca cggaaagtct 1020
gtttctccac caaaagaatc gtcaagccag taa 1053

```

<210> 42

<211> 350

<212> PRT

<213> *Caenorhabditis elegans*

<400> 42

```

Gln Asn Thr Gln Ile Phe Thr Asn Phe Ala His Arg Ala His Asp Gly
 1             5             10             15

Leu Pro Phe Asn Ser Ala Asn Pro Ser Asn Lys Asp Pro Ile Phe Thr
      20             25             30

Met Pro Ile Ser Val Lys Pro Lys Thr Arg Glu Pro Ala Ser Phe Thr
      35             40             45

Asp Asn Arg Ile Tyr Val Ser Asn Ile Pro Phe Ser Phe Arg Glu Gln
      50             55             60

Asp Leu Ala Ala Met Phe Phe Ala Tyr Gly Arg Val Leu Ser Val Glu
      65             70             75             80

Ile Val Thr Asn Asp Arg Gly Ser Lys Gly Phe Gly Phe Val Thr Leu
      85             90             95

Asp Ser Ile Glu Ser Cys Glu Lys Ala Arg Ala Ala Leu His Glu Ser
      100            105            110

His Val Gln Gly Arg Ile Ile Glu Val Arg Arg Ala Thr Pro Thr Arg
      115            120            125

Arg Lys Leu Ile Asn Asn Pro Gln Asn Glu Val Leu Pro Pro Pro Lys
      130            135            140

Leu Cys Val Asp Leu Arg Ala Pro His Asn Leu Trp Arg Ala Glu Pro

```

64

145		150		155		160
Met His Gln Leu Phe Lys Glu Lys Glu Asn Thr Thr Cys Phe Pro Glu						
		165		170		175
Ala Gly Phe Met Met Ala Pro Tyr Arg Ser Asn Gly Ile Phe Asn Thr						
		180		185		190
Arg Ser Leu Val Gln Thr Lys Pro Pro Arg Cys Thr Lys His Ser Glu						
		195		200		205
Leu Lys Leu Ser Ser Ala Gly Glu Tyr Phe Cys Lys Asn Gly Glu Pro						
		210		215		220
Thr Thr Glu Thr Ser Ile Leu Met Cys Met His Arg Gln Asn Ser Pro						
		225		230		235
Cys Ser Asn Lys Cys Ser Asp Ser Ser Asn His Glu Leu Ser Asp Val						
		245		250		255
Glu Leu Asn Ser Ile Phe Pro His His Leu Arg Asp Gln Ile Thr Ala						
		260		265		270
Leu Leu Asp Thr Ser Asn His Phe Gly Ser Gly Asn Asn Ser Ala Asn						
		275		280		285
Lys Gly Lys Arg Ala Pro Ser Val Thr Ser Ser Gly Leu Arg Ser Ser						
		290		295		300
Glu Ser Glu Thr Val Ser Asp Glu Glu Ile His Trp Ser Pro His Asn						
		305		310		315
Ser Pro Asp Tyr Leu Leu Ala Ala Leu Tyr Glu Gly Ser Thr Ser Phe						
		325		330		335
His Gly Lys Ser Val Ser Pro Pro Lys Glu Ser Ser Ser Gln						
		340		345		350

<210> 43

<211> 1349

<212> DNA

<213> Caenorhabditis elegans

<400> 43

```

aagtttgagg taacaaaaat gccgccgcca gtcctgttcg aggggcaaaa gaacaaaggg 60
cacaatgtcc acaaaactgg aggaaaagca anaaagcgaa atgagaagga gccgagagtc 120
aagggaaaca atctgaaagc ttctactttc cactccgccg tatccgctgg aaaagcgatt 180
cgacgagctg cagatctcaa tgaaaagaag aaacatgttc tgatgatgga cagaaaaccc 240
atcgaaacac caccaatcat tgtagcaatc gttggaccga gtaaagtcgg aaaaacgcaca 300
cttctccggg gtcttgtaaa gtattacctc cgtgatggat tcggagagat caatgggtcca 360
gtgacaattg taactggaaa gaaacgtcgt gtacagtcca ttgaggtcaa aaacgatatt 420
aatcatatga ttgatatcgc gaaagtcgca gatttggtgc ttctaattgt cgatgcatcg 480
tatggatttg aaatggaaac ctttgaattt ctaaataatt gccaaagtgc cggaatgcc 540
cgtattatgg gagtattgaa tcatttggat cttctcgatg gaatctcacg tgtcaataag 600
accaagaaaa ttctgaaaca tcgtttcttg acggagctct accagggcgc gaagcttttc 660
tacatgactg gaatgatgca tggacagtat aaatataatg agatccataa cctctgcaga 720
ttcattttctg tcatgaaatt ccgtccgatg gtgtggaaag atgctcatcc atacgttctt 780

```

65

```

tgtgacggtt tcgaagacat taccaacgtc gaaactcttc gaacggatcc actcatcgat 840
cgacacattg ccattgatgg atgggttcat ggtgctcatt tgaagaatca ttctgcgatt 900
catgtgccag gtgttggtga tatgaggatc agtaatgtca cgagtctacc cgatccgtgt 960
ccgttgectg atgagattaa gaaacgagcg ttgaatgaga aagagcggaa agtgtatgct 1020
ccgttttctg gattaggagg tgtcatttat gataaggatg cgatttatat tgagtcaaag 1080
aatgctcaca attttaatat aaaacgcgac ggactcgttg aagctctcga aggcgtcaag 1140
tcaggaaccg atgataaatt gaagaaatcc tctctgcaac ttctcggtga ttcagtagca 1200
cttgatattg atcaggaaag tgattggcca gagcctggag aagaagatga agaagatctg 1260
gatgaggagg attttcagga tgaagaagaa gatgaagatg aggatgagga tgaggaagat 1320
gttgggtgctg tgaaaaagga aggtgtact 1349

```

<210> 44

<211> 449

<212> PRT

<213> Caenorhabditis elegans

<400> 44

```

Lys Phe Glu Val Thr Lys Met Pro Pro Pro Ala Pro Phe Glu Gly Gln
  1                      5                      10                      15

```

```

Lys Asn Lys Gly His Asn Val His Lys Thr Gly Gly Lys Ala Xaa Lys
                20                      25                      30

```

```

Arg Asn Glu Lys Glu Pro Arg Val Lys Gly Asn Asn Leu Lys Ala Phe
      35                      40                      45

```

```

Thr Phe His Ser Ala Val Ser Ala Gly Lys Ala Ile Arg Arg Ala Ala
      50                      55                      60

```

```

Asp Leu Asn Glu Lys Lys Lys His Val Leu Met Met Asp Arg Lys Pro
      65                      70                      75                      80

```

```

Ile Glu Thr Pro Pro Ile Ile Val Ala Ile Val Gly Pro Ser Lys Val
                85                      90                      95

```

```

Gly Lys Thr Thr Leu Leu Arg Gly Leu Val Lys Tyr Tyr Leu Arg Asp
      100                      105                      110

```

```

Gly Phe Gly Glu Ile Asn Gly Pro Val Thr Ile Val Thr Gly Lys Lys
      115                      120                      125

```

```

Arg Arg Val Gln Phe Ile Glu Val Lys Asn Asp Ile Asn His Met Ile
      130                      135                      140

```

```

Asp Ile Ala Lys Val Ala Asp Leu Val Leu Leu Met Val Asp Ala Ser
      145                      150                      155                      160

```

```

Tyr Gly Phe Glu Met Glu Thr Phe Glu Phe Leu Asn Ile Cys Gln Val
      165                      170                      175

```

```

His Gly Met Pro Arg Ile Met Gly Val Leu Asn His Leu Asp Leu Leu
      180                      185                      190

```

```

Asp Gly Ile Ser Arg Val Asn Lys Thr Lys Lys Ile Leu Lys His Arg
      195                      200                      205

```

```

Phe Trp Thr Glu Leu Tyr Gln Gly Ala Lys Leu Phe Tyr Met Thr Gly
      210                      215                      220

```


Met Met His Gly Gln Tyr Lys Tyr Asn Glu Ile His Asn Leu Cys Arg
 225 230 235 240
 Phe Ile Ser Val Met Lys Phe Arg Pro Met Val Trp Lys Asp Ala His
 245 250 255
 Pro Tyr Val Leu Cys Asp Arg Phe Glu Asp Ile Thr Asn Val Glu Thr
 260 265 270
 Leu Arg Thr Asp Pro Leu Ile Asp Arg His Ile Ala Met Tyr Gly Trp
 275 280 285
 Val His Gly Ala His Leu Lys Asn His Ser Ser Ile His Val Pro Gly
 290 295 300
 Val Gly Asp Met Arg Ile Ser Asn Val Thr Ser Leu Pro Asp Pro Cys
 305 310 315 320
 Ile Leu Pro Asp Glu Ile Lys Lys Arg Ala Leu Asn Glu Lys Glu Arg
 325 330 335
 Lys Val Tyr Ala Pro Phe Ser Gly Leu Gly Gly Val Ile Tyr Asp Lys
 340 345 350
 Asp Ala Ile Tyr Ile Glu Ser Lys Asn Ala His Asn Phe Asn Arg Lys
 355 360 365
 Arg Asp Gly Leu Val Glu Ala Leu Glu Gly Val Lys Ser Gly Thr Asp
 370 375 380
 Asp Lys Leu Lys Lys Ser Ser Leu Gln Leu Leu Gly Asp Ser Val Ala
 385 390 395 400
 Leu Asp Ile Asp Gln Glu Ser Asp Trp Pro Glu Pro Gly Glu Glu Asp
 405 410 415
 Glu Glu Asp Leu Asp Glu Glu Asp Phe Gln Asp Glu Glu Glu Asp Glu
 420 425 430
 Asp Glu Asp Glu Asp Glu Glu Asp Val Gly Val Val Lys Lys Glu Gly
 435 440 445
 Val

<210> 45

<211> 3423

<212> DNA

<213> Caenorhabditis elegans

<400> 45

atgtcgtacc gcgtgttttc acgcgtcgat ccccatgtgc catcgacatc cacagctcca 60
 cagcgtcgtt ttcaagaaaa cttgcaaaaa ttcaagcgat tttttccgcc aaacgcacca 120
 ccaacactct gggaagtttg ctctcgaaa caacgcagca aatcattgaa aaacacgttt 180
 caaacggaag tacgtgcact acgaggactt aattttacag tattgttgaa tccgtacaaa 240
 aactatctca atgatctcac aaatctatcc gggtttcacct tcgatgatct ttgtcaagca 300

67

cttcgattct	ttgcatttta	tagaaaaacag	ccagttttga	agtcaaatat	ggaagatgct	360
aacgaattat	ttcgattaat	tgcaagtgtc	atcattttatt	caaatagataa	ctggagggcg	420
tccatcgata	aatcaacact	agtggatagc	ctgtcaatga	acatttttga	gaagcagagg	480
cttaagaatc	tgaacaaga	atcatctgaa	caaaaagatc	caatataccc	accactattc	540
caagatgatg	agctaccttc	tgttccaata	caaattggca	gattgaaaga	cagagaaaaa	600
gtaccaattc	ctccgcctcc	ttgtagaaat	gatttttcga	tgcgacaatt	taatccgttg	660
gaagatgaac	atttacgatc	aatgcacctg	tggaatcatg	ttgggtgtaa	tgatgcaaaa	720
ttcaatgggc	catttgagag	aactatcaaa	atgatgtcta	agaataatgt	tgcgattcgc	780
tccaaagatc	gacgattgag	cgatgtggaa	tattacggag	acaatgaaga	tttaccatcc	840
acacatatca	gttttagatt	agattctgtg	atgcaattga	ttaactttga	tttcccaaaa	900
attgaagatg	atggatatatt	ctccaaagaa	tgtctggata	gtgcatggta	tctctacgag	960
aattatcaaa	ctgctcttca	tgaatgcaca	actgctttcg	cagttatccg	acctccatct	1020
ggacgtacaa	tcaagccggg	attcgttgaa	gatggcctaa	ctacagacga	atgttcagaa	1080
tttcatatga	tgggacgaca	tattcatgga	tttttccaag	tatggaggga	agaggatcgt	1140
ggatggagag	aatcaaatgg	aaaatgggtc	ccacggcgat	atttggtgga	tatctacaat	1200
catattatgt	ttccattatt	cgtaaaatgg	gaactttggc	cgtcaacatt	gaaatgggct	1260
tttgataagt	acagcttgta	tggattaaga	ctaattgtcaa	tgattagaag	acatccacaa	1320
gaattgttga	atgctggaga	gaacttattt	tgcaggtatc	catcgcattt	gttggaatcg	1380
aatagatatg	atatgagcac	tacgaaagga	cggaatcagt	atttatcagc	aattcaaagt	1440
gagaataatc	gagttgtgga	caagcatatg	cacagttcgg	cttacaagct	tcttatcgaa	1500
gaggacggaa	gaaggagaaa	gaggaaaaccg	aaggatgaag	ctctactcgg	agttgctgca	1560
aaagtacgaa	cacctcgaaa	agttcttgag	ccacctctat	ttgctccaac	tcgatttatt	1620
tcttcatcaa	ctccaaaaca	acgcgcctcg	cttgttcaaa	aagagaattt	ggagaaaaaca	1680
atgattaatc	aagtgccacc	agttgtaaat	acaccaccat	ccccacaaca	gactgcttca	1740
caactcaaaa	agacgccaac	ttcggtctaca	aaacgtcatt	taccggaaat	tgagcaagaa	1800
ttgaagtccg	aatctgtccc	agctccacca	ccaaccaaga	aatgtcaat	tatagctgac	1860
agttgggatg	atcatgttgg	taattcgatg	gaagaagaac	atgtagatga	gaaggattcg	1920
gagaaaatgg	aagattcaga	aggaagacag	aatgtttggg	ttccacagga	tcgaggaaaa	1980
gaatatgcac	ctgaacaata	tgcgcgagat	attatcgaa	attatatctc	tgctgctcga	2040
gatcatccac	ctcaaccaca	acaaccacca	cctccactac	caacgccgaa	gcctccacga	2100
agacggaaat	ccggtcagaa	aactgatcaa	acgactccat	catcagacgc	cgaagcttca	2160
tcgatccctg	caccgcctgt	tcctgctgct	ccagtggtc	ctgttggtcc	aattgttcca	2220
attgttccag	ttcatcctgt	acctttgcc	aacggaagt	taaatactcc	aaaagtgaag	2280
acgattgcaa	agacaacagc	acgagtactg	tattccatta	aacctcaaat	accaccaatt	2340
gcgaacaaaa	ctgtgtatcc	tgtcaagaag	ttgacacctt	ctgtagtctc	gtctccaatg	2400
attttaaatg	gaaatactgc	aactgcaagt	ccatcgaaaa	atgcagcatc	tgtagttgtc	2460
agaaatgcat	atacattttc	attacagcaa	aaagctccat	attatccagc	tggaatgcgt	2520
ccgaaaccaa	ctcaaaatgg	aattgaaaca	cctccgacag	gagcacaatc	tttaatgcgt	2580
gcagccttct	atagtgaag	tcatcctaca	cgaagtcccc	tcgtcccgtg	tggttttgtt	2640
cctccagttg	ccacatcatc	tacttttgta	cctgctgcaa	caataccatc	acctgctagc	2700
cgagcaatag	ctcatcagaa	gcaaagtctc	ttaaatacgg	aaacgtgtcg	acgcgttatg	2760
ccgtttaata	ttcaaatggc	attcaaaacca	cgctcgttgg	atcctcttcc	gaaatcttct	2820
ggtgttttgg	ctcattcaaa	ttcaacaata	ccatatgttc	agcgagtccc	caacaactca	2880
acacaatcag	actttcggcc	gagaagcttc	agtcaaaaata	gtgttgcttc	ccgggtcct	2940
gctcctgttc	caaatagcaat	aaagagaaga	gaagttagga	attttaaatac	tcggcagtat	3000
gtgccatgga	tcgcaaatag	cagggcggtg	gtggcagcgg	cgatggcaac	gatggaggag	3060
acggctgaaa	agatgtcttc	gagcccggtg	ctatcgtcac	aggctccgat	gacaactttg	3120
atgccaaactc	ctcctcctcc	ggctccggct	ctgtctcaag	catctgcaca	atcaacatca	3180
gcaactccag	cattggtgga	tacaatatcg	gctggttcaa	cgactacaga	aacaactaca	3240
ggcgattcaa	atcagtcaaa	tctccttta	cggacgtaca	catcacacat	tcgaaaaact	3300
cctggaacaa	cactgacacc	tgaagaaatc	ggcgacgcga	ttcgaaactga	aagtcaaaga	3360
tttcaagagg	atggtgatga	agggccaaaca	gtgaaaagct	tcctaatagaa	catctacaaa	3420
tga						3423

<210> 46

<211> 1140

<212> PRT

<213> Caenorhabditis elegans

<400> 46

Met	Ser	Tyr	Arg	Val	Phe	Ser	Arg	Val	Asp	Pro	His	Val	Pro	Ser	Thr
1				5					10					15	
Ser	Thr	Ala	Pro	Gln	Arg	Arg	Phe	Gln	Glu	Asn	Leu	Gln	Lys	Phe	Lys
			20					25					30		
Arg	Phe	Phe	Pro	Pro	Asn	Ala	Pro	Pro	Thr	Leu	Trp	Glu	Val	Cys	Ser
		35					40					45			
Ser	Lys	Gln	Arg	Ser	Lys	Ser	Leu	Lys	Asn	Thr	Phe	Gln	Thr	Glu	Val
	50					55					60				
Arg	Ala	Leu	Arg	Gly	Leu	Asn	Phe	Thr	Val	Leu	Leu	Asn	Pro	Tyr	Lys
65					70					75					80
Asn	Tyr	Leu	Asn	Asp	Leu	Thr	Asn	Leu	Ser	Gly	Phe	Thr	Phe	Asp	Asp
				85					90					95	
Leu	Cys	Gln	Ala	Leu	Arg	Phe	Phe	Ala	Phe	Tyr	Arg	Lys	Gln	Pro	Val
			100					105					110		
Leu	Lys	Ser	Asn	Met	Glu	Asp	Ala	Asn	Glu	Leu	Phe	Arg	Leu	Ile	Ala
		115					120					125			
Ser	Cys	Ile	Ile	Tyr	Ser	Asn	Asp	Asn	Trp	Arg	Ala	Ser	Ile	Asp	Lys
	130					135					140				
Ser	Thr	Leu	Val	Asp	Thr	Leu	Ser	Met	Asn	Ile	Leu	Glu	Lys	Gln	Arg
145					150					155					160
Leu	Lys	Asn	Leu	Lys	Gln	Glu	Ser	Ser	Glu	Gln	Lys	Asp	Pro	Ile	Tyr
				165					170					175	
Pro	Pro	Leu	Phe	Gln	Asp	Asp	Glu	Leu	Pro	Ser	Val	Pro	Ile	Gln	Ile
			180					185					190		
Gly	Arg	Leu	Lys	Asp	Arg	Glu	Lys	Val	Pro	Ile	Pro	Pro	Pro	Pro	Cys
		195					200					205			
Arg	Asn	Asp	Phe	Ser	Met	Arg	Gln	Phe	Asn	Pro	Leu	Glu	Asp	Glu	His
	210					215					220				
Leu	Arg	Ser	Met	His	Leu	Trp	Asn	His	Val	Gly	Cys	Asn	Asp	Ala	Lys
225					230					235					240
Phe	Asn	Gly	Pro	Phe	Glu	Arg	Thr	Ile	Lys	Met	Met	Ser	Lys	Asn	Asn
				245					250					255	
Val	Ala	Ile	Arg	Ser	Lys	Asp	Arg	Arg	Leu	Ser	Asp	Val	Glu	Tyr	Tyr
			260					265					270		
Gly	Asp	Asn	Glu	Asp	Leu	Pro	Ser	Thr	His	Ile	Ser	Phe	Arg	Leu	Asp
		275					280					285			
Ser	Val	Met	Gln	Leu	Ile	Asn	Phe	Asp	Phe	Pro	Lys	Ile	Glu	Asp	Asp
	290					295					300				

Gly Tyr Phe Ser Lys Glu Cys Leu Asp Ser Ala Trp Tyr Leu Tyr Glu
 305 310 315 320
 Asn Tyr Gln Thr Ala Leu His Glu Cys Thr Thr Ala Phe Ala Val Ile
 325 330 335
 Arg Pro Pro Ser Gly Arg Thr Ile Lys Pro Gly Phe Val Glu Asp Gly
 340 345 350
 Leu Thr Thr Asp Glu Cys Ser Glu Phe His Met Met Gly Arg His Ile
 355 360 365
 His Gly Phe Phe Gln Val Trp Arg Glu Glu Asp Arg Gly Trp Arg Glu
 370 375 380
 Leu Asn Gly Lys Trp Val Pro Arg Arg Tyr Leu Val Asp Ile Tyr Asn
 385 390 395 400
 His Ile Met Phe Pro Leu Phe Val Lys Trp Glu Leu Trp Pro Ser Thr
 405 410 415
 Leu Lys Trp Ala Phe Asp Lys Tyr Ser Leu Tyr Gly Leu Arg Leu Met
 420 425 430
 Ser Met Ile Arg Arg His Pro Gln Glu Leu Leu Asn Ala Gly Glu Asn
 435 440 445
 Leu Phe Ser Arg Tyr Pro Ser His Leu Leu Glu Ser Asn Arg Tyr Asp
 450 455 460
 Met Ser Thr Thr Lys Gly Arg Asn Gln Tyr Leu Ser Ala Ile Gln Met
 465 470 475 480
 Glu Asn Asn Arg Val Val Asp Lys His Met His Ser Ser Ala Tyr Lys
 485 490 495
 Leu Leu Ile Glu Glu Asp Gly Arg Arg Arg Lys Arg Lys Pro Lys Asp
 500 505 510
 Glu Ala Leu Leu Gly Val Ala Ala Lys Val Arg Thr Pro Arg Lys Val
 515 520 525
 Leu Glu Pro Pro Leu Phe Ala Pro Thr Arg Phe Ile Ser Ser Ser Thr
 530 535 540
 Pro Lys Gln Arg Ala Leu Leu Val Gln Lys Glu Asn Leu Glu Lys Thr
 545 550 555 560
 Met Ile Asn Gln Val Pro Pro Val Val Asn Thr Pro Pro Ser Pro Gln
 565 570 575
 Gln Thr Ala Ser Gln Leu Lys Lys Thr Pro Thr Ser Ala Thr Lys Arg
 580 585 590
 His Leu Pro Glu Ile Glu Gln Glu Leu Lys Ser Glu Ser Val Pro Ala
 595 600 605

70

Pro	Pro	Pro	Thr	Lys	Lys	Met	Ser	Ile	Ile	Ala	Asp	Ser	Trp	Asp	Asp		
610						615					620						
His	Val	Gly	Asn	Ser	Met	Glu	Glu	Glu	His	Val	Asp	Glu	Lys	Asp	Ser		
625					630					635						640	
Glu	Lys	Met	Glu	Asp	Ser	Glu	Gly	Arg	Gln	Asn	Val	Trp	Val	Pro	Gln		
				645					650					655			
Asp	Arg	Gly	Lys	Glu	Tyr	Ala	Pro	Glu	Gln	Tyr	Ala	Arg	Asp	Ile	Ile		
			660					665					670				
Glu	His	Tyr	Ile	Pro	Ala	Ala	Arg	Asp	His	Pro	Pro	Gln	Pro	Gln	Gln		
		675					680					685					
Pro	Pro	Pro	Pro	Leu	Pro	Thr	Pro	Lys	Pro	Pro	Arg	Arg	Arg	Lys	Ser		
						695					700						
Gly	Gln	Lys	Thr	Asp	Gln	Thr	Thr	Pro	Ser	Ser	Asp	Ala	Glu	Ala	Ser		
705					710					715					720		
Ser	Asp	Pro	Ala	Pro	Pro	Val	Pro	Ala	Ala	Pro	Val	Ala	Pro	Val	Val		
				725					730					735			
Pro	Ile	Val	Pro	Ile	Val	Pro	Val	His	Pro	Val	Pro	Leu	Pro	Asn	Gly		
			740					745					750				
Ser	Val	Asn	Thr	Pro	Lys	Val	Lys	Thr	Ile	Ala	Lys	Thr	Thr	Ala	Arg		
		755					760				765						
Val	Leu	Tyr	Ser	Ile	Lys	Pro	Gln	Ile	Pro	Pro	Ile	Ala	Asn	Lys	Thr		
	770					775					780						
Val	Tyr	Pro	Val	Lys	Lys	Leu	Thr	Pro	Ser	Val	Val	Pro	Ser	Pro	Met		
785					790					795					800		
Ile	Leu	Asn	Gly	Asn	Thr	Ala	Thr	Ala	Ser	Pro	Ser	Lys	Asn	Ala	Ala		
				805					810					815			
Ser	Val	Val	Val	Arg	Asn	Ala	Tyr	Thr	Phe	Ser	Leu	Gln	Gln	Lys	Ala		
			820					825					830				
Pro	Tyr	Tyr	Pro	Ala	Gly	Met	Arg	Pro	Lys	Pro	Thr	Gln	Asn	Gly	Ile		
		835					840					845					
Glu	Thr	Pro	Pro	Thr	Gly	Ala	Gln	Ser	Leu	Met	Arg	Ala	Ala	Phe	Tyr		
	850					855					860						
Ser	Glu	Ser	His	Pro	Thr	Arg	Ser	Pro	Leu	Val	Pro	Tyr	Gly	Phe	Val		
865					870					875					880		
Pro	Pro	Val	Ala	Thr	Ser	Ser	Thr	Phe	Val	Pro	Ala	Ala	Thr	Ile	Pro		
				885					890					895			
Ser	Pro	Ala	Ser	Arg	Ala	Ile	Ala	His	Gln	Lys	Gln	Met	Leu	Leu	Asn		
			900					905					910				
Thr	Glu	Thr	Cys	Arg	Arg	Val	Met	Pro	Phe	Asn	Ile	Gln	Met	Ala	Phe		

71

915 920 925
 Lys Pro Arg Arg Trp Asp Pro Leu Pro Lys Ser Ser Gly Val Leu Ala
 930 935 940
 His Ser Asn Ser Thr Ile Pro Tyr Val Gln Arg Val Pro Asn Asn Ser
 945 950 955 960
 Thr Gln Ser Asp Phe Arg Pro Arg Ser Phe Ser Gln Asn Ser Val Ala
 965 970 975
 Ser Pro Ala Pro Ala Pro Val Pro Asn Ala Ile Lys Arg Arg Glu Val
 980 985 990
 Gly Asn Leu Lys Ser Arg Gln Tyr Val Pro Trp Ile Ala Asn Ser Arg
 995 1000 1005
 Ala Leu Val Ala Ala Ala Met Ala Thr Met Glu Glu Thr Ala Glu Lys
 1010 1015 1020
 Met Ser Ser Ser Pro Leu Leu Ser Ser Gln Ala Pro Met Thr Thr Leu
 1025 1030 1035 1040
 Met Pro Thr Pro Pro Pro Pro Ala Pro Ala Pro Ala Gln Ala Ser Ala
 1045 1050 1055
 Gln Ser Thr Ser Ala Thr Pro Ala Leu Val Asp Thr Ile Ser Ala Gly
 1060 1065 1070
 Ser Thr Thr Thr Glu Thr Thr Thr Gly Asp Ser Asn Gln Ser Asn Pro
 1075 1080 1085
 Pro Leu Arg Thr Tyr Thr Ser His Ile Arg Lys Thr Pro Gly Thr Thr
 1090 1095 1100
 Leu Thr Pro Glu Glu Ile Gly Asp Ala Ile Arg Thr Glu Ser Gln Arg
 1105 1110 1115 1120
 Phe Gln Glu Asp Gly Asp Glu Gly Pro Thr Val Lys Ser Phe Leu Met
 1125 1130 1135
 Asn Ile Tyr Lys
 1140

<210> 47

<211> 1644

<212> DNA

<213> *Caenorhabditis elegans*

<400> 47

```

ttaccggaag ttgagcaaga attgaagtcg gaatctgtcc cagctccacc accaaccaag 60
aaaatgtcaa ttatagctga cagttgggat gatcatgttg gtaattcgat ggaagaagaa 120
catgtagatg agaaggattc ggagaaaatg gaagattcag aaggaagaca gaatgtttgg 180
gttccacagg atcgaggaaa agaatatgca cctgaacaat atgcgcgaga tattatcgaa 240
cattatatcc ctgctgctcg agatcatcca cctcaaccac aacaaccacc acctccacta 300
ccaacgccga agcctccacg aagacggaaa tccggtcaga aaactgatca aacgactcca 360
tcacagacgc ccgaagcttc atccgatcct gcaccgcctg ttcctgctgc tccagtggct 420

```

72

```

cctgttggtc caattgttcc aattgttcca gttcatcctg tacctttgcc aaacggaagt 480
gtaaatactc caaaagtga gacgattgca aagacaacag cacgagtact gtattccatt 540
aaacctcaaa taccaccaat tgcgaacaaa actgtgtatc ctgtcaagaa gttgacacct 600
tctgtagttc cgtctccaat gattttaaat ggaaataactg caactgcaag tccatcgaaa 660
aatgcagcat ctgtagttgt cagaaatgca tatacatttt cattacagca aaaagctcca 720
tattatccag ctggaatgcg tccgaaacca actcaaaatg gaattgaaac acctccgaca 780
ggagcacaat ctttaatgcg tgcagccttc tatagtgaga gtcacacctac acgaagtccc 840
ctcgtcccggt atggttttgt tcttccagtt gccacatcat ctacttttgt acctgctgca 900
acaataccat cacctgctag ccgagcaata gtcacatcaga agcaaatgct cttaaatacgt 960
gaaacgtgtc gacgcgttat gccgtttaat attcaaatgg cattcaaacc acgtcgttgg 1020
gatectcttc cgaaatcttc tgggtgtttg gctcattcaa attcaacaat accatatgtt 1080
cagcgagtcc ccaacaactc aacacaatca gactttcggc cgagaagctt cagtcaaaat 1140
agtgttgctt ccccggtccc tgctcctgtt ccaaatgcaa taaagagaag agaagtaggg 1200
aatttaaaat ctcggcagta tgtgccatgg atcgcaata gcagggcggtt ggtggcagcg 1260
gcgatggcaa cgatggagga gacggctgaa aagatgtctt cgagcccgtt actatcgtca 1320
caggtccga tgacaacttt gatgccaaact cctcctcttc cggctccggc tctgtctcaa 1380
gcattctgcac aatcaacatc agcaactcca gcattggtgg atacaatatc ggctggttca 1440
acgactacag aaacaactac aggcgattca aatcagtcac atcctccttt acggcagtac 1500
acatcacaca ttcgaaaaaac tcttgaaca acactgacac ctgaagaaat cggcgacgcg 1560
attcgaaactg aaagtcaaag atttcaagag gatggtgatg aagggccaac agtgaaaagc 1620
ttcctaataga acatctacaa atga 1644

```

<210> 48

<211> 547

<212> PRT

<213> Caenorhabditis elegans

<400> 48

```

Leu Pro Glu Ile Glu Gln Glu Leu Lys Ser Glu Ser Val Pro Ala Pro
 1             5             10             15

```

```

Pro Pro Thr Lys Lys Met Ser Ile Ile Ala Asp Ser Trp Asp Asp His
          20             25             30

```

```

Val Gly Asn Ser Met Glu Glu Glu His Val Asp Glu Lys Asp Ser Glu
          35             40             45

```

```

Lys Met Glu Asp Ser Glu Gly Arg Gln Asn Val Trp Val Pro Gln Asp
          50             55             60

```

```

Arg Gly Lys Glu Tyr Ala Pro Glu Gln Tyr Ala Arg Asp Ile Ile Glu
          65             70             75             80

```

```

His Tyr Ile Pro Ala Ala Arg Asp His Pro Pro Gln Pro Gln Gln Pro
          85             90             95

```

```

Pro Pro Pro Leu Pro Thr Pro Lys Pro Pro Arg Arg Arg Lys Ser Gly
          100             105             110

```

```

Gln Lys Thr Asp Gln Thr Thr Pro Ser Ser Asp Ala Glu Ala Ser Ser
          115             120             125

```

```

Asp Pro Ala Pro Pro Val Pro Ala Ala Pro Val Ala Pro Val Val Pro
          130             135             140

```

```

Ile Val Pro Ile Val Pro Val His Pro Val Pro Leu Pro Asn Gly Ser
          145             150             155             160

```

73

Val Asn Thr Pro Lys Val Lys Thr Ile Ala Lys Thr Thr Ala Arg Val
165 170 175

Leu Tyr Ser Ile Lys Pro Gln Ile Pro Pro Ile Ala Asn Lys Thr Val
180 185 190

Tyr Pro Val Lys Lys Leu Thr Pro Ser Val Val Pro Ser Pro Met Ile
195 200 205

Leu Asn Gly Asn Thr Ala Thr Ala Ser Pro Ser Lys Asn Ala Ala Ser
210 215 220

Val Val Val Arg Asn Ala Tyr Thr Phe Ser Leu Gln Gln Lys Ala Pro
225 230 235 240

Tyr Tyr Pro Ala Gly Met Arg Pro Lys Pro Thr Gln Asn Gly Ile Glu
245 250 255

Thr Pro Pro Thr Gly Ala Gln Ser Leu Met Arg Ala Ala Phe Tyr Ser
260 265 270

Glu Ser His Pro Thr Arg Ser Pro Leu Val Pro Tyr Gly Phe Val Pro
275 280 285

Pro Val Ala Thr Ser Ser Thr Phe Val Pro Ala Ala Thr Ile Pro Ser
290 295 300

Pro Ala Ser Arg Ala Ile Ala His Gln Lys Gln Met Leu Leu Asn Thr
305 310 315 320

Glu Thr Cys Arg Arg Val Met Pro Phe Asn Ile Gln Met Ala Phe Lys
325 330 335

Pro Arg Arg Trp Asp Pro Leu Pro Lys Ser Ser Gly Val Leu Ala His
340 345 350

Ser Asn Ser Thr Ile Pro Tyr Val Gln Arg Val Pro Asn Asn Ser Thr
355 360 365

Gln Ser Asp Phe Arg Pro Arg Ser Phe Ser Gln Asn Ser Val Ala Ser
370 375 380

Pro Ala Pro Ala Pro Val Pro Asn Ala Ile Lys Arg Arg Glu Val Gly
385 390 395 400

Asn Leu Lys Ser Arg Gln Tyr Val Pro Trp Ile Ala Asn Ser Arg Ala
405 410 415

Leu Val Ala Ala Ala Met Ala Thr Met Glu Glu Thr Ala Glu Lys Met
420 425 430

Ser Ser Ser Pro Leu Leu Ser Ser Gln Ala Pro Met Thr Thr Leu Met
435 440 445

Pro Thr Pro Pro Pro Pro Ala Pro Ala Pro Ala Gln Ala Ser Ala Gln
450 455 460

Ser Thr Ser Ala Thr Pro Ala Leu Val Asp Thr Ile Ser Ala Gly Ser

74

465 470 475 480

Thr Thr Thr Glu Thr Thr Thr Gly Asp Ser Asn Gln Ser Asn Pro Pro
 485 490 495

Leu Arg Thr Tyr Thr Ser His Ile Arg Lys Thr Pro Gly Thr Thr Leu
 500 505 510

Thr Pro Glu Glu Ile Gly Asp Ala Ile Arg Thr Glu Ser Gln Arg Phe
 515 520 525

Gln Glu Asp Gly Asp Glu Gly Pro Thr Val Lys Ser Phe Leu Met Asn
 530 535 540

Ile Tyr Lys
 545

<210> 49
 <211> 1248
 <212> DNA
 <213> Homo sapiens

<400> 49

atgcagatgt	cctacgccat	ccggtgcgcc	ttctaccagc	tgctgctggc	cgcgctcatg	60
ctgggtggcga	tgctgcagct	gctctacctg	tcgctgctgt	ccggactgca	cgggcaggag	120
gagcaagacc	aatattttga	gttctttccc	ccgtcccccac	ggtccgtgga	ccagggtcaag	180
gcgcagctcc	gcaccgcgct	ggcctctgga	ggcgctcctgg	acgctagcgg	cgattaccgc	240
gtctacaggg	gcctgctgaa	gaccaccatg	gaccccaacg	atgtgatcct	ggccacgcac	300
gccagcgtgg	acaacctgct	gcacctgtcg	ggtctgctgg	agcgctggga	gggcccgcgtg	360
tccgtgtcgg	tggtcgcggc	caccaaggag	gaggcgcagc	tggccacggt	gctggcctac	420
gcgctgagca	gccactgccc	cgacatgcgc	gccagggtcg	ccatgcacct	cgtgtgcccc	480
tcgcgttacg	aggcagccgt	gcccgaacccc	cgggagccgg	gggagtttgc	cctgctgcgg	540
tcctgccagg	aggtctttga	caagctagcc	aggggtggccc	agcccgggat	taattatgcg	600
ctgggcacca	atgtctccta	cccccaataac	ctgctgagga	atctggctcg	tgagggggcc	660
aactatgccc	tggtgatcga	tgtggacatg	gtgccacgcg	aggggctgtg	gagaggcctg	720
cgggaaatgc	tggatcacag	caaccagtgg	ggaggcacccg	cgctggtggt	gcctgccttc	780
gaaatccgaa	gagcccgcgc	catgcccattg	aacaaaaacg	agctggtgca	gctctaccag	840
gttggcgaag	tgcgggccctt	ctattatggg	ttgtgcaccc	cctgccaggc	acccaccaac	900
tattcccgtc	gggtcaacct	gccggaagag	agcttgctgc	ggcccgccta	cgtggtacct	960
tggcaggacc	cctgggagcc	attctacgtg	gcaggaggca	aggtgcccac	cttcgacgag	1020
cgctttcggc	agtacggctt	caaccgaatc	agccaggcct	gcgagctgca	tgtggcgggg	1080
tttgattttg	aggtcctgaa	cgaaggtttc	ttggttcata	agggcttcaa	agaagcgttg	1140
aagttccatc	cccaaaaagga	ggctgaaaat	cagcacaata	agatcctata	tcgccagttc	1200
aaacaggagt	tgaaggccaa	gtaccccaac	tctccccgac	gctgctga		1248

<210> 50
 <211> 415
 <212> PRT
 <213> Homo sapiens

<400> 50

Met	Gln	Met	Ser	Tyr	Ala	Ile	Arg	Cys	Ala	Phe	Tyr	Gln	Leu	Leu	Leu
1				5					10					15	
Ala	Ala	Leu	Met	Leu	Val	Ala	Met	Leu	Gln	Leu	Leu	Tyr	Leu	Ser	Leu
			20					25					30		

75

Leu Ser Gly Leu His Gly Gln Glu Glu Gln Asp Gln Tyr Phe Glu Phe
 35 40 45

Phe Pro Pro Ser Pro Arg Ser Val Asp Gln Val Lys Ala Gln Leu Arg
 50 55 60

Thr Ala Leu Ala Ser Gly Gly Val Leu Asp Ala Ser Gly Asp Tyr Arg
 65 70 75 80

Val Tyr Arg Gly Leu Leu Lys Thr Thr Met Asp Pro Asn Asp Val Ile
 85 90 95

Leu Ala Thr His Ala Ser Val Asp Asn Leu Leu His Leu Ser Gly Leu
 100 105 110

Leu Glu Arg Trp Glu Gly Pro Leu Ser Val Ser Val Phe Ala Ala Thr
 115 120 125

Lys Glu Glu Ala Gln Leu Ala Thr Val Leu Ala Tyr Ala Leu Ser Ser
 130 135 140

His Cys Pro Asp Met Arg Ala Arg Val Ala Met His Leu Val Cys Pro
 145 150 155 160

Ser Arg Tyr Glu Ala Ala Val Pro Asp Pro Arg Glu Pro Gly Glu Phe
 165 170 175

Ala Leu Leu Arg Ser Cys Gln Glu Val Phe Asp Lys Leu Ala Arg Val
 180 185 190

Ala Gln Pro Gly Ile Asn Tyr Ala Leu Gly Thr Asn Val Ser Tyr Pro
 195 200 205

Asn Asn Leu Leu Arg Asn Leu Ala Arg Glu Gly Ala Asn Tyr Ala Leu
 210 215 220

Val Ile Asp Val Asp Met Val Pro Ser Glu Gly Leu Trp Arg Gly Leu
 225 230 235 240

Arg Glu Met Leu Asp Gln Ser Asn Gln Trp Gly Gly Thr Ala Leu Val
 245 250 255

Val Pro Ala Phe Glu Ile Arg Arg Ala Arg Arg Met Pro Met Asn Lys
 260 265 270

Asn Glu Leu Val Gln Leu Tyr Gln Val Gly Glu Val Arg Pro Phe Tyr
 275 280 285

Tyr Gly Leu Cys Thr Pro Cys Gln Ala Pro Thr Asn Tyr Ser Arg Trp
 290 295 300

Val Asn Leu Pro Glu Glu Ser Leu Leu Arg Pro Ala Tyr Val Val Pro
 305 310 315 320

Trp Gln Asp Pro Trp Glu Pro Phe Tyr Val Ala Gly Gly Lys Val Pro
 325 330 335

Thr Phe Asp Glu Arg Phe Arg Gln Tyr Gly Phe Asn Arg Ile Ser Gln

```
<400> 53
Cys Gln Ala Pro Thr Asn Tyr Ser Arg Trp Val Asn Leu Pro Glu Glu
  1             5             10             15
```

Ser Leu Leu Arg Pro Ala Tyr Val Val Pro Trp Gln Asp Pro Trp Glu
 20 25 30

Pro Phe Tyr Val Ala Gly Gly Lys Val Pro Thr Phe Asp Glu Arg Phe
 35 40 45

Arg Gln Tyr Gly Phe Asn Arg Ile Ser Gln Ala Cys Glu Leu His Val
 50 55 60

Ala Gly Phe Asp Phe Glu Val Leu Asn Glu Gly Phe Leu Val His Lys
 65 70 75 80

Gly Phe Lys Glu Ala Leu Lys Phe His Pro Gln Lys Glu Ala Glu Asn
 85 90 95

Gln His Asn Lys Ile Leu Tyr Arg Gln Phe Lys Gln Glu Leu Lys Ala
 100 105 110

Lys Tyr Pro Asn Ser Pro Arg Arg Cys
 115 120

<210> 54
 <211> 552
 <212> DNA
 <213> Homo sapiens

<400> 54
 cctccttctt tgcctctccc tacctccttg cctctacatg gcttctctcc acccctccca 60
 gagtcctacg ggacaggacc ctgtctccagt ggtatccaac tcctccctgc ccactcttcc 120
 tcatgggcca cctcacctcc cactttcgat gtctcgctc ccgtggccac cctgcaatta 180
 gctttccaag cccctctccg tggccgtccc ctcccaagac ctctcaccca tgtagcaatc 240
 cctacatggc tgcctgtcat gtccctactc tctaagccct cctgcccact gttcctccct 300
 ccccgacatg ctgacaccaa gtggtggaaa ccacccctca gccccaagcc tgccctgtgc 360
 agagttcagc tttgtgttga atgagggggg agaggggaaa gtgagggcgg agagagaagt 420
 tcaggaggag gcaggggatgc gcanggagca ganagtgaag gaaggaagat ccgaacagat 480
 tgacngaaaa cgttggaccg naaaagttgg tttntcctaa tttttttccg ggagaaccgc 540
 ttacacagtt nt 552

<210> 55
 <211> 754
 <212> DNA
 <213> Homo sapiens

<400> 55
 ggaaagtgtt tgttttcttt tccccacaca tttccggggt tgggggtgtt tccaagactc 60
 agacacattt gttaacaaag agagaaaaaa aactggggga gcagggagcc cgtgggcaaa 120
 gaagtgaccc cagcagtctg tggacaatgc ctgtctccct ctccctgct gaccgcgcc 180
 agcgggtgcc acaggctgct gctcgtggaa tctagagtat ttgtctgtaa tatatatctg 240
 catttgccct tcccctccct cccaccccn acccctgctc ctccagcagc ttccccatca 300
 atgcacgtcg nccggcggna cacacagaac aggcttccg tcaggcctga gcccttccc 360
 tgggcggcac caaagcaggt gccnntnctg gtgaggggag ttggggcact tgccccagcc 420
 nancanactn acacctgggc cantncggna nncctntnn cnttcnntcn aaccnattct 480
 ggaancccn ngggaannaa nnggnant annncennna tcncaannn aanaatnanc 540
 nannnncnng nnnnnnnn ncannnccan ncacccang nnacgnnana tcgnannccc 600
 ttgnnctcaa ancgaancc cncacnnc tacagganca nanncnnaac tcagnaaan 660
 tcnacctac tncanncan cncctcccaa ccnntcatc cttcnttnc ncnatcnnc 720

aatataannn cncttataca naactccacn ngnt

754

<210> 56

<211> 555

<212> DNA

<213> Homo sapiens

<400> 56

```

gggcagccgg ggcagtcacca gggcaggggt cctccgcgcg cttgcacctg ccctgctggg 60
cggcaccggg tcagtgcctt gcccctctct ggggttccca actctctctt tcccatcgtg 120
cgtcctcttg agaagtgcgc gcgtgagctg acatggaccc aaatcctcgg gccgccttgg 180
agcgccagca gctccgcctt cgggagcggc aaaaattctt cgaggacatt ttacaagcca 240
gagacagagt ttgtctttcc tctgtcccat ctgcatctcg agtcgcagag accccccata 300
ggtaagtatc tcattccatgg aagtgaatgt ggacacactg gagcaagtag aacttattga 360
ccttgggggac ccggatgcag cagatgtgtt cttgccttgc gaagatcctt caccaacccc 420
caagtccgtc tgggatggac aaccatttgg aaggaagctg agcctgcccg tgcctacatc 480
agacaaggac cacattanga acttcttctt cctcctcctn cgactcttca ncaanctgga 540
taagccaaat caagt                                     555

```

<210> 57

<211> 611

<212> DNA

<213> Homo sapiens

<400> 57

```

nggcntnttn ttnttagttn nttnttnanc ccggnccttn nnccaaaagg gnnntanggg 60
ggcncnnngg ntngngnccc ncnttacttg annngtnang ggntnnncat cnttttaaaa 120
ccncttgntt gaaaaactgt tttaaaaaac tncgganagg ttnagggngg ggaanagnnc 180
taaaaaaagc nggggntttt ngnccaaccn aantttntnt tncctaattn gcaaatecnt 240
tntcaggggt aanccaaaaa ctggnngnag gnttnncnccn ggaaaaantt accnttaaan 300
cagganaggg ttaaattntn aaaaaggggc ccaattcccc ccattcttcc caccttnggg 360
ggcncnctgc nagtaaanag nctggtcttt tccccaanag ggnttttggc tggcccnngg 420
gcccnnattn gggnnnaatn ccccnccnccn gggcacaann nttncaaagg agggcccccc 480
nttggttaaa tttnaagggn nccnagggtt tttgnccctt ttnanaaccc ccctttnccc 540
cnccttttaa aancnncctt tcccccccaa nggnnccttt ttntgncccc aanannnacc 600
tgggatttgg g                                     611

```

<210> 58

<211> 4425

<212> DNA

<213> Homo sapiens

<400> 58

```

atggggaaga acaaactcct tcattccaagt ctggttcttc tctcttgggt cctcctgccc 60
acagacgcct cagtctcttg aaaaccgcag tatatggttc tgggtcccctc cctgctccac 120
actgagacca ctgagaaggg ctgtgtcctt ctgagctacc tgaatgagac agtgactgta 180
agtgttctct tggagtctgt caggggaaac aggagcctct tcaactgacct ggaggcggag 240
aatgacgtac tccactgtgt cgccttcgct gtcccaaagt cttcatccaa tgaggaggta 300
atgttctca ctgtccaagt gaaaggacca acccaagaat ttaagaagcg gaccacagt 360
atggttaaga acgaggacag tctggtcttt gtccagacag acaaataaat ctacaaacca 420
gggcagacag tgaaatttcg tgtgtctctc atggatgaaa actttcacc cctgaatgag 480
ttgattccac tagtatacat tcaggatccc aaaggaaatc gcatcgaca atggcagagt 540
ttccagttag aggttgccct caagcaattt tcttttcccc tctcatcaga gcccttccag 600
ggctcctaca aggtggtggt acagaagaaa tcagggtgaa ggacagagca ccctttcacc 660
gtggaggaat ttgttcttcc caagtttgaa gtacaagtaa cagtgcctaa gataatcacc 720
atcttggaag aagagatgaa tgtatcagtg tgtggcctat acacatatgg gaagcctgtc 780
cctggacatg tgactgtgag catttgcaga aagtatagtg acgcttccga ctgccacggg 840
gaagattcac aggttttctg tgagaaattc agtgacagc taaacagcca tggctgcttc 900

```

tatcagcaag	taaaaaccaa	ggtcttccag	ctgaagagga	aggagtatga	aatgaaactt	960
cacactgagg	cccagatcca	agaagaagga	acagtgggtg	aattgactgg	aaggcagtc	1020
agtgaatca	caagaaccca	aaccaaactc	tcatttgtga	aagtggactc	acactttcga	1080
cagggaattc	ccttctttgg	gcaggtgcgc	ctagtagatg	ggaaaggcgt	ccctatacca	1140
aataaagtc	tattcatcag	aggaaatgaa	gcaaactatt	actccaatgc	taccacggat	1200
gagcatggcc	ttgtacagtt	ctctatcaac	accaccaacg	ttatgggtac	ctctcttact	1260
gttaggggtc	attacaagga	tcgtagtcce	tggtacggct	accagtgggt	gtcagaagaa	1320
cacgaagagg	cacatcacac	tgcttatctt	gtgttctccc	caagcaagag	ctttgtccac	1380
cttgagccca	tgtctcatga	actaccctgt	ggccatactc	agacagtcca	ggcacattat	1440
attctgaatg	gaggcaccct	gctggggctg	aagaagctct	ccttttatta	tctgataatg	1500
gcaaagggag	gcattgtccg	aactgggact	catggactgc	ttgtgaagca	ggaagacatg	1560
aagggccatt	tttccatctc	aatccctgtg	aagtcagaca	ttgctcctgt	cgctcggttg	1620
ctcatctatg	ctgttttacc	taccggggac	gtgattgggg	attctgcaaa	atatgatgtt	1680
gaaaattgtc	tggccaacaa	ggtggatttg	agcttcagcc	catcacaaag	tctcccagcc	1740
tcacacgccc	acctgcgagt	cacagcggct	cctcagtcgg	tctgcgccct	ccgtgctgtg	1800
gaccaaaagc	tgctgctcat	gaagcctgat	gctgagctct	cggcgtcctc	ggtttacaac	1860
ctgctaccag	aaaaggacct	cactggcttc	cctgggcctt	tgaatgacca	ggacgatgaa	1920
gactgcatca	atcgtcataa	tgtctatatt	aatggaatca	catatactcc	agtatacaag	1980
acaaatgaaa	aggatatgta	cagcttccct	gaggacatgg	gcttaaaggc	attcaccaac	2040
tcaaagattc	gtaaaaccaa	aatgtgtcca	cagcttcaac	agtatgaaat	gcatggacct	2100
gaaggtctac	gtgtaggttt	ttatgagtca	gatgtaattg	gaagaggcca	tgacgcctg	2160
gtgcatgttg	aagagcctca	cacggagacc	gtacgaaagt	acttccctga	gacatggatc	2220
tgggattttg	tgggtgtaaa	ctcagcaggg	gtggctgagg	taggagtaac	agtccctgac	2280
accatcacgg	agtgaaggc	aggggccttc	tgccctgtctg	aagatgctgg	acttggtatc	2340
tcttccactg	cctctctccg	agccttccag	cccttctttg	tggagcttac	aatgccttac	2400
tctgtgattc	gtggagaggc	cttcacactc	aaggccacgg	tcctaaacta	ccttcccaaa	2460
tgcatccggg	tcagtgtgca	gctggaagcc	tctcccgctt	tccttgctgt	cccagtggag	2520
aaggaacaag	cgcctcactg	catctgtgca	aacgggcggc	aaactgtgtc	ctgggcagta	2580
accccaaagt	cattaggaaa	tgtgaatttc	actgtgagcg	cagaggcact	agagtctcaa	2640
gagctgtgtg	ggactgaggt	gccttcagtt	cctgaacacg	gaaggaaaga	cacagtcatc	2700
aagcctctgt	tgggtgaacc	tgaaggacta	gagaaggaaa	caacattcaa	ctccctactt	2760
tgtccatcag	gtgggtgaggt	ttctgaagaa	ttatccctga	aactgccacc	aaatgtggta	2820
gaagaatctg	cccagacttc	tgtctcagtt	ttggggagaca	tattaggctc	tgccatgcaa	2880
aacacacaaa	atcttctcca	gatgccttat	ggctgtggag	agcagaatat	ggtcctcttt	2940
gctcctaaca	tctatgtact	ggattatcta	aatgaaacac	agcagcttac	tccagaggtc	3000
aagtccaagg	ccattggcta	tctcaacact	ggttaccaga	gacagttgaa	ctacaaacac	3060
tatgatggct	cctacagcac	ctttggggag	cgatatggca	ggaaccaggg	caacacctgg	3120
ctcacagcct	ttgttctgaa	gacttttgcc	caagctcgag	cctacatctt	catcgatgaa	3180
gcacacatta	cccaagccct	catatggctc	tcccagaggc	agaaggacaa	tggctgtttc	3240
aggagctctg	ggtcactgct	caacaatgcc	ataaagggag	gagtagaaga	tgaagtgacc	3300
ctctccgcct	atatcaccat	cgcccttctg	gagattcctc	tcacagtcac	tcaccctggt	3360
gtccgcaatg	ccctgttttg	cctggagtca	gcttggaaga	cagcacaaaga	aggggaccat	3420
ggcagccatg	tatatacca	agcactgctg	gcctatgctt	ttgccctggc	aggtaaccag	3480
gacaagagga	aggaagtact	caagtcactt	aatgaggaag	ctgtgaagaa	agacaactct	3540
gtccattggg	agcgccctca	gaaacccaag	gcaccagtgg	ggcattttta	cgaacccag	3600
gctccctctg	ctgaggtgga	gatgacatcc	tatgtgctcc	tcgcttatct	cacggccag	3660
ccagcccca	cctcgaggga	cctgacctct	gcaaccaaca	tcgtgaagtg	gatcacgaag	3720
cagcagaatg	cccaggggcg	tttctcctcc	accagggaca	cagtgggtgg	tctccatgct	3780
ctgtccaaat	atggagccgc	cacatttacc	aggactggga	aggctgcaca	ggtgactatc	3840
cagtcttcag	ggacattttc	cagcaaattc	caagtggaca	acaacaatcg	cctgttactg	3900
cagcaggtct	cattgccaga	gctgcctggg	gaatacagca	tgaagtgac	aggagaagga	3960
tgtgtctacc	tccagacctc	cttgaataac	aatattctcc	cagaaaagga	agagttcccc	4020
tttgcttttag	gagtgcagac	tctgcctcaa	acttgtgatg	aacccaaagc	ccacaccagc	4080
ttccaaatct	ccctaagtgt	cagttacaca	gggagccgct	ctgcctccaa	catggcgatc	4140
gttgatgtga	agatggcttc	tggcttcatt	cccctgaagc	caacagtgaa	aatgcttgaa	4200
agatctaacc	atgtgagccg	gacagaagtc	agcagcaacc	atgtcttgat	ttaccttgat	4260
aaggtgtcaa	atcagacact	gagcttgctc	ttcacggctc	tgcaagatgt	cccagtaaga	4320
gatctcaaac	cagccatagt	gaaagtctat	gattactacg	agacggatga	gtttgcaatc	4380

80

4425

gctgagtaca atgctccttg cagcaaagat cttggaaatg cttga

<210> 59

<211> 1474

<212> PRT

<213> Homo sapiens

<400> 59

Met	Gly	Lys	Asn	Lys	Leu	Leu	His	Pro	Ser	Leu	Val	Leu	Leu	Leu	Leu
1				5					10					15	

Val	Leu	Leu	Pro	Thr	Asp	Ala	Ser	Val	Ser	Gly	Lys	Pro	Gln	Tyr	Met
			20					25					30		

Val	Leu	Val	Pro	Ser	Leu	Leu	His	Thr	Glu	Thr	Thr	Glu	Lys	Gly	Cys
		35					40					45			

Val	Leu	Leu	Ser	Tyr	Leu	Asn	Glu	Thr	Val	Thr	Val	Ser	Ala	Ser	Leu
		50				55					60				

Glu	Ser	Val	Arg	Gly	Asn	Arg	Ser	Leu	Phe	Thr	Asp	Leu	Glu	Ala	Glu
					70					75					80

Asn	Asp	Val	Leu	His	Cys	Val	Ala	Phe	Ala	Val	Pro	Lys	Ser	Ser	Ser
				85					90					95	

Asn	Glu	Glu	Val	Met	Phe	Leu	Thr	Val	Gln	Val	Lys	Gly	Pro	Thr	Gln
			100					105					110		

Glu	Phe	Lys	Lys	Arg	Thr	Thr	Val	Met	Val	Lys	Asn	Glu	Asp	Ser	Leu
		115					120					125			

Val	Phe	Val	Gln	Thr	Asp	Lys	Ser	Ile	Tyr	Lys	Pro	Gly	Gln	Thr	Val
		130				135					140				

Lys	Phe	Arg	Val	Val	Ser	Met	Asp	Glu	Asn	Phe	His	Pro	Leu	Asn	Glu
					150					155					160

Leu	Ile	Pro	Leu	Val	Tyr	Ile	Gln	Asp	Pro	Lys	Gly	Asn	Arg	Ile	Ala
			165						170					175	

Gln	Trp	Gln	Ser	Phe	Gln	Leu	Glu	Gly	Gly	Leu	Lys	Gln	Phe	Ser	Phe
			180					185					190		

Pro	Leu	Ser	Ser	Glu	Pro	Phe	Gln	Gly	Ser	Tyr	Lys	Val	Val	Val	Gln
		195					200					205			

Lys	Lys	Ser	Gly	Gly	Arg	Thr	Glu	His	Pro	Phe	Thr	Val	Glu	Glu	Phe
		210				215					220				

Val	Leu	Pro	Lys	Phe	Glu	Val	Gln	Val	Thr	Val	Pro	Lys	Ile	Ile	Thr
		225			230					235					240

Ile	Leu	Glu	Glu	Glu	Met	Asn	Val	Ser	Val	Cys	Gly	Leu	Tyr	Thr	Tyr
				245					250					255	

Gly	Lys	Pro	Val	Pro	Gly	His	Val	Thr	Val	Ser	Ile	Cys	Arg	Lys	Tyr
			260					265					270		

Ser Asp Ala Ser Asp Cys His Gly Glu Asp Ser Gln Ala Phe Cys Glu
 275 280 285
 Lys Phe Ser Gly Gln Leu Asn Ser His Gly Cys Phe Tyr Gln Gln Val
 290 295 300
 Lys Thr Lys Val Phe Gln Leu Lys Arg Lys Glu Tyr Glu Met Lys Leu
 305 310 315 320
 His Thr Glu Ala Gln Ile Gln Glu Glu Gly Thr Val Val Glu Leu Thr
 325 330 335
 Gly Arg Gln Ser Ser Glu Ile Thr Arg Thr Ile Thr Lys Leu Ser Phe
 340 345 350
 Val Lys Val Asp Ser His Phe Arg Gln Gly Ile Pro Phe Phe Gly Gln
 355 360 365
 Val Arg Leu Val Asp Gly Lys Gly Val Pro Ile Pro Asn Lys Val Ile
 370 375 380
 Phe Ile Arg Gly Asn Glu Ala Asn Tyr Tyr Ser Asn Ala Thr Thr Asp
 385 390 395 400
 Glu His Gly Leu Val Gln Phe Ser Ile Asn Thr Thr Asn Val Met Gly
 405 410 415
 Thr Ser Leu Thr Val Arg Val Asn Tyr Lys Asp Arg Ser Pro Cys Tyr
 420 425 430
 Gly Tyr Gln Trp Val Ser Glu Glu His Glu Glu Ala His His Thr Ala
 435 440 445
 Tyr Leu Val Phe Ser Pro Ser Lys Ser Phe Val His Leu Glu Pro Met
 450 455 460
 Ser His Glu Leu Pro Cys Gly His Thr Gln Thr Val Gln Ala His Tyr
 465 470 475 480
 Ile Leu Asn Gly Gly Thr Leu Leu Gly Leu Lys Lys Leu Ser Phe Tyr
 485 490 495
 Tyr Leu Ile Met Ala Lys Gly Gly Ile Val Arg Thr Gly Thr His Gly
 500 505 510
 Leu Leu Val Lys Gln Glu Asp Met Lys Gly His Phe Ser Ile Ser Ile
 515 520 525
 Pro Val Lys Ser Asp Ile Ala Pro Val Ala Arg Leu Leu Ile Tyr Ala
 530 535 540
 Val Leu Pro Thr Gly Asp Val Ile Gly Asp Ser Ala Lys Tyr Asp Val
 545 550 555 560
 Glu Asn Cys Leu Ala Asn Lys Val Asp Leu Ser Phe Ser Pro Ser Gln
 565 570 575

82

Ser Leu Pro Ala Ser His Ala His Leu Arg Val Thr Ala Ala Pro Gln
 580 585 590

Ser Val Cys Ala Leu Arg Ala Val Asp Gln Ser Val Leu Leu Met Lys
 595 600 605

Pro Asp Ala Glu Leu Ser Ala Ser Ser Val Tyr Asn Leu Leu Pro Glu
 610 615 620

Lys Asp Leu Thr Gly Phe Pro Gly Pro Leu Asn Asp Gln Asp Asp Glu
 625 630 635 640

Asp Cys Ile Asn Arg His Asn Val Tyr Ile Asn Gly Ile Thr Tyr Thr
 645 650 655

Pro Val Ser Ser Thr Asn Glu Lys Asp Met Tyr Ser Phe Leu Glu Asp
 660 665 670

Met Gly Leu Lys Ala Phe Thr Asn Ser Lys Ile Arg Lys Pro Lys Met
 675 680 685

Cys Pro Gln Leu Gln Gln Tyr Glu Met His Gly Pro Glu Gly Leu Arg
 690 695 700

Val Gly Phe Tyr Glu Ser Asp Val Met Gly Arg Gly His Ala Arg Leu
 705 710 715 720

Val His Val Glu Glu Pro His Thr Glu Thr Val Arg Lys Tyr Phe Pro
 725 730 735

Glu Thr Trp Ile Trp Asp Leu Val Val Val Asn Ser Ala Gly Val Ala
 740 745 750

Glu Val Gly Val Thr Val Pro Asp Thr Ile Thr Glu Trp Lys Ala Gly
 755 760 765

Ala Phe Cys Leu Ser Glu Asp Ala Gly Leu Gly Ile Ser Ser Thr Ala
 770 775 780

Ser Leu Arg Ala Phe Gln Pro Phe Phe Val Glu Leu Thr Met Pro Tyr
 785 790 795 800

Ser Val Ile Arg Gly Glu Ala Phe Thr Leu Lys Ala Thr Val Leu Asn
 805 810 815

Tyr Leu Pro Lys Cys Ile Arg Val Ser Val Gln Leu Glu Ala Ser Pro
 820 825 830

Ala Phe Leu Ala Val Pro Val Glu Lys Glu Gln Ala Pro His Cys Ile
 835 840 845

Cys Ala Asn Gly Arg Gln Thr Val Ser Trp Ala Val Thr Pro Lys Ser
 850 855 860

Leu Gly Asn Val Asn Phe Thr Val Ser Ala Glu Ala Leu Glu Ser Gln
 865 870 875 880

Glu Leu Cys Gly Thr Glu Val Pro Ser Val Pro Glu His Gly Arg Lys

										83										
										890										
885											895									
Asp	Thr	Val	Ile	Lys	Pro	Leu	Leu	Val	Glu	Pro	Glu	Gly	Leu	Glu	Lys					
			900						905					910						
Glu	Thr	Thr	Phe	Asn	Ser	Leu	Leu	Cys	Pro	Ser	Gly	Gly	Glu	Val	Ser					
		915					920					925								
Glu	Glu	Leu	Ser	Leu	Lys	Leu	Pro	Pro	Asn	Val	Val	Glu	Glu	Ser	Ala					
		930					935					940								
Arg	Ala	Ser	Val	Ser	Val	Leu	Gly	Asp	Ile	Leu	Gly	Ser	Ala	Met	Gln					
					950					955					960					
Asn	Thr	Gln	Asn	Leu	Leu	Gln	Met	Pro	Tyr	Gly	Cys	Gly	Glu	Gln	Asn					
				965					970					975						
Met	Val	Leu	Phe	Ala	Pro	Asn	Ile	Tyr	Val	Leu	Asp	Tyr	Leu	Asn	Glu					
			980					985						990						
Thr	Gln	Gln	Leu	Thr	Pro	Glu	Val	Lys	Ser	Lys	Ala	Ile	Gly	Tyr	Leu					
		995					1000						1005							
Asn	Thr	Gly	Tyr	Gln	Arg	Gln	Leu	Asn	Tyr	Lys	His	Tyr	Asp	Gly	Ser					
		1010					1015				1020									
Tyr	Ser	Thr	Phe	Gly	Glu	Arg	Tyr	Gly	Arg	Asn	Gln	Gly	Asn	Thr	Trp					
					1030					1035					1040					
Leu	Thr	Ala	Phe	Val	Leu	Lys	Thr	Phe	Ala	Gln	Ala	Arg	Ala	Tyr	Ile					
				1045					1050					1055						
Phe	Ile	Asp	Glu	Ala	His	Ile	Thr	Gln	Ala	Leu	Ile	Trp	Leu	Ser	Gln					
			1060					1065					1070							
Arg	Gln	Lys	Asp	Asn	Gly	Cys	Phe	Arg	Ser	Ser	Gly	Ser	Leu	Leu	Asn					
		1075					1080					1085								
Asn	Ala	Ile	Lys	Gly	Gly	Val	Glu	Asp	Glu	Val	Thr	Leu	Ser	Ala	Tyr					
		1090				1095					1100									
Ile	Thr	Ile	Ala	Leu	Leu	Glu	Ile	Pro	Leu	Thr	Val	Thr	His	Pro	Val					
				1110						1115				1120						
Val	Arg	Asn	Ala	Leu	Phe	Cys	Leu	Glu	Ser	Ala	Trp	Lys	Thr	Ala	Gln					
				1125						1130				1135						
Glu	Gly	Asp	His	Gly	Ser	His	Val	Tyr	Thr	Lys	Ala	Leu	Leu	Ala	Tyr					
			1140					1145					1150							
Ala	Phe	Ala	Leu	Ala	Gly	Asn	Gln	Asp	Lys	Arg	Lys	Glu	Val	Leu	Lys					
			1155				1160					1165								
Ser	Leu	Asn	Glu	Glu	Ala	Val	Lys	Lys	Asp	Asn	Ser	Val	His	Trp	Glu					
			1170				1175					1180								
Arg	Pro	Gln	Lys	Pro	Lys	Ala	Pro	Val	Gly	His	Phe	Tyr	Glu	Pro	Gln					
			1185			1190				1195					1200					

Ala Pro Ser Ala Glu Val Glu Met Thr Ser Tyr Val Leu Leu Ala Tyr
 1205 1210 1215
 Leu Thr Ala Gln Pro Ala Pro Thr Ser Glu Asp Leu Thr Ser Ala Thr
 1220 1225 1230
 Asn Ile Val Lys Trp Ile Thr Lys Gln Gln Asn Ala Gln Gly Gly Phe
 1235 1240 1245
 Ser Ser Thr Gln Asp Thr Val Val Ala Leu His Ala Leu Ser Lys Tyr
 1250 1255 1260
 Gly Ala Ala Thr Phe Thr Arg Thr Gly Lys Ala Ala Gln Val Thr Ile
 1265 1270 1275 1280
 Gln Ser Ser Gly Thr Phe Ser Ser Lys Phe Gln Val Asp Asn Asn Asn
 1285 1290 1295
 Arg Leu Leu Leu Gln Gln Val Ser Leu Pro Glu Leu Pro Gly Glu Tyr
 1300 1305 1310
 Ser Met Lys Val Thr Gly Glu Gly Cys Val Tyr Leu Gln Thr Ser Leu
 1315 1320 1325
 Lys Tyr Asn Ile Leu Pro Glu Lys Glu Glu Phe Pro Phe Ala Leu Gly
 1330 1335 1340
 Val Gln Thr Leu Pro Gln Thr Cys Asp Glu Pro Lys Ala His Thr Ser
 1345 1350 1355 1360
 Phe Gln Ile Ser Leu Ser Val Ser Tyr Thr Gly Ser Arg Ser Ala Ser
 1365 1370 1375
 Asn Met Ala Ile Val Asp Val Lys Met Val Ser Gly Phe Ile Pro Leu
 1380 1385 1390
 Lys Pro Thr Val Lys Met Leu Glu Arg Ser Asn His Val Ser Arg Thr
 1395 1400 1405
 Glu Val Ser Ser Asn His Val Leu Ile Tyr Leu Asp Lys Val Ser Asn
 1410 1415 1420
 Gln Thr Leu Ser Leu Phe Phe Thr Val Leu Gln Asp Val Pro Val Arg
 1425 1430 1435 1440
 Asp Leu Lys Pro Ala Ile Val Lys Val Tyr Asp Tyr Tyr Glu Thr Asp
 1445 1450 1455
 Glu Phe Ala Ile Ala Glu Tyr Asn Ala Pro Cys Ser Lys Asp Leu Gly
 1460 1465 1470
 Asn Ala

<210> 60

<211> 722

<212> DNA

<213> Homo sapiens

<400> 60

```

ngaccnnaaa aagngttttat tcatcaagtn tttaaagatn caaaaacacg tgtnttntgn 60
ggagctntga naacaggact ccagcaaagc acttttcagc cttgggggnc tcaagcattt 120
ccaagatctt tgctgcaagg agcattgnnc tcagcaattg caaactcatc cttntcgtag 180
naancataga ctttcactat ggctgggttc anancnttta ctgggacatt ttgcanaacc 240
gngaanaaca agctcagggn ctgatttgac acctnttcaa ggtaaatcaa gacatgggtg 300
ctgntgactt ctgncccggn tcacatgggt tagatctttc aagcnttttt nactgnnngg 360
cttcagggga atgaaacccc gagacntnt tnncaatnaa cgacnccnt nttgggaggg 420
aaaccggntc cctgngtaac ctnnccctta gggganattt ggaaanctng gtgtgggnen 480
tttgggttca tnnnaaggt ttngaggcna agnctgnct tcnnaaagca aaggggnacc 540
tnttcnttt tnttggnnaa antttgnttt ttcaaggna tnnngaagnt annnncaacc 600
ttctcccggn nntttcaang cnggntttcc cagggnagtt ttggnatagn nccnnttnna 660
aaanncgggg ggttttttac ncccttgga ttntnnggga aaaanncctn aaannnggga 720
ac

```

<210> 61

<211> 557

<212> DNA

<213> Homo sapiens

<400> 61

```

gtgtgcagtg ccccttgcc tcttcaaacc tacagcttct ctttgccatt tgtggatttc 60
acatcactcc acacagaaac attacagcct ggcattccca gtctttgcct tcttcagct 120
gcctcgacac agcactgtgg cctgtcccta ttgccaggc acgccatttc caagggcagg 180
aaggggcagt gtctgaagc ccatcttttc tgtgactgtc ttaggtgatg tgtagcccc 240
tccaccttcc cactcaacaa cctcccaccc ctgtcctgct gcatggtcgg gagtctggga 300
cctactttgt tttttgttat ttatgacctt gtttaaagaa aataaatatc tcccaacctt 360
taaaaaaaaa aaaaaaaaaa aactcgagag atctatgaat cgaagatact gaaaaacccc 420
gcangttcac ttcaactgtg catcgtgcan catctcaatt ctttcatttn atacatcct 480
tttgcccttc tttatgtaac tatactcctc taaagtttca atcttgggca ttnaaccttt 540
gatctataaa attttta

```

<210> 62

<211> 640

<212> DNA

<213> Homo sapiens

<400> 62

```

ttaaagggtg ggagatattt attttcttta aacaagggtc taaataacaa aaaacaaagt 60
agggtcccaga ctccggacca tgcagcagga caggggtggg aggttggtga gtggaaagg 120
ggagggggct acacatcacc taagacagtc acagaaaaga tgggcttcag gacactgcc 180
cttcctgccc ttggaaatgg cgtgcctggg caataggggc aggccacagt gctgtgtcga 240
ggcagctgga agaaggcaaa gactggggat gccaggctgt aatgtttctg tgtggagtga 300
tgtgaaatcc acaaatggca aagagaagct gtaggtttga agaggcaagg gggcactgca 360
cacgtcgacg cggccgcgaa ttcggatccc cggggcctcc atggccatat gaccacccaa 420
gctagcgtaa tctggaacat cgtatgggta aagccataga gatctctttt tttgggtttg 480
gtgggggtatc ttcatcatcg aatagatagt tatatacata tccattgtag tgggattaaa 540
catccctgta gtgattccaa acgcgttata cgcagtttgg tccgtccaac caggtgacag 600
nggtttgaat tattaccatc tcaattttac tagccgggat

```

<210> 63

<211> 566

<212> DNA

<213> Homo sapiens

<400> 63

```

ctcccccatc cgcatectcc tctctctgtc cctcttctct ctctgtccct caccaagcca 60
tccccctctt gectctcccc atccctcgct ggctgtctcc tgcctccctt ctccccatct 120
ccccctcccc gtctctgccc agccagcccc ctcccgactc cccagtttca tgggactccc 180
tggcccccatc ccgtccccgc cctggccccct ttgtgccccct tctcatcggt ttctccctcc 240
ttccccgggt tggcgctccct tctccccctt aactccttcc ctcggcctcc ctgccccctc 300
acggccccgc tgcctccctt gcccaagtcc tgagccacca tgcctgacccc gatgggtggcc 360
cggnggggtg gtgtccccgg actcttctct ntncagaac acgcttcagc cggctgcccc 420
aagctacgct gggaggaggc cgacgcagcn ttgcctnagc caggcctggt ggtcctttgn 480
ccagncatca tggccttcan tggcggtnca tnnngnttcac ctncctggnag cacntattga 540
taccaanatg ggtggccnta tnncta 566

```

<210> 64

<211> 648

<212> DNA

<213> Homo sapiens

<400> 64

```

tggcggttcac gcagatcgtc ttttattagc ggtctgtaaa gcacctccca ggggtcccccg 60
accccagatt ggaggaagcc ttgagaggct agtagcacca gggacatggc agggccccgag 120
ggcgcgatgt gcagccgatg gtgagggact gggcgccctc gcctgccccg ggggttggtca 180
gcactgggaa ggcttggggg tagcagccac ctccctcccc caaccaca gactagtrca 240
aatttggtta aataaataaa ataaataaga ttctcaagc tggcctaccc tggagaggag 300
ccgtggttgc agccggccac tcgggaggcc cgaggggccag cggggggttag ttggggcgctc 360
ctctcctctc ggggtgatggg gagccctggg ggatggcagc ataggggctg ggatggcctt 420
ggcagaggcc gtctnccac attctgactc cttggtcccc cttgaaaccc tgttggtgtc 480
ccttcccaca aagcccttct tgcctcagt ggggtgggaa ggccggtgcc ccttccctt 540
cttcancgca aagggtntgc aggaaagggg caaaattagg gggnaaaaag gtcccttttt 600
tcancacct ntgtcccnna aaagatgggg ccttttccnt ttngnggt 648

```

<210> 65

<211> 2274

<212> PRT

<213> Mus sp.

<400> 65

```

Met Thr Ser Ser Met Ala Ser Tyr Glu Gln Leu Val Arg Gln Val Glu
 1             5             10            15

Ala Leu Lys Ala Glu Asn Thr His Leu Arg Gln Glu Leu Arg Asp Asn
      20             25             30

Ser Ser His Leu Ser Lys Leu Glu Thr Glu Thr Ser Gly Met Lys Glu
      35             40             45

Val Leu Lys His Leu Gln Gly Lys Leu Glu Gln Glu Ala Arg Val Leu
      50             55             60

Val Ser Ser Gly Gln Thr Glu Val Leu Glu Gln Leu Lys Ala Leu Gln
      65             70             75             80

Thr Asp Ile Ser Ser Leu Tyr Asn Leu Lys Phe His Ala Pro Ala Leu
      85             90             95

Gly Pro Glu Pro Ala Ala Arg Thr Pro Glu Gly Ser Pro Val His Gly
      100            105            110

Ser Gly Pro Ser Lys Asp Ser Phe Gly Glu Leu Ser Arg Ala Thr Ile

```

87

115	120	125
Arg Leu Leu Glu Glu Leu Asp Gln Glu Arg Cys Phe Leu Leu Ser Glu 130 135 140		
Ile Glu Lys Glu Glu Lys Glu Lys Leu Trp Tyr Tyr Ser Gln Leu Gln 145 150 155 160		
Gly Leu Ser Lys Arg Leu Asp Glu Leu Pro His Val Asp Thr Phe Ser 165 170 175		
Met Gln Met Asp Leu Ile Arg Gln Gln Leu Glu Phe Glu Ala Gln His 180 185 190		
Ile Arg Ser Leu Met Glu Glu Arg Phe Gly Thr Ser Asp Glu Met Val 195 200 205		
Gln Arg Ala Gln Ile Arg Ala Ser Arg Leu Glu Gln Ile Asp Lys Glu 210 215 220		
Leu Leu Glu Ala Gln Asp Arg Val Gln Gln Thr Glu Pro Gln Ala Leu 225 230 235 240		
Leu Ala Val Lys Pro Val Ala Val Glu Glu Glu Gln Glu Ala Glu Val 245 250 255		
Pro Thr His Pro Glu Asp Gly Thr Pro Gln Pro Gly Asn Ser Lys Val 260 265 270		
Glu Val Val Phe Trp Leu Leu Ser Met Leu Ala Thr Arg Asp Gln Glu 275 280 285		
Asp Thr Ala Arg Thr Leu Leu Ala Met Ser Ser Ser Pro Glu Ser Cys 290 295 300		
Val Ala Met Arg Arg Ser Gly Cys Leu Pro Leu Leu Leu Gln Ile Leu 305 310 315 320		
His Gly Thr Glu Ala Gly Ser Val Gly Arg Ala Gly Ile Pro Gly Ala 325 330 335		
Pro Gly Ala Lys Asp Ala Arg Met Arg Ala Asn Ala Ala Leu His Asn 340 345 350		
Ile Val Phe Ser Gln Pro Asp Gln Gly Leu Ala Arg Lys Glu Met Arg 355 360 365		
Val Leu His Val Leu Glu Gln Ile Arg Ala Tyr Cys Glu Thr Cys Trp 370 375 380		
Asp Trp Leu Gln Ala Arg Asp Ser Gly Thr Glu Thr Pro Val Pro Ile 385 390 395 400		
Glu Pro Gln Ile Cys Gln Ala Thr Cys Ala Val Met Lys Leu Ser Phe 405 410 415		
Asp Glu Glu Tyr Arg Arg Ala Met Asn Glu Leu Gly Gly Leu Gln Ala 420 425 430		

Val	Ala	Glu	Leu	Leu	Gln	Val	Asp	Tyr	Glu	Met	His	Lys	Met	Thr	Arg		
		435					440					445					
Asp	Pro	Leu	Asn	Leu	Ala	Leu	Arg	Arg	Tyr	Ala	Gly	Met	Thr	Leu	Thr		
	450					455					460						
Asn	Leu	Thr	Phe	Gly	Asp	Val	Ala	Asn	Lys	Ala	Thr	Leu	Cys	Ala	Arg		
465					470					475					480		
Arg	Gly	Cys	Met	Glu	Ala	Ile	Val	Ala	Gln	Leu	Gly	Ser	Glu	Ser	Glu		
				485					490					495			
Glu	Leu	His	Gln	Val	Val	Ser	Ser	Ile	Leu	Arg	Asn	Leu	Ser	Trp	Arg		
			500					505					510				
Ala	Asp	Ile	Asn	Ser	Lys	Lys	Val	Leu	Arg	Glu	Val	Gly	Ser	Met	Thr		
		515					520					525					
Ala	Leu	Met	Glu	Cys	Val	Leu	Arg	Ala	Ser	Lys	Glu	Ser	Thr	Leu	Lys		
	530					535					540						
Ser	Val	Leu	Ser	Ala	Leu	Trp	Asn	Leu	Ser	Ala	His	Ser	Thr	Glu	Asn		
545					550					555					560		
Lys	Ala	Ala	Ile	Cys	Gln	Val	Asp	Gly	Ala	Leu	Gly	Phe	Leu	Val	Ser		
			565						570					575			
Thr	Leu	Thr	Tyr	Arg	Cys	Gln	Gly	Asn	Ser	Leu	Ala	Val	Ile	Glu	Ser		
			580					585					590				
Gly	Gly	Gly	Ile	Leu	Arg	Asn	Val	Ser	Ser	Leu	Ile	Ala	Thr	Arg	Glu		
		595					600					605					
Asp	Tyr	Arg	Gln	Val	Leu	Arg	Asp	His	Asn	Cys	Leu	Gln	Thr	Leu	Leu		
	610					615					620						
Gln	His	Leu	Thr	Ser	His	Ser	Leu	Thr	Ile	Val	Ser	Asn	Ala	Cys	Gly		
625					630					635					640		
Thr	Leu	Trp	Asn	Leu	Ser	Ala	Arg	Ser	Pro	Arg	Asp	Gln	Glu	Leu	Leu		
			645						650					655			
Trp	Asp	Leu	Gly	Ala	Val	Gly	Met	Leu	Arg	Asn	Leu	Val	His	Ser	Lys		
		660						665					670				
His	Lys	Met	Ile	Ala	Met	Gly	Ser	Ala	Ala	Ala	Leu	Arg	Asn	Leu	Leu		
		675					680					685					
Ala	His	Arg	Pro	Ala	Lys	Tyr	Gln	Ala	Ala	Ala	Met	Ala	Val	Ser	Pro		
	690					695					700						
Gly	Thr	Cys	Val	Pro	Ser	Leu	Tyr	Val	Arg	Lys	Gln	Arg	Ala	Leu	Glu		
705					710					715					720		
Ala	Glu	Leu	Asp	Thr	Arg	His	Leu	Val	His	Ala	Leu	Gly	His	Leu	Glu		
				725					730					735			

89

Lys Gln Ser Leu Pro Glu Ala Glu Thr Thr Ser Lys Lys Pro Leu Pro
 740 745 750
 Pro Leu Arg His Leu Asp Gly Leu Val Gln Asp Tyr Ala Ser Asp Ser
 755 760 765
 Gly Cys Phe Asp Asp Asp Asp Ala Pro Ser Leu Ala Ala Ala Thr
 770 775 780
 Thr Ala Glu Pro Ala Ser Pro Ala Val Met Ser Met Phe Leu Gly Gly
 785 790 795 800
 Pro Phe Leu Gln Gly Gln Ala Leu Ala Arg Thr Pro Pro Ala Arg Gln
 805 810 815
 Gly Gly Leu Glu Ala Glu Lys Glu Ala Gly Gly Glu Ala Ala Val Ala
 820 825 830
 Ala Lys Ala Lys Ala Lys Leu Ala Leu Ala Val Ala Arg Ile Asp Arg
 835 840 845
 Leu Val Glu Asp Ile Ser Ala Leu His Thr Ser Ser Asp Asp Ser Phe
 850 855 860
 Ser Leu Ser Ser Gly Asp Pro Gly Gln Glu Ala Pro Arg Glu Gly Arg
 865 870 875 880
 Ala Gln Ser Cys Ser Pro Cys Arg Gly Thr Glu Gly Gly Arg Arg Glu
 885 890 895
 Ala Gly Ser Arg Ala His Pro Leu Leu Arg Leu Lys Ala Ala His Thr
 900 905 910
 Ser Leu Ser Asn Asp Ser Leu Asn Ser Gly Ser Thr Ser Asp Gly Tyr
 915 920 925
 Cys Thr Arg Glu His Met Thr Pro Cys Pro Leu Ala Ala Leu Ala Glu
 930 935 940
 His Arg Asp Asp Pro Val Arg Gly Gln Thr Arg Pro Arg Arg Leu Asp
 945 950 955 960
 Leu Asp Leu Pro Ser Arg Ala Glu Leu Pro Ala Arg Asp Thr Ala Ala
 965 970 975
 Thr Asp Ala Arg Val Arg Thr Ile Lys Leu Ser Pro Thr Tyr Gln His
 980 985 990
 Val Pro Leu Leu Asp Gly Ala Ala Gly Ala Gly Val Arg Pro Leu Val
 995 1000 1005
 Gly Pro Gly Thr Ser Pro Gly Ala Arg Lys Gln Ala Trp Ile Pro Ala
 1010 1015 1020
 Asp Ser Leu Ser Lys Val Pro Glu Lys Leu Val Ala Ser Pro Leu Pro
 1025 1030 1035 1040
 Ile Ala Ser Lys Val Leu Gln Lys Leu Val Ala Gln Asp Gly Pro Met

1045 90 1050 1055
 Ser Leu Ser Arg Cys Ser Ser Leu Ser Ser Leu Ser Ser Thr Gly His
 1060 1065 1070
 Ala Val Pro Ser Gln Ala Glu Asn Leu Asp Ser Asp Ser Ser Leu Glu
 1075 1080 1085
 Gly Leu Glu Glu Ala Gly Pro Gly Glu Ala Glu Leu Gly Arg Ala Trp
 1090 1095 1100
 Arg Ala Ser Gly Ser Thr Ser Leu Pro Val Ser Ile Pro Ala Pro Gln
 1105 1110 1115 1120
 Arg Gly Arg Ser Arg Gly Leu Gly Val Glu Asp Ala Thr Pro Ser Ser
 1125 1130 1135
 Ser Ser Glu Asn Cys Val Gln Glu Thr Pro Leu Val Leu Ser Arg Cys
 1140 1145 1150
 Ser Ser Val Ser Ser Leu Gly Ser Phe Glu Ser Arg Ser Ile Ala Ser
 1155 1160 1165
 Ser Ile Pro Ser Asp Pro Cys Ser Gly Leu Gly Ser Gly Thr Val Ser
 1170 1175 1180
 Pro Ser Glu Leu Pro Asp Ser Pro Gly Gln Thr Met Pro Pro Ser Arg
 1185 1190 1195 1200
 Ser Lys Thr Pro Pro Ala Pro Pro Gly Gln Pro Glu Thr Ser Gln Phe
 1205 1210 1215
 Ser Leu Gln Trp Glu Ser Tyr Val Lys Arg Phe Leu Asp Ile Ala Asp
 1220 1225 1230
 Cys Arg Glu Arg Cys Gln Pro Pro Ser Glu Leu Asp Ala Gly Ser Val
 1235 1240 1245
 Arg Phe Thr Val Glu Lys Pro Asp Glu Asn Phe Ser Cys Ala Ser Ser
 1250 1255 1260
 Leu Ser Ala Leu Ala Leu His Glu Leu Tyr Val Gln Gln Asp Val Glu
 1265 1270 1275 1280
 Leu Arg Leu Arg Pro Pro Ala Cys Pro Glu Arg Ala Val Gly Gly Gly
 1285 1290 1295
 Gly His Arg Arg Arg Asp Glu Ala Ala Ser Arg Leu Asp Gly Pro Ala
 1300 1305 1310
 Pro Ala Gly Ser Arg Ala Arg Ser Ala Thr Asp Lys Glu Leu Glu Ala
 1315 1320 1325
 Leu Arg Glu Cys Leu Gly Ala Ala Met Pro Ala Arg Leu Arg Lys Val
 1330 1335 1340
 Ala Ser Ala Leu Val Pro Gly Arg Arg Ser Leu Pro Val Pro Val Tyr
 1345 1350 1355 1360

Met Leu Val Pro Ala Pro Ala Arg Gly Asp Asp Ser Gly Thr Asp Ser
 1365 1370 1375
 Ala Glu Gly Thr Pro Val Asn Phe Ser Ser Ala Ala Ser Leu Ser Asp
 1380 1385 1390
 Glu Thr Leu Gln Gly Pro Ser Arg Asp Lys Pro Ala Gly Pro Gly Asp
 1395 1400 1405
 Arg Gln Lys Pro Thr Gly Arg Ala Ala Pro Ala Arg Gln Thr Arg Ser
 1410 1415 1420
 His Arg Pro Lys Ala Ala Gly Ala Gly Lys Ser Thr Glu His Thr Arg
 1425 1430 1435 1440
 Gly Pro Cys Arg Asn Arg Ala Gly Leu Glu Leu Pro Leu Ser Arg Pro
 1445 1450 1455
 Gln Ser Ala Arg Ser Asn Arg Asp Ser Ser Cys Gln Thr Arg Thr Arg
 1460 1465 1470
 Gly Asp Gly Ala Leu Gln Ser Leu Cys Leu Thr Thr Pro Thr Glu Glu
 1475 1480 1485
 Ala Val Tyr Cys Phe Tyr Asp Ser Asp Glu Glu Pro Pro Ala Thr Ala
 1490 1495 1500
 Pro Pro Pro Arg Arg Ala Ser Ala Ile Pro Arg Ala Leu Lys Arg Glu
 1505 1510 1515 1520
 Lys Pro Ala Gly Arg Lys Glu Thr Pro Ser Arg Ala Ala Gln Pro Ala
 1525 1530 1535
 Thr Leu Pro Val Arg Ala Gln Pro Arg Leu Ile Val Asp Glu Thr Pro
 1540 1545 1550
 Pro Cys Tyr Ser Leu Thr Ser Ser Ala Ser Ser Leu Ser Glu Pro Glu
 1555 1560 1565
 Ala Pro Glu Gln Pro Ala Asn His Ala Arg Gly Pro Glu Gln Gly Ser
 1570 1575 1580
 Lys Gln Asp Ser Ser Pro Ser Pro Arg Ala Glu Glu Glu Leu Leu Gln
 1585 1590 1595 1600
 Arg Cys Ile Ser Leu Ala Met Pro Arg Arg Arg Thr Gln Val Pro Gly
 1605 1610 1615
 Ser Arg Arg Arg Lys Pro Arg Ala Leu Arg Ser Asp Ile Arg Pro Thr
 1620 1625 1630
 Glu Ile Thr Gln Lys Cys Gln Glu Glu Val Ala Gly Ser Asp Pro Ala
 1635 1640 1645
 Ser Asp Leu Asp Ser Val Glu Trp Gln Ala Ile Gln Glu Gly Ala Asn
 1650 1655 1660

92

Ser Ile Val Thr Trp Leu His Gln Ala Ala Lys Ala Ser Leu Glu
 1665 1670 1675 1680
 Ala Ser Ser Glu Ser Asp Ser Leu Leu Ser Leu Val Ser Gly Val Ser
 1685 1690 1695
 Ala Gly Ser Thr Leu Gln Pro Ser Lys Leu Arg Lys Gly Arg Lys Pro
 1700 1705 1710
 Ala Ala Glu Ala Gly Gly Ala Trp Arg Pro Glu Lys Arg Gly Thr Thr
 1715 1720 1725
 Ser Thr Lys Ile Asn Gly Ser Pro Arg Leu Pro Asn Gly Pro Glu Lys
 1730 1735 1740
 Ala Lys Gly Thr Gln Lys Met Met Ala Gly Glu Ser Thr Met Leu Arg
 1745 1750 1755 1760
 Gly Arg Thr Val Ile Tyr Ser Ala Gly Pro Ala Ser Arg Thr Gln Ser
 1765 1770 1775
 Lys Gly Ile Ser Gly Pro Cys Thr Thr Pro Lys Lys Thr Gly Thr Ser
 1780 1785 1790
 Gly Thr Thr Gln Pro Glu Thr Val Thr Lys Ala Pro Ser Pro Glu Gln
 1795 1800 1805
 Gln Arg Ser Arg Ser Leu His Arg Pro Gly Lys Ile Ser Glu Leu Ala
 1810 1815 1820
 Ala Leu Arg His Pro Pro Arg Ser Ala Thr Pro Pro Ala Arg Leu Ala
 1825 1830 1835 1840
 Lys Thr Pro Ser Ser Ser Ser Ser Gln Thr Ser Pro Ala Ser Gln Pro
 1845 1850 1855
 Leu Pro Arg Arg Ser Pro Leu Ala Thr Pro Thr Gly Gly Pro Leu Pro
 1860 1865 1870
 Gly Pro Gly Gly Ser Leu Val Pro Lys Ser Pro Ala Arg Ala Leu Leu
 1875 1880 1885
 Ala Lys Gln His Lys Thr Gln Lys Ser Pro Val Arg Ile Pro Phe Met
 1890 1895 1900
 Gln Arg Pro Ala Arg Arg Val Pro Pro Pro Leu Ala Arg Pro Ser Pro
 1905 1910 1915 1920
 Glu Pro Gly Ser Arg Gly Arg Ala Gly Ala Glu Gly Thr Pro Gly Ala
 1925 1930 1935
 Arg Gly Ser Arg Leu Gly Leu Val Arg Met Ala Ser Ala Arg Ser Ser
 1940 1945 1950
 Gly Ser Glu Ser Ser Asp Arg Ser Gly Phe Arg Arg Gln Leu Thr Phe
 1955 1960 1965
 Ile Lys Glu Ser Pro Gly Leu Leu Arg Arg Arg Arg Ser Glu Leu Ser

1970	1975	1980
Ser Ala Asp Ser Thr Ala Ser Thr Ser Gln Ala Ala Ser Pro Arg Arg 1985 1990 1995 2000		
Gly Arg Pro Ala Leu Pro Ala Val Phe Leu Cys Ser Ser Arg Cys Asp 2005 2010 2015		
Glu Leu Arg Val Ser Pro Arg Gln Pro Leu Ala Ala Gln Arg Ser Pro 2020 2025 2030		
Gln Ala Lys Pro Gly Leu Ala Pro Leu Ala Pro Arg Arg Thr Ser Ser 2035 2040 2045		
Glu Ser Pro Ser Arg Leu Pro Val Arg Ala Ser Pro Gly Arg Pro Glu 2050 2055 2060		
Thr Val Lys Arg Tyr Ala Ser Leu Pro His Ile Ser Val Ser Arg Arg 2065 2070 2075 2080		
Ser Asp Ser Ala Val Ser Val Pro Thr Thr Gln Ala Asn Ala Thr Arg 2085 2090 2095		
Arg Gly Ser Asp Gly Glu Ala Arg Pro Leu Pro Arg Val Ala Pro Pro 2100 2105 2110		
Gly Thr Thr Trp Arg Arg Ile Lys Asp Glu Asp Val Pro His Ile Leu 2115 2120 2125		
Arg Ser Thr Leu Pro Ala Thr Ala Leu Pro Leu Arg Val Ser Ser Pro 2130 2135 2140		
Glu Asp Ser Pro Ala Gly Thr Pro Gln Arg Lys Thr Ser Asp Ala Val 2145 2150 2155 2160		
Val Gln Thr Glu Asp Val Ala Thr Ser Lys Thr Asn Ser Ser Thr Ser 2165 2170 2175		
Pro Ser Leu Glu Ser Arg Asp Pro Pro Gln Ala Pro Ala Ser Gly Pro 2180 2185 2190		
Val Ala Pro Gln Gly Ser Asp Val Asp Gly Pro Val Leu Thr Lys Pro 2195 2200 2205		
Pro Ala Ser Ala Pro Phe Pro His Glu Gly Leu Ser Ala Val Ile Ala 2210 2215 2220		
Gly Phe Pro Thr Ser Arg His Gly Ser Pro Ser Arg Ala Ala Arg Val 2225 2230 2235 2240		
Pro Pro Phe Asn Tyr Val Pro Ser Pro Met Ala Ala Ala Thr Met Ala 2245 2250 2255		
Ser Asp Ser Ala Val Glu Lys Ala Pro Val Ser Ser Pro Ala Ser Leu 2260 2265 2270		
Leu Glu		

<210> 66
 <211> 942
 <212> DNA
 <213> *Caenorhabditis elegans*

<400> 66
 atgtacgaag atcagtactg cgtggggtat aattttctgg aaggaacagg agactttcga 60
 gaagacggtc tagaacctat caccctggca tcccatgcc a cttcagatat gatgttaact 120
 ctggaaaaaa tgacctcaat gtgggatgga cctatatcag ttgggatatt tattgatttt 180
 cactctagtc aagctctgga gtatctcgca gaagtgcaca gatgtgatga ggagttcagg 240
 aagaagatga caattcactt tgcaatccgt cagtcagcat tccaacaaac ttgccccaaa 300
 attcaaattc cagcttcaga cagaacttgc tggaagttca gagcggatca atcctacctc 360
 cgaagccatc tgtcaggacc cttccaacta tatccgagca accttatgag aaatttggct 420
 cgccagggag ccaagtcgga tattcatttt attatggatg cagatatgat tgttagttag 480
 ggattcgcg cggaaactcaa aaaagtggca aatgagatga tgcacggaaa aagtaaaaaa 540
 gtattggcaa ttcgaaagatt cgaatcgggt aatggaaact atttgcctag aactcacttt 600
 gagttgaagc aatctatggc ttattccaac ggatatgaat gggaagttca agtaattctt 660
 caccgtaacg acccctataa cgcgcctat ttcccgcca gaatcaaagt tatgcactct 720
 ctgatttacg ccccttgctg tgctggttac acgtttcatg ttccgtcaca cgttttcgat 780
 gttcatgaag ggattaagca tactaataca atttattcga aagccacaat tgctcatcag 840
 gaagcttatg cgatggacat agccggagcc agatatgtca gagaaatgga cgaaaagtac 900
 ccggacactt tggacaagtg tggaagattc aagatgtatt ag 942

<210> 67
 <211> 313
 <212> PRT
 <213> *Caenorhabditis elegans*

<400> 67
 Met Tyr Glu Asp Gln Tyr Cys Val Gly Tyr Asn Phe Leu Glu Gly Thr
 1 5 10 15
 Gly Asp Phe Arg Glu Asp Gly Leu Glu Pro Ile Thr Leu Ala Ser His
 20 25 30
 Ala Thr Ser Asp Met Met Leu Thr Leu Glu Lys Met Thr Ser Met Trp
 35 40 45
 Asp Gly Pro Ile Ser Val Gly Ile Phe Ile Asp Phe His Ser Ser Gln
 50 55 60
 Ala Leu Glu Tyr Leu Ala Glu Val His Arg Cys Asp Glu Glu Phe Arg
 65 70 75 80
 Lys Lys Met Thr Ile His Phe Ala Ile Arg Gln Ser Ala Phe Gln Gln
 85 90 95
 Thr Cys Pro Lys Ile Gln Ile Pro Ala Ser Asp Arg Thr Cys Trp Lys
 100 105 110
 Phe Arg Ala Asp Gln Ser Tyr Leu Arg Ser His Leu Ser Gly Pro Phe
 115 120 125
 Gln Leu Tyr Pro Ser Asn Leu Met Arg Asn Leu Ala Arg Gln Gly Ala
 130 135 140

95

Lys Ser Asp Ile His Phe Ile Met Asp Ala Asp Met Ile Val Ser Glu
 145 150 155 160

Gly Phe Ala Arg Lys Leu Lys Lys Val Ala Asn Glu Met Ile Asp Gly
 165 170 175

Lys Ser Lys Lys Val Leu Ala Ile Arg Arg Phe Glu Ser Val Asn Gly
 180 185 190

Thr Tyr Leu Pro Arg Thr His Phe Glu Leu Lys Gln Ser Met Ala Tyr
 195 200 205

Ser Asn Gly Tyr Glu Trp Glu Val Gln Val Ile Leu His Arg Asn Asp
 210 215 220

Pro Tyr Asn Ala Ala Tyr Phe Pro Ser Arg Ile Lys Val Met His Ser
 225 230 235 240

Leu Ile Tyr Ala Leu Cys Arg Ala Gly Tyr Thr Phe His Val Pro Ser
 245 250 255

His Val Phe Asp Val His Glu Gly Ile Lys His Thr Asn Thr Ile Tyr
 260 265 270

Ser Lys Ala Thr Ile Ala His Gln Glu Ala Tyr Ala Met Asp Ile Ala
 275 280 285

Gly Ala Arg Tyr Val Arg Glu Met Asp Glu Lys Tyr Pro Asp Thr Leu
 290 295 300

Asp Lys Cys Gly Arg Phe Lys Met Tyr
 305 310

<210> 68

<211> 4527

<212> DNA

<213> *Caenorhabditis elegans*

<400> 68

```

atgCGgctgc taattctcaa tatattatgtt gtggtttggc aaatacatgg cgtcatcgga 60
cagagtacaa atgcagctgt ggtgtcaaca accgcggcgc cagttaaacc agccacttat 120
atgcttgctg cccagcagct agtgcgaccc gatcaaccgt tctccgtttg catgaacctt 180
ctgaaacaag ctacggatga agacatgatt gttcggattg aagtgagaac tgaacggaac 240
gagacgattg ctgctcgagt tataagcaat ttgaagccgg gaatcgaca gactgtcagc 300
ttgagtgaga tgcctgctca atcactaact cctaggcaaa gctataagct ctacatccgc 360
ggggagactc ttaacgcaga actcatatgtt gaaaacgaaa atgagttaaa gtacgatcaa 420
aaagctttat cagttttcat ccaaacagat cgagcaatct atcggcctgc ttctcttggt 480
cgataccggg caattgtagt gaaatcggac ttgaaacctt acgtcggaaa cgctactatt 540
aaaattttcg atccaagcag aaatctgatt tcacagacga ttggtgtaac tttggataga 600
ggagtataca gcggcgagct ccaacttgcc gaagagactc tccttggaaga ttggtttatc 660
gaggtggaag cctcgaatgg agtccaggac aagtcgtcat ttacggtaga tacatacgtg 720
cttcccaaatt ttgaagtga tatcaagacg tcttcgttta taactattaa cgatgatttg 780
tcagtgttcg tcgatgcaaa gtacacatat ggaaaaggcg ttgctggaaa ggccaaagta 840
tctctagagc ttccatggca cagatggcat gcgatggttc ccactatcat tgacgaaaat 900
ggagtcaaga aggaagagga gctgatggtc gagcgactg taaagctgaa cagacaagga 960
gaagcggcag ttgttttctc gaatgatgag ctcaagaggc acaagttgct acatgaatgg 1020
ggaggaggtt caattcgaat tgttgccctca gtcactgaag acatcactga aatcgaaaga 1080

```

aacgctactc	atcaaatttc	aacgttccgt	gaggaggtca	aacttgatgt	tgaaaagcag	1140
ggagacacct	tcaagccagg	actcacttat	aatgtttag	ttgcactgaa	acaaatggat	1200
gacactcccg	tgaaggcaac	tttgccaaag	agagttcagg	tatcaacatt	ctacaactat	1260
ccatacaatc	atgacacttc	atctctgcaa	gaggaaaaag	aaacaaaaat	tgtggaagtt	1320
gacgctcacg	gcacctcgg	tctcaccttc	caaccaccaa	tcaactgcac	ttctgctcgc	1380
attgaggctc	attatgatat	tgggtggcaag	gacaacttca	cagccacccc	aatatattcc	1440
tcgctatatg	tcgaggcagc	cgtgagccca	acgaagagtt	tcctgcagct	tttgctgat	1500
aatgagggag	ctgttgatgt	aggaaagagt	cttagcttct	cgttgaaggc	taccagccg	1560
ctgtcgacaa	ttacctatca	ggtcatgtct	cgttcgaaca	ttgtggtgtc	tcaacaaatg	1620
actgttaatt	ccgaacatgc	gaccattagc	ttcccagcaa	cggctaacat	ggccccaaag	1680
tcacggttga	tcgtctatgc	cattattgag	agtagtcaag	aagtctctgt	tgatgcactt	1740
gactttaaag	tagaaggaat	attccaaaac	caagtggcac	tatcaattga	caaacaagca	1800
gtcagagccag	gacagaatgt	gaagtttaag	gtcacatctg	acaagaactc	ttttgttggg	1860
cttcttggtg	tagatcagag	tgttctcttg	ttaaaaactg	gcaatgatat	cactagagaa	1920
aaagttaggc	aagacttgga	gaattatgac	tctaataatg	ttggaggagg	attcgggggt	1980
ccacggccat	gggaggcaat	tgatagaaag	aagaggtcca	tttgagagacc	ttggtgggga	2040
attggaggga	gtgatgctca	atcaatcttt	tctaattgctg	ggcttgtagt	tttgaccgac	2100
gccctcttgt	accgcgagcc	tcaacgtgaa	tttatgtcag	taatgatgat	ggatggtgct	2160
ccaggaatgg	ctgaagccgc	attcgcgcgt	ccgccaatgg	gcgggtcgtc	gcctccaccg	2220
ccgacagttc	gaaagttctt	cccacacacc	tggatttggg	cggatctcaa	ctctactagt	2280
ggagaagttg	agatggaaat	tgaagctccg	gacaccatca	cctcgtgggt	cgccctccact	2340
tttgcaatca	atgaggaaaa	tggctctcgg	gtggctccaa	cgacttcaaa	acttcgcgtg	2400
tttcgtccat	tttttattca	actcaatctt	ccatatgctg	tccgtcgtgg	agaaaagtgt	2460
gcacttttgg	tgcttggttt	caatttatatg	gaaaaggagc	aagatgtaac	agtgactctg	2520
aagtatgata	aagactctgg	ttacgatctc	ctgaagaaag	atggaactgt	agtaaggcgt	2580
gacgaggttg	gccaacaaaa	tgctcgtatt	gtgtccgttg	ctggtggagg	aacatcgaaa	2640
gcagtgtact	tcccaattgt	gccgtcttca	attggagaga	tcccgggtaca	tataagcgct	2700
attgcatccc	aaggtggtga	tgcatgtag	atgaacttga	gagttgatcc	acaaggatat	2760
aaagtagata	gaaatattcc	atttgtcatt	gacctcaaca	ataactcttc	ggattttctcc	2820
aaaaatcttg	agcttatctg	gccaaacgac	gtggttgatg	gatcgcagaa	ggcaagatta	2880
gatgtgattg	gtgatatgat	gggaccagtg	ttaaacaatg	ctcataagct	cgtacaaatg	2940
ccatatggat	gtggagaaca	gaatatgttg	aacttggttc	caaataatgt	ggtggtcaag	3000
tacttaagag	caacaaatag	aatgagagc	caattagaga	caaaggctat	caagtttatt	3060
gagcagggaa	ttcagaggga	gttgacgtac	aaacgtgctg	acaactcttt	ctcagctttt	3120
ggcgatagtg	ataaagctgg	ttcaacgtgg	ctcaccgcat	ttgtcgttcg	atcgttccat	3180
cacgccaac	aatacgcatt	cgtggatcct	aatgttatgt	cccagagcagt	cgcattcttg	3240
aactctcaac	aaatggagtc	tgggtgcattt	gccgaacgtg	gtgaagttca	tcacaaggat	3300
atgcagggag	gtgttcagga	cgggggtgta	gctctaaccg	catttgtgct	aatctcgatt	3360
ttggagaatg	gaaatggaga	tggaaaggcg	gtgacgtatt	tggaaaagca	tttggtatgaa	3420
gtatctggaa	atgcgtatac	aatggctgta	gtggcatatg	cacttcaatt	ggcaaaaagt	3480
aagcaagctg	gaaaggcatt	cgagaatttg	aagaaacata	agatcgttga	gaaaagtgga	3540
gatgtgaagt	ttgccagtg	tcagaaaaaa	gtggagaaac	taaaagaatc	gagagcgtat	3600
atgttccagg	cccgtccagt	agacattgaa	actacctctt	acgcagttct	ttcttacctc	3660
gcccaaaatc	aaacctcaga	atctctctca	attattcgtt	ggtagtatc	ccaacgcaac	3720
gagctaggag	gattcacttc	cactcaagac	actgtcatgg	ctcttcaagc	tctctcttcc	3780
tacgcagcag	tcacttattc	cgacaaacac	acaagtcaag	taacaattct	caacggaaaa	3840
catactcact	catttgatat	caacataaga	aacgcaattg	ttctccaatc	ctatcaacta	3900
tcttcattga	atgatgcagt	ttcaattaat	gccaatggaa	ctggtgtggt	cttcgctcag	3960
ttgagttatt	cttactacag	ggactctttg	aatgacgatg	ctccgttctt	ctgctcccag	4020
gagatcaagg	aaataagagc	tggaaatcga	ctgcaattgg	atttgtgttg	caactatacc	4080
cgtcctggaa	agtctaacat	ggctctagcc	gaaattgatg	ccttgagtgg	ttaccgattc	4140
gatgcggaac	aggtgcatac	tttgacaagt	attgaggatt	tgcaaagggg	ggagatggaa	4200
aaggacgaca	ctaagatgaa	cgtatatatt	aacccgctcg	gtggccgtcc	ggtatgtctc	4260
tcgttatact	ctgatgtcac	ttatcaagtt	gccgatcaaa	aacctgccaa	cttccgatta	4320
gtggattact	acgatccgga	ggagcagctc	aaaatgacat	acgccgccaa	gcaaacacga	4380
tcgctgcaag	agaaatgtgg	ggaagactgt	tggccaccga	tttccccatc	actgcctcca	4440
tttgacgagt	cgacagtaac	aggcacgtcc	tctggttttg	gtgccaaagt	gtgtgctctt	4500
atcattgctg	tgctccttat	tgcatga				4527

<210> 69
 <211> 4560
 <212> DNA
 <213> *Caenorhabditis elegans*

<400> 69

atgcggctgc	taattctcaa	tatattat	gtggtttggc	aaatacatgg	cgctcatcgg	60
cagagtacaa	atgcagctgt	ggtgtcaaca	accgcggcgc	cagttaaacc	agccacttat	120
atgcttgtcg	ccccagcagt	agtgcgaccc	gatcaaccgt	tctccgtttg	catgaacctt	180
ctgaaacaag	ctacggatga	agacatgatt	gttcggattg	aagtgagaac	tgaacggaac	240
gagacgattg	ctgctcgagt	tataagcaat	ttgaagccgg	gaatcgacac	gactgtcagc	300
ttgagtgaga	tgcttgcctc	atcactaact	cctaggcaaa	gctataagct	ctacatccgc	360
ggggagactc	ttaacgcaga	actcataatt	gaaaacgaaa	atgagttaaa	gtacgatcaa	420
aaagctttat	cagttttcat	ccaaacagat	cgagcaatct	atcggcctgc	ttctcttggt	480
cgataccggg	caattgtagt	gaaatcggac	ttgaaacctt	acgtcggaaa	cgctactatt	540
aaaattttcg	atccaagcag	aaatctgatt	tcacagacga	ttggtgtaac	tttgataga	600
ggagtataca	gcggcgagct	ccaacttgcc	gaagagactc	tccttggaga	ttggtttatc	660
gaggtggaag	cctcgaatgg	agtccaggac	aagtcgtcat	ttacggtaga	tacatacgtg	720
cttcccaaat	ttgaagtga	tatcaagacg	tcttcgttta	taactattaa	cgatgatttg	780
tcagtgttcg	tcgatgcaaa	gtacacatat	ggaaaaggcg	ttgctggaaa	ggccaaagta	840
tctctagagc	ttccatggca	cagatggcat	gcgatggttc	ccactatcat	tgacgaaaat	900
gaggtcaaga	aggaagagga	gctgatggtc	gagcgtactg	ttaaagctgaa	cagacaagga	960
gaagcggcag	ttgttttctc	gaatgatgag	ctcaagaggc	acaagtgtgt	acatgaatgg	1020
ggaggagggt	caattcgaat	tggtgcctca	gtcactgaag	acatcactga	aatcgaaaga	1080
aacgctactc	atcaaatttc	aacgttccgt	gaggaggtca	aacttgatgt	tgaaaagcag	1140
ggagacacct	tcaagccagg	actcacttat	aatgtttagt	ttgcactgaa	acaaatggat	1200
gacactcccg	tgaaggcaac	tttgccaaag	agagttcagg	tatcaacatt	ctacaactat	1260
ccatacaatc	atgacacttc	atctctgcaa	gaggaaaaag	aaacaaaaat	tgtggaagtt	1320
gacgctcagc	gcacctcggt	tctcaccctc	caaccaccaa	tcaactgcac	ttctgctcgc	1380
attgaggctc	attatgatat	tggtggcaag	gacaacttca	cagccacccc	aatatatatt	1440
tcgctatatg	tcgaggcagc	cgtgagccca	acgaagagtt	tcctgcagct	tttggtgat	1500
aatgaggagg	ctgttgatgt	aggaaagagt	cttagcttct	cgttgaaggc	taccagccg	1560
ctgtcgacaa	ttacctatca	ggtcatgtct	cgttcgaaca	ttgtggtgtc	tcaacaaatg	1620
actgttaatt	ccgaacatgc	gaccattagc	ttcccagcaa	cggctaacat	ggcccaaaag	1680
tcacggttga	tcgtctatgc	cattattgag	agtagtcaag	aagttcttgt	tgatgcactt	1740
gactttaaag	tagaaggaat	attccaaaac	caagtggcac	tatcaattga	caaacaagca	1800
gtcgagccag	gacagaatgt	gaagtttaag	gtcacatctg	acaagaactc	ttttgttggg	1860
cttcttgtgg	tagatcagag	tggtctcttg	ttaaaaactg	gcaatgatat	cactagagaa	1920
aaagttgagc	aagacttgga	gaattatgac	tctaataatg	ttggaggagg	attcgggggt	1980
ccacggccat	gggaggaat	tgatagaaag	aagaggtcca	tttgagagacc	ttggtgggga	2040
attggaggga	gtgatgctca	atcaatcttt	tctaagtctg	ggcttgtagt	ttgaccgac	2100
gccctcttgt	accgcgagcc	tcaacgtgaa	tttatgtcag	aaagaagact	taatacaccc	2160
ggaggctcta	cagtaatgat	gatggatggt	gctccaggaa	tggtgaagc	cgcattcgcc	2220
gctccgcca	tgggcggtgc	gtcgctcca	ccgcgcagag	ttcgaaagtt	cttcccacac	2280
acctggattt	ggtcggatct	caactctact	agtggagaag	ttgagatgga	aattgaagct	2340
ccggacacca	tcacctcggt	ggtcgctctc	acttttgcaa	tcaatgagga	aaatgggtct	2400
ggtgtggctc	caacgacttc	aaaacttcgc	gtgtttcgtc	cattttttat	tcaactcaat	2460
cttccatatt	ctgtccgtcg	tgagagaaaag	tttgcacttt	tggtgcttgt	tttcaattat	2520
atggaaaagg	agcaagatgt	aacagtgact	ctgaagtatg	ataaagactc	tggttacgat	2580
ctcctgaaga	aagatggaac	tgtagtaagg	cgtgacgagg	ttggccaaca	aaatgttcgt	2640
attgtgtccg	ttgctggtgg	aggaacatcg	aaagcagtgt	acttcccaat	tgtgccgtct	2700
tcaattggag	agatcccggg	acatataagc	gctattgcat	cccaagggtg	tgatgcagta	2760
gagatgaact	tgagagttga	tccacaagga	tataaagtag	atagaaatat	tccatttgtc	2820
attgacctca	acaataactc	ttcgatttcc	tccaaaaatc	ttgagcttat	ctggccaaac	2880
gacgtggttg	atggatcgca	gaaggcaaga	ttagatgtga	ttggtgatat	gatgggacca	2940
gtgttaaaca	atgctcataa	gctcgtacaa	atgccatatg	gatgtggaga	acagaatatg	3000
ttgaacttgg	ttccaaatat	tttgggtggtc	aagtacttaa	gagcaacaaa	tagaaatgag	3060

98

```

agccaattag agacaaaggc tatcaagttt attgagcagg gaattcagag ggagttgacg 3120
tacaaacgtg ctgacaactc tttctcagct tttggcgata gtgataaagc tggttcaacg 3180
tggctcaccg catttgctcg tcgatcggtc catcacgcca aacaatacgc attcgtggat 3240
cctaattgta tttcccgagc agtcgcattc ttgaactctc aacaaatgga gtctggtgca 3300
tttgccgaac gtggtgaagt tcatcacaag gatatgcagg gaggtgctca ggacgggggt 3360
gtagctctaa cggcatttgt gctaattctcg attttggaga atggaatgga gaatggaaaag 3420
gcggtgacgt atttggaanaa gcatttggat gaagtatctg gaaatgcgta tacaatggct 3480
gtagtggcat atgcacttca attggcaaaa agtaagcaag ctggaaaaggc attcgagaat 3540
ttgaagaaac ataagatcgt tgagaaaagt ggagatgtga agtttgccag tgctcagaaa 3600
aaagtggaga aactaaaaga atcgagagcg tatatgttcc aggcccgctc agtagacatt 3660
gaaactacct cttacgcagt tctttcttac ctgcaccaaa atcaaacctc agaattctctc 3720
tcaattattc gttggttagt atcccaacgc aacgagctag gaggattcac ttccactcaa 3780
gacactgtca tggctcttca agctctctct tcctacgcag cagtcactta ttccgacaaa 3840
cacacaagtc aagtaacaat tctcaacgga aaacatactc actcatttga tatcaacata 3900
agaaacgcaa ttgttctcca atcctatcaa ctatcttcat tgaatgatgc agtttcaatt 3960
aatgccaatg gaactggtgt ggtcttcgct cagttgagtt attcttacta cagggactct 4020
ttgaatgacg atgctccggt cttctgctcc caggagatca aggaaataag agctggaaat 4080
cgactgcaat tggatttgtg ttgcaactat acccgctcctg gaaagtctaa catggctcta 4140
gccgaaattg atgccttgag tggttaccga ttcgatgcgg aacaggtgca tactttgaca 4200
agtattgagg atttgcaaaag ggtggagatg gaaaaggacg acactaagat gaacgtatat 4260
ttcaaccgcg tcggtggccg tccggtatgt ctctcgttat actctgatgt cacttatcaa 4320
gttgccgac aaaaacctgc caacttccga ttagtggtt actacgatcc ggaggagcag 4380
ctcaaaatga catacgccgc caagcaaaca cgatcgctgc aagagaaatg tggggaagac 4440
tggtggccac cgatttcccc atcactgcct ccatttgacg agtcgacagt aacaggcacg 4500
tcctctgggt ttggtgccaa gtggtgtgct cttatcattg ctgtgctcct tattgcatga 4560

```

<210> 70

<211> 1508

<212> PRT

<213> Caenorhabditis elegans

<400> 70

```

Met Arg Leu Leu Ile Leu Asn Ile Leu Phe Val Val Trp Gln Ile His
  1             5             10             15

```

```

Gly Val Ile Gly Gln Ser Thr Asn Ala Ala Val Val Ser Thr Thr Ala
      20             25             30

```

```

Ala Pro Val Lys Pro Ala Thr Tyr Met Leu Val Ala Pro Ala Val Val
      35             40             45

```

```

Arg Pro Asp Gln Pro Phe Ser Val Cys Met Asn Leu Leu Lys Gln Ala
      50             55             60

```

```

Thr Asp Glu Asp Met Ile Val Arg Ile Glu Val Arg Thr Glu Arg Asn
      65             70             75             80

```

```

Glu Thr Ile Ala Ala Arg Val Ile Ser Asn Leu Lys Pro Gly Ile Ala
      85             90             95

```

```

Gln Thr Val Ser Leu Ser Glu Met Pro Ala Gln Ser Leu Thr Pro Arg
      100            105            110

```

```

Gln Ser Tyr Lys Leu Tyr Ile Arg Gly Glu Thr Leu Asn Ala Glu Leu
      115            120            125

```

```

Ile Phe Glu Asn Glu Asn Glu Leu Lys Tyr Asp Gln Lys Ala Leu Ser
      130            135            140

```

Val	Phe	Ile	Gln	Thr	Asp	Arg	Ala	Ile	Tyr	Arg	Pro	Ala	Ser	Leu	Val	145	150	155				160
Arg	Tyr	Arg	Ala	Ile	Val	Val	Lys	Ser	Asp	Leu	Lys	Pro	Tyr	Val	Gly		165	170				175
Asn	Ala	Thr	Ile	Lys	Ile	Phe	Asp	Pro	Ser	Arg	Asn	Leu	Ile	Ser	Gln		180	185				190
Thr	Ile	Gly	Val	Thr	Leu	Asp	Arg	Gly	Val	Tyr	Ser	Gly	Glu	Leu	Gln		195	200				205
Leu	Ala	Glu	Glu	Thr	Leu	Leu	Gly	Asp	Trp	Phe	Ile	Glu	Val	Glu	Thr		210	215				220
Ser	Asn	Gly	Val	Gln	Asp	Lys	Ser	Ser	Phe	Thr	Val	Asp	Thr	Tyr	Val	225		230			235	240
Leu	Pro	Lys	Phe	Glu	Val	Asn	Ile	Lys	Thr	Ser	Ser	Phe	Ile	Thr	Ile		245	250				255
Asn	Asp	Asp	Leu	Ser	Val	Phe	Val	Asp	Ala	Lys	Tyr	Thr	Tyr	Gly	Lys		260	265				270
Gly	Val	Ala	Gly	Lys	Ala	Lys	Val	Ser	Leu	Glu	Leu	Pro	Trp	His	Arg		275	280				285
Trp	His	Ala	Met	Val	Pro	Thr	Ile	Ile	Asp	Glu	Asn	Gly	Val	Lys	Lys	290		295			300	
Glu	Glu	Glu	Leu	Met	Val	Glu	Arg	Thr	Val	Lys	Leu	Asn	Arg	Gln	Gly	305		310			315	320
Glu	Ala	Ala	Val	Val	Phe	Ser	Asn	Asp	Glu	Leu	Lys	Arg	His	Lys	Leu		325	330				335
Leu	His	Glu	Trp	Gly	Gly	Gly	Ser	Ile	Arg	Ile	Val	Ala	Ser	Val	Thr		340	345				350
Glu	Asp	Ile	Thr	Glu	Ile	Glu	Arg	Asn	Ala	Thr	His	Gln	Ile	Ser	Thr		355	360				365
Phe	Arg	Glu	Glu	Val	Lys	Leu	Asp	Val	Glu	Lys	Gln	Gly	Asp	Thr	Phe	370		375			380	
Lys	Pro	Gly	Leu	Thr	Tyr	Asn	Val	Val	Val	Ala	Leu	Lys	Gln	Met	Asp	385		390			395	400
Asp	Thr	Pro	Val	Lys	Ala	Thr	Leu	Pro	Lys	Arg	Val	Gln	Val	Ser	Thr		405	410				415
Phe	Tyr	Asn	Tyr	Pro	Tyr	Asn	His	Asp	Thr	Ser	Ser	Leu	Gln	Glu	Glu		420	425				430
Lys	Glu	Thr	Lys	Ile	Val	Glu	Val	Asp	Ala	His	Gly	Thr	Ser	Val	Leu		435	440				445

100

Thr	Leu	Gln	Pro	Pro	Ile	Asn	Cys	Thr	Ser	Ala	Arg	Ile	Glu	Ala	His
450						455					460				
Tyr	Asp	Ile	Gly	Gly	Lys	Asp	Asn	Phe	Thr	Ala	Thr	Pro	Ile	Tyr	Ser
465					470					475					480
Ser	Leu	Tyr	Val	Glu	Ala	Ala	Val	Ser	Pro	Thr	Lys	Ser	Phe	Leu	Gln
				485					490					495	
Leu	Leu	Ala	Asp	Asn	Glu	Gly	Ala	Val	Asp	Val	Gly	Lys	Ser	Leu	Ser
			500					505					510		
Phe	Ser	Leu	Lys	Ala	Thr	Gln	Pro	Leu	Ser	Thr	Ile	Thr	Tyr	Gln	Val
		515					520					525			
Met	Ser	Arg	Ser	Asn	Ile	Val	Val	Ser	Gln	Gln	Met	Thr	Val	Asn	Ser
	530					535					540				
Glu	His	Ala	Thr	Ile	Ser	Phe	Pro	Ala	Thr	Ala	Asn	Met	Ala	Pro	Lys
545					550					555					560
Ser	Arg	Leu	Ile	Val	Tyr	Ala	Ile	Ile	Glu	Ser	Ser	Gln	Glu	Val	Leu
				565					570					575	
Val	Asp	Ala	Leu	Asp	Phe	Lys	Val	Glu	Gly	Ile	Phe	Gln	Asn	Gln	Val
			580					585					590		
Ala	Leu	Ser	Ile	Asp	Lys	Gln	Ala	Val	Glu	Pro	Gly	Gln	Asn	Val	Lys
		595					600					605			
Phe	Lys	Val	Thr	Ser	Asp	Lys	Asn	Ser	Phe	Val	Gly	Leu	Leu	Val	Val
	610					615					620				
Asp	Gln	Ser	Val	Leu	Leu	Leu	Lys	Thr	Gly	Asn	Asp	Ile	Thr	Arg	Glu
625					630					635					640
Lys	Val	Glu	Gln	Asp	Leu	Glu	Asn	Tyr	Asp	Ser	Asn	Asn	Val	Gly	Gly
				645					650					655	
Gly	Phe	Gly	Gly	Pro	Arg	Pro	Trp	Glu	Ala	Ile	Asp	Arg	Lys	Lys	Arg
			660					665					670		
Ser	Ile	Trp	Arg	Pro	Trp	Trp	Gly	Ile	Gly	Gly	Ser	Asp	Ala	Gln	Ser
		675					680					685			
Ile	Phe	Ser	Asn	Ala	Gly	Leu	Val	Val	Leu	Thr	Asp	Ala	Leu	Leu	Tyr
	690					695					700				
Arg	Glu	Pro	Gln	Arg	Glu	Phe	Met	Ser	Val	Met	Met	Met	Asp	Gly	Ala
705					710					715					720
Pro	Gly	Met	Ala	Glu	Ala	Ala	Phe	Ala	Ala	Pro	Pro	Met	Gly	Gly	Ser
				725					730					735	
Ser	Pro	Pro	Pro	Pro	Thr	Val	Arg	Lys	Phe	Phe	Pro	His	Thr	Trp	Ile
			740					745					750		
Trp	Ser	Asp	Leu	Asn	Ser	Thr	Ser	Gly	Glu	Val	Glu	Met	Glu	Ile	Glu

									101						
	755							760					765		
Ala	Pro	Asp	Thr	Ile	Thr	Ser	Trp	Val	Ala	Ser	Thr	Phe	Ala	Ile	Asn
	770						775					780			
Glu	Glu	Asn	Gly	Leu	Gly	Val	Ala	Pro	Thr	Thr	Ser	Lys	Leu	Arg	Val
	785					790					795				800
Phe	Arg	Pro	Phe	Phe	Ile	Gln	Leu	Asn	Leu	Pro	Tyr	Ala	Val	Arg	Arg
				805					810					815	
Gly	Glu	Lys	Phe	Ala	Leu	Leu	Val	Leu	Val	Phe	Asn	Tyr	Met	Glu	Lys
			820					825					830		
Glu	Gln	Asp	Val	Thr	Val	Thr	Leu	Lys	Tyr	Asp	Lys	Asp	Ser	Gly	Tyr
		835					840					845			
Asp	Leu	Leu	Lys	Lys	Asp	Gly	Thr	Val	Val	Arg	Arg	Asp	Glu	Val	Gly
	850					855					860				
Gln	Gln	Asn	Val	Arg	Ile	Val	Ser	Val	Ala	Gly	Gly	Gly	Thr	Ser	Lys
	865				870					875					880
Ala	Val	Tyr	Phe	Pro	Ile	Val	Pro	Ser	Ser	Ile	Gly	Glu	Ile	Pro	Val
				885					890					895	
His	Ile	Ser	Ala	Ile	Ala	Ser	Gln	Gly	Gly	Asp	Ala	Val	Glu	Met	Asn
			900					905					910		
Leu	Arg	Val	Asp	Pro	Gln	Gly	Tyr	Lys	Val	Asp	Arg	Asn	Ile	Pro	Phe
		915					920					925			
Val	Ile	Asp	Leu	Asn	Asn	Asn	Ser	Ser	Asp	Phe	Ser	Lys	Asn	Leu	Glu
	930					935					940				
Leu	Ile	Trp	Pro	Asn	Asp	Val	Val	Asp	Gly	Ser	Gln	Lys	Ala	Arg	Leu
	945				950					955					960
Asp	Val	Ile	Gly	Asp	Met	Met	Gly	Pro	Val	Leu	Asn	Asn	Ala	His	Lys
				965					970					975	
Leu	Val	Gln	Met	Pro	Tyr	Gly	Cys	Gly	Glu	Gln	Asn	Met	Leu	Asn	Leu
			980					985					990		
Val	Pro	Asn	Ile	Leu	Val	Val	Lys	Tyr	Leu	Arg	Ala	Thr	Asn	Arg	Asn
		995					1000					1005			
Glu	Ser	Gln	Leu	Glu	Thr	Lys	Ala	Ile	Lys	Phe	Ile	Glu	Gln	Gly	Ile
	1010					1015					1020				
Gln	Arg	Glu	Leu	Thr	Tyr	Lys	Arg	Ala	Asp	Asn	Ser	Phe	Ser	Ala	Phe
	1025					1030				1035					1040
Gly	Asp	Ser	Asp	Lys	Ala	Gly	Ser	Thr	Trp	Leu	Thr	Ala	Phe	Val	Val
				1045					1050					1055	
Arg	Ser	Phe	His	His	Ala	Lys	Gln	Tyr	Ala	Phe	Val	Asp	Pro	Asn	Val
		1060					1065					1070			

102

Ile Ser Arg Ala Val Ala Phe Leu Asn Ser Gln Gln Met Glu Ser Gly
 1075 1080 1085
 Ala Phe Ala Glu Arg Gly Glu Val His His Lys Asp Met Gln Gly Gly
 1090 1095 1100
 Ala Gln Asp Gly Gly Val Ala Leu Thr Ala Phe Val Leu Ile Ser Ile
 1105 1110 1115 1120
 Leu Glu Asn Gly Met Glu Asn Gly Lys Ala Val Thr Tyr Leu Glu Lys
 1125 1130 1135
 His Leu Asp Glu Val Ser Gly Asn Ala Tyr Thr Met Ala Val Val Ala
 1140 1145 1150
 Tyr Ala Leu Gln Leu Ala Lys Ser Lys Gln Ala Gly Lys Ala Phe Glu
 1155 1160 1165
 Asn Leu Lys Lys His Lys Ile Val Glu Lys Ser Gly Asp Val Lys Phe
 1170 1175 1180
 Ala Ser Ala Gln Lys Lys Val Glu Lys Leu Lys Glu Ser Arg Ala Tyr
 1185 1190 1195 1200
 Met Phe Gln Ala Arg Pro Val Asp Ile Glu Thr Thr Ser Tyr Ala Val
 1205 1210 1215
 Leu Ser Tyr Leu Ala Gln Asn Gln Thr Ser Glu Ser Leu Ser Ile Ile
 1220 1225 1230
 Arg Trp Leu Val Ser Gln Arg Asn Glu Leu Gly Gly Phe Thr Ser Thr
 1235 1240 1245
 Gln Asp Thr Val Met Ala Leu Gln Ala Leu Ser Ser Tyr Ala Ala Val
 1250 1255 1260
 Thr Tyr Ser Asp Lys His Thr Ser Gln Val Thr Ile Leu Asn Gly Lys
 1265 1270 1275 1280
 His Thr His Ser Phe Asp Ile Asn Ile Arg Asn Ala Ile Val Leu Gln
 1285 1290 1295
 Ser Tyr Gln Leu Ser Ser Leu Asn Asp Ala Val Ser Ile Asn Ala Asn
 1300 1305 1310
 Gly Thr Gly Val Val Phe Ala Gln Leu Ser Tyr Ser Tyr Tyr Arg Asp
 1315 1320 1325
 Ser Leu Asn Asp Asp Ala Pro Phe Phe Cys Ser Gln Glu Ile Lys Glu
 1330 1335 1340
 Ile Arg Ala Gly Asn Arg Leu Gln Leu Asp Leu Cys Cys Asn Tyr Thr
 1345 1350 1355 1360
 Arg Pro Gly Lys Ser Asn Met Ala Leu Ala Glu Ile Asp Ala Leu Ser
 1365 1370 1375

103

Gly Tyr Arg Phe Asp Ala Glu Gln Val His Thr Leu Thr Ser Ile Glu
 1380 1385 1390

Asp Leu Gln Arg Val Glu Met Glu Lys Asp Asp Thr Lys Met Asn Val
 1395 1400 1405

Tyr Phe Asn Pro Leu Gly Gly Arg Pro Val Cys Leu Ser Leu Tyr Ser
 1410 1415 1420

Asp Val Thr Tyr Gln Val Ala Asp Gln Lys Pro Ala Asn Phe Arg Leu
 1425 1430 1435 1440

Val Asp Tyr Tyr Asp Pro Glu Glu Gln Leu Lys Met Thr Tyr Ala Ala
 1445 1450 1455

Lys Gln Thr Arg Ser Leu Gln Glu Lys Cys Gly Glu Asp Cys Trp Pro
 1460 1465 1470

Pro Ile Ser Pro Ser Leu Pro Pro Phe Asp Glu Ser Thr Val Thr Gly
 1475 1480 1485

Thr Ser Ser Gly Phe Gly Ala Lys Trp Cys Ala Leu Ile Ile Ala Val
 1490 1495 1500

Leu Leu Ile Ala
 1505

<210> 71
 <211> 1519
 <212> PRT
 <213> Caenorhabditis elegans

<400> 71
 Met Arg Leu Leu Ile Leu Asn Ile Leu Phe Val Val Trp Gln Ile His
 1 5 10 15

Gly Val Ile Gly Gln Ser Thr Asn Ala Ala Val Val Ser Thr Thr Ala
 20 25 30

Ala Pro Val Lys Pro Ala Thr Tyr Met Leu Val Ala Pro Ala Val Val
 35 40 45

Arg Pro Asp Gln Pro Phe Ser Val Cys Met Asn Leu Leu Lys Gln Ala
 50 55 60

Thr Asp Glu Asp Met Ile Val Arg Ile Glu Val Arg Thr Glu Arg Asn
 65 70 75 80

Glu Thr Ile Ala Ala Arg Val Ile Ser Asn Leu Lys Pro Gly Ile Ala
 85 90 95

Gln Thr Val Ser Leu Ser Glu Met Pro Ala Gln Ser Leu Thr Pro Arg
 100 105 110

Gln Ser Tyr Lys Leu Tyr Ile Arg Gly Glu Thr Leu Asn Ala Glu Leu
 115 120 125

104

Ile	Phe	Glu	Asn	Glu	Asn	Glu	Leu	Lys	Tyr	Asp	Gln	Lys	Ala	Leu	Ser	130	135	140
Val	Phe	Ile	Gln	Thr	Asp	Arg	Ala	Ile	Tyr	Arg	Pro	Ala	Ser	Leu	Val	145	150	155
Arg	Tyr	Arg	Ala	Ile	Val	Val	Lys	Ser	Asp	Leu	Lys	Pro	Tyr	Val	Gly	165	170	175
Asn	Ala	Thr	Ile	Lys	Ile	Phe	Asp	Pro	Ser	Arg	Asn	Leu	Ile	Ser	Gln	180	185	190
Thr	Ile	Gly	Val	Thr	Leu	Asp	Arg	Gly	Val	Tyr	Ser	Gly	Glu	Leu	Gln	195	200	205
Leu	Ala	Glu	Glu	Thr	Leu	Leu	Gly	Asp	Trp	Phe	Ile	Glu	Val	Glu	Thr	210	215	220
Ser	Asn	Gly	Val	Gln	Asp	Lys	Ser	Ser	Phe	Thr	Val	Asp	Thr	Tyr	Val	225	230	235
Leu	Phe	Lys	Phe	Glu	Val	Asn	Ile	Lys	Thr	Ser	Ser	Phe	Ile	Thr	Ile	245	250	255
Asn	Asp	Asp	Leu	Ser	Val	Phe	Val	Asp	Ala	Lys	Tyr	Thr	Tyr	Gly	Lys	260	265	270
Gly	Val	Ala	Gly	Lys	Ala	Lys	Val	Ser	Leu	Glu	Leu	Pro	Trp	His	Arg	275	280	285
Trp	His	Ala	Met	Val	Pro	Thr	Ile	Ile	Asp	Glu	Asn	Gly	Val	Lys	Lys	290	295	300
Glu	Glu	Glu	Leu	Met	Val	Glu	Arg	Thr	Val	Lys	Leu	Asn	Arg	Gln	Gly	305	310	315
Glu	Ala	Ala	Val	Val	Phe	Ser	Asn	Asp	Glu	Leu	Lys	Arg	His	Lys	Leu	325	330	335
Leu	His	Glu	Trp	Gly	Gly	Gly	Ser	Ile	Arg	Ile	Val	Ala	Ser	Val	Thr	340	345	350
Glu	Asp	Ile	Thr	Glu	Ile	Glu	Arg	Asn	Ala	Thr	His	Gln	Ile	Ser	Thr	355	360	365
Phe	Arg	Glu	Glu	Val	Lys	Leu	Asp	Val	Glu	Lys	Gln	Gly	Asp	Thr	Phe	370	375	380
Lys	Pro	Gly	Leu	Thr	Tyr	Asn	Val	Val	Val	Ala	Leu	Lys	Gln	Met	Asp	385	390	395
Asp	Thr	Pro	Val	Lys	Ala	Thr	Leu	Pro	Lys	Arg	Val	Gln	Val	Ser	Thr	405	410	415
Phe	Tyr	Asn	Tyr	Pro	Tyr	Asn	His	Asp	Thr	Ser	Ser	Leu	Gln	Glu	Glu	420	425	430
Lys	Glu	Thr	Lys	Ile	Val	Glu	Val	Asp	Ala	His	Gly	Thr	Ser	Val	Leu			

105

435	440	445
Thr Leu Gln Pro Pro Ile Asn Cys Thr Ser Ala Arg Ile Glu Ala His		
450	455	460
Tyr Asp Ile Gly Gly Lys Asp Asn Phe Thr Ala Thr Pro Ile Tyr Ser		
465	470	475
Ser Leu Tyr Val Glu Ala Ala Val Ser Pro Thr Lys Ser Phe Leu Gln		
485	490	495
Leu Leu Ala Asp Asn Glu Gly Ala Val Asp Val Gly Lys Ser Leu Ser		
500	505	510
Phe Ser Leu Lys Ala Thr Gln Pro Leu Ser Thr Ile Thr Tyr Gln Val		
515	520	525
Met Ser Arg Ser Asn Ile Val Val Ser Gln Gln Met Thr Val Asn Ser		
530	535	540
Glu His Ala Thr Ile Ser Phe Pro Ala Thr Ala Asn Met Ala Pro Lys		
545	550	555
Ser Arg Leu Ile Val Tyr Ala Ile Ile Glu Ser Ser Gln Glu Val Leu		
565	570	575
Val Asp Ala Leu Asp Phe Lys Val Glu Gly Ile Phe Gln Asn Gln Val		
580	585	590
Ala Leu Ser Ile Asp Lys Gln Ala Val Glu Pro Gly Gln Asn Val Lys		
595	600	605
Phe Lys Val Thr Ser Asp Lys Asn Ser Phe Val Gly Leu Leu Val Val		
610	615	620
Asp Gln Ser Val Leu Leu Leu Lys Thr Gly Asn Asp Ile Thr Arg Glu		
625	630	635
Lys Val Glu Gln Asp Leu Glu Asn Tyr Asp Ser Asn Asn Val Gly Gly		
645	650	655
Gly Phe Gly Gly Pro Arg Pro Trp Glu Ala Ile Asp Arg Lys Lys Arg		
660	665	670
Ser Ile Trp Arg Pro Trp Trp Gly Ile Gly Gly Ser Asp Ala Gln Ser		
675	680	685
Ile Phe Ser Asn Ala Gly Leu Val Val Leu Thr Asp Ala Leu Leu Tyr		
690	695	700
Arg Glu Pro Gln Arg Glu Phe Met Ser Glu Arg Arg Leu Asn Thr Pro		
705	710	715
Gly Gly Leu Thr Val Met Met Met Asp Gly Ala Pro Gly Met Ala Glu		
725	730	735
Ala Ala Phe Ala Ala Pro Pro Met Gly Gly Ser Ser Pro Pro Pro Pro		
740	745	750

Thr	Val	Arg	Lys	Phe	Phe	Pro	His	Thr	Trp	Ile	Trp	Ser	Asp	Leu	Asn
	755						760					765			
Ser	Thr	Ser	Gly	Glu	Val	Glu	Met	Glu	Ile	Glu	Ala	Pro	Asp	Thr	Ile
	770					775					780				
Thr	Ser	Trp	Val	Ala	Ser	Thr	Phe	Ala	Ile	Asn	Glu	Glu	Asn	Gly	Leu
785					790					795					800
Gly	Val	Ala	Pro	Thr	Thr	Ser	Lys	Leu	Arg	Val	Phe	Arg	Pro	Phe	Phe
				805					810					815	
Ile	Gln	Leu	Asn	Leu	Pro	Tyr	Ala	Val	Arg	Arg	Gly	Glu	Lys	Phe	Ala
			820					825					830		
Leu	Leu	Val	Leu	Val	Phe	Asn	Tyr	Met	Glu	Lys	Glu	Gln	Asp	Val	Thr
		835					840					845			
Val	Thr	Leu	Lys	Tyr	Asp	Lys	Asp	Ser	Gly	Tyr	Asp	Leu	Leu	Lys	Lys
	850					855					860				
Asp	Gly	Thr	Val	Val	Arg	Arg	Asp	Glu	Val	Gly	Gln	Gln	Asn	Val	Arg
865					870					875					880
Ile	Val	Ser	Val	Ala	Gly	Gly	Gly	Thr	Ser	Lys	Ala	Val	Tyr	Phe	Pro
				885					890					895	
Ile	Val	Pro	Ser	Ser	Ile	Gly	Glu	Ile	Pro	Val	His	Ile	Ser	Ala	Ile
			900					905					910		
Ala	Ser	Gln	Gly	Gly	Asp	Ala	Val	Glu	Met	Asn	Leu	Arg	Val	Asp	Pro
		915					920					925			
Gln	Gly	Tyr	Lys	Val	Asp	Arg	Asn	Ile	Pro	Phe	Val	Ile	Asp	Leu	Asn
	930					935					940				
Asn	Asn	Ser	Ser	Asp	Phe	Ser	Lys	Asn	Leu	Glu	Leu	Ile	Trp	Pro	Asn
945					950					955					960
Asp	Val	Val	Asp	Gly	Ser	Gln	Lys	Ala	Arg	Leu	Asp	Val	Ile	Gly	Asp
				965					970					975	
Met	Met	Gly	Pro	Val	Leu	Asn	Asn	Ala	His	Lys	Leu	Val	Gln	Met	Pro
			980					985					990		
Tyr	Gly	Cys	Gly	Glu	Gln	Asn	Met	Leu	Asn	Leu	Val	Pro	Asn	Ile	Leu
		995					1000					1005			
Val	Val	Lys	Tyr	Leu	Arg	Ala	Thr	Asn	Arg	Asn	Glu	Ser	Gln	Leu	Glu
	1010					1015					1020				
Thr	Lys	Ala	Ile	Lys	Phe	Ile	Glu	Gln	Gly	Ile	Gln	Arg	Glu	Leu	Thr
1025					1030					1035					1040
Tyr	Lys	Arg	Ala	Asp	Asn	Ser	Phe	Ser	Ala	Phe	Gly	Asp	Ser	Asp	Lys
			1045						1050					1055	

107
 Ala Gly Ser Thr Trp Leu Thr Ala Phe Val Val Arg Ser Phe His His
 1060 1065 1070
 Ala Lys Gln Tyr Ala Phe Val Asp Pro Asn Val Ile Ser Arg Ala Val
 1075 1080 1085
 Ala Phe Leu Asn Ser Gln Gln Met Glu Ser Gly Ala Phe Ala Glu Arg
 1090 1095 1100
 Gly Glu Val His His Lys Asp Met Gln Gly Gly Ala Gln Asp Gly Gly
 1105 1110 1115 1120
 Val Ala Leu Thr Ala Phe Val Leu Ile Ser Ile Leu Glu Asn Gly Met
 1125 1130 1135
 Glu Asn Gly Lys Ala Val Thr Tyr Leu Glu Lys His Leu Asp Glu Val
 1140 1145 1150
 Ser Gly Asn Ala Tyr Thr Met Ala Val Val Ala Tyr Ala Leu Gln Leu
 1155 1160 1165
 Ala Lys Ser Lys Gln Ala Gly Lys Ala Phe Glu Asn Leu Lys Lys His
 1170 1175 1180
 Lys Ile Val Glu Lys Ser Gly Asp Val Lys Phe Ala Ser Ala Gln Lys
 1185 1190 1195 1200
 Lys Val Glu Lys Leu Lys Glu Ser Arg Ala Tyr Met Phe Gln Ala Arg
 1205 1210 1215
 Pro Val Asp Ile Glu Thr Thr Ser Tyr Ala Val Leu Ser Tyr Leu Ala
 1220 1225 1230
 Gln Asn Gln Thr Ser Glu Ser Leu Ser Ile Ile Arg Trp Leu Val Ser
 1235 1240 1245
 Gln Arg Asn Glu Leu Gly Gly Phe Thr Ser Thr Gln Asp Thr Val Met
 1250 1255 1260
 Ala Leu Gln Ala Leu Ser Ser Tyr Ala Ala Val Thr Tyr Ser Asp Lys
 1265 1270 1275 1280
 His Thr Ser Gln Val Thr Ile Leu Asn Gly Lys His Thr His Ser Phe
 1285 1290 1295
 Asp Ile Asn Ile Arg Asn Ala Ile Val Leu Gln Ser Tyr Gln Leu Ser
 1300 1305 1310
 Ser Leu Asn Asp Ala Val Ser Ile Asn Ala Asn Gly Thr Gly Val Val
 1315 1320 1325
 Phe Ala Gln Leu Ser Tyr Ser Tyr Tyr Arg Asp Ser Leu Asn Asp Asp
 1330 1335 1340
 Ala Pro Phe Phe Cys Ser Gln Glu Ile Lys Glu Ile Arg Ala Gly Asn
 1345 1350 1355 1360
 Arg Leu Gln Leu Asp Leu Cys Cys Asn Tyr Thr Arg Pro Gly Lys Ser

1365 108 1375
 1370
 Asn Met Ala Leu Ala Glu Ile Asp Ala Leu Ser Gly Tyr Arg Phe Asp
 1380 1385 1390
 Ala Glu Gln Val His Thr Leu Thr Ser Ile Glu Asp Leu Gln Arg Val
 1395 1400 1405
 Glu Met Glu Lys Asp Asp Thr Lys Met Asn Val Tyr Phe Asn Pro Leu
 1410 1415 1420
 Gly Gly Arg Pro Val Cys Leu Ser Leu Tyr Ser Asp Val Thr Tyr Gln
 1425 1430 1435 1440
 Val Ala Asp Gln Lys Pro Ala Asn Phe Arg Leu Val Asp Tyr Tyr Asp
 1445 1450 1455
 Pro Glu Glu Gln Leu Lys Met Thr Tyr Ala Ala Lys Gln Thr Arg Ser
 1460 1465 1470
 Leu Gln Glu Lys Cys Gly Glu Asp Cys Trp Pro Pro Ile Ser Pro Ser
 1475 1480 1485
 Leu Pro Pro Phe Asp Glu Ser Thr Val Thr Gly Thr Ser Ser Gly Phe
 1490 1495 1500
 Gly Ala Lys Trp Cys Ala Leu Ile Ile Ala Val Leu Leu Ile Ala
 1505 1510 1515

<210> 72

<211> 1026

<212> DNA

<213> *Caenorhabditis elegans*

<400> 72

atgaatattg tgtgggttat aatttttttg aagctacaga aaggcatttt ccgagaagat 60
 ggacttgaac cagtaacact agcagttcat ggtactgcag aaatgatgga aatgatagaa 120
 aataagcctg agaactggga tgggcctata tcatttggat tgtttattga ttttcattct 180
 agacaaattc tggattacgt cgctaagggt tatagctgcy atgaggagtt tcagaaaaag 240
 gttaccgtac actttgcatt ccgtctatca ccctttcaaa cttagctgcc acaaatcaaa 300
 gtctcaccgt caactctcga atgtggcgag ttccctctcca acagaaaaaa gtttcgacgt 360
 gctgtaggcg actcatttca attgtaccca agtaacttga tgagaaatat tgcaagaaaa 420
 ggtgccaaat cggatattca tttcattgtc gatggtgata tgataatgag tgatggattt 480
 gcggaaaaga ttaaaccaat tgcaaatcaa attgttgatg ggaaaaacaa aaatgtattg 540
 gttgttagaa gatttgaac aaatgaaacg acaatacccc acaaccatat agaattgaaa 600
 aatgcaattg aaaataaaca agtcttccaa tttcatcaca gatttttctt tgctgggcgt 660
 aaaatttcaa atatttcaca ctgggttgcy gtttccaatg aaaccgacga aattactgct 720
 tgggaaatac ctactcgcag cagcttatgg gaagttcaag tgattcttca tcgtaacgac 780
 ttgtacaatg cggattactt tccagcgaga atcaagggtta tgcagtcatt ggtgtacagc 840
 ctgtgcagag ccaactatac gttcaacctc ctatcacacg ttttcaacgt gcacaaagga 900
 atcaaattag gcgatactaa cttctcaaaa tccgttatag cacactctaa gagaaatgga 960
 agaaatagcg aactccagga tacataccca gatacgttgg atagatgcgg tcaatttgta 1020
 atgtaa 1026

<210> 73

<211> 341

<212> PRT

109

<213> Caenorhabditis elegans

<400> 73

```

Met Asn Ile Val Trp Val Ile Ile Phe Trp Lys Leu Gln Lys Gly Ile
 1           5           10           15

Phe Arg Glu Asp Gly Leu Glu Pro Val Thr Leu Ala Val His Gly Thr
          20           25           30

Ala Glu Met Met Glu Met Ile Glu Asn Lys Pro Glu Asn Trp Asp Gly
          35           40           45

Pro Ile Ser Phe Gly Leu Phe Ile Asp Phe His Ser Arg Gln Ile Leu
 50           55           60

Asp Tyr Val Ala Lys Val Tyr Ser Cys Asp Glu Glu Phe Gln Lys Lys
65           70           75           80

Val Thr Val His Phe Ala Phe Arg Leu Ser Pro Phe Gln Thr Ser Cys
          85           90           95

Pro Gln Ile Lys Val Ser Pro Ser Thr Leu Glu Cys Gly Glu Phe Leu
          100          105          110

Ser Asn Arg Lys Lys Phe Arg Arg Ala Val Gly Asp Ser Phe Gln Leu
          115          120          125

Tyr Pro Ser Asn Leu Met Arg Asn Ile Ala Arg Lys Gly Ala Lys Ser
130           135           140

Asp Ile His Phe Ile Val Asp Gly Asp Met Ile Met Ser Asp Gly Phe
145           150           155           160

Ala Glu Lys Ile Lys Pro Ile Ala Asn Gln Ile Val Asp Gly Lys Asn
          165          170          175

Lys Asn Val Leu Val Val Arg Arg Phe Glu Thr Asn Glu Thr Thr Ile
          180          185          190

Pro His Asn His Ile Glu Leu Lys Asn Ala Ile Glu Asn Lys Gln Val
          195          200          205

Phe Gln Phe His His Arg Phe Phe Phe Ala Gly His Lys Ile Ser Asn
210           215           220

Ile Ser His Trp Phe Ala Val Ser Asn Glu Thr Asp Glu Ile Thr Ala
225           230           235           240

Trp Glu Ile Pro Tyr Ser Ser Ser Leu Trp Glu Val Gln Val Ile Leu
          245          250          255

His Arg Asn Asp Leu Tyr Asn Ala Asp Tyr Phe Pro Ala Arg Ile Lys
          260          265          270

Val Met Gln Ser Leu Val Tyr Ser Leu Cys Arg Ala Asn Tyr Thr Phe
          275          280          285

Asn Leu Leu Ser His Val Phe Asn Val His Lys Gly Ile Lys Leu Gly

```

110

290	295	300	
Asp Thr Asn Phe Ser Lys Ser Val Ile Ala His Ser Lys Arg Asn Gly			
305	310	315	320
Arg Asn Ser Glu Leu Gln Asp Thr Tyr Pro Asp Thr Leu Asp Arg Cys			
	325	330	335
Gly Gln Phe Val Met			
	340		

<210> 74

<211> 1869

<212> DNA

<213> *Caenorhabditis elegans*

<400> 74

```

atgcagtaca ttgtagcgtc atattttaca atatggaact ttgtggacca cacacgtggt 60
ggggcgtttc cggaagaaga ttacattcgc cttgcgtata ttatcggtgg aaattttatg 120
acacgtctta tgttcatgca gcattttaaa agtgtattga agtactctga ccatttcttt 180
cgcctacatc tgataactga tgaaaatcac cgatccgata ttcattgagct catgacgtca 240
tggaatatatt caaactgcga gtgggtttttt cacaatctca cagagttcga aaaacgagtt 300
gcttggtattc caaattcaca ttattcaaaa tattatgggt tgagcaaact tttaattcct 360
gaaatcatcg gcaatgacat tggaaagatt atgttcatgg atgttgatat catttttcaa 420
accaatatatt ttgattttgtg gaaacaattt agaaacttta acaattccca ggttttcgga 480
atggtggaaa atctttccga ttggtatctt aacaaggatg gtaaaaagtc ggtttggcca 540
gcattgggac gtggatttaa cactggaata atcatgtttg atttgataa gctccggaaa 600
aatggatggg caagcaaatt gagagtagtg gctaacaaat atttacgaat tcacggaaaa 660
actgccatgt cagatcaaga catatttaaat gcatacatc atgactatcc gactgaaatt 720
atacaaatc catgtgctta caattatcaa cttggagcac tcacaaaatc caaagaacta 780
tgtccggaga ctccacttgc gctacatttc aactcacaaa acaagactgt tggaaaaaat 840
tacgcatttt ttgacaagat tcgaaaagcg tttgatgaaa tggatggttc agatcttaaa 900
cgacgtagac gatcttttaa aggaaataat caaaaagata tctgccatga atatttacca 960
ttagacaatt tccgaattat cccaaatgca attggaagaa tgacaaaacc tgcagaactc 1020
tgcatggtga cgcagttttc caaagatcga cttaatcatt ttctggaaag tgcaaatgcg 1080
tggcggcatc ctatatctac agcagtatac gggaaggata aagatttgct agacattgca 1140
aaagccgtca cagaattgaa tcgcacagat atcacaaatc atctggtttt tgaggaacca 1200
actgaatcct ggatgctaga ctctttatat ccataaatt ttttgagaaa tgtagcaatt 1260
gaacacgcaa actgcaaata tattttaatg actgatgtag attttggtgt acttgagat 1320
tacggtacaa taatcgatca aactggaaac ctgaaacaaa aagaagttct ggtgatccct 1380
gcattggaaa tgacataccc gcagctgagg ttaaatttat caaattttct ctcgagaaaa 1440
gatttggtga tagaacattt attgaacaaa accattcaaa cttttcggga aacaatttgg 1500
ccaagtcttc acgtacctac aaatatattca aaatggataa agtcaaactc cacttatatg 1560
gtagcacaaa atgtaaatta tgaaaagaac tatgaacctt attttgtaat caaaaaagaa 1620
gaatgccctt tttacgatca gcggttcgga ggatttggtt ggaataaagt aactcatgta 1680
atgcaactga aaatgatgaa ttataagttc ttggtttctc caactagttt tatgattcat 1740
caaaatcata atgcttcaaa atcattgaaa cgctggagac gtgacccaca ttatcagaaa 1800
tgccttcaca cgttaaaaaa taaatttatg aaaaaaactg ctagtcgact gggaatcaag 1860
ctaagatga

```

<210> 75

<211> 622

<212> PRT

<213> *Caenorhabditis elegans*

<400> 75

Met Gln Tyr Ile Val Ala Ser Tyr Phe Thr Ile Trp Asn Phe Val Asp

1	5	111	10	15
His Thr Arg Val Gly Ala Phe Pro Glu Glu Asp Tyr Ile Arg Leu Ala	20	25	30	
Tyr Ile Ile Gly Gly Asn Phe Met Thr Arg Leu Met Phe Met Gln His	35	40	45	
Phe Lys Ser Val Leu Lys Tyr Ser Asp His Phe Phe Arg Leu His Leu	50	55	60	
Ile Thr Asp Glu Asn His Arg Ser Asp Ile His Glu Leu Met Thr Ser	65	70	75	80
Trp Asn Ile Ser Asn Cys Glu Trp Phe Phe His Asn Leu Thr Glu Phe	85	90	95	
Glu Lys Arg Val Ala Trp Ile Pro Asn Ser His Tyr Ser Lys Tyr Tyr	100	105	110	
Gly Leu Ser Lys Leu Leu Ile Pro Glu Ile Ile Gly Asn Asp Ile Gly	115	120	125	
Lys Ile Met Phe Met Asp Val Asp Ile Ile Phe Gln Thr Asn Ile Phe	130	135	140	
Asp Leu Trp Lys Gln Phe Arg Asn Phe Asn Asn Ser Gln Val Phe Gly	145	150	155	160
Met Val Glu Asn Leu Ser Asp Trp Tyr Leu Asn Lys Asp Gly Lys Lys	165	170	175	
Ser Val Trp Pro Ala Leu Gly Arg Gly Phe Asn Thr Gly Ile Ile Met	180	185	190	
Phe Asp Leu Asp Lys Leu Arg Lys Asn Gly Trp Ala Ser Lys Trp Arg	195	200	205	
Val Val Ala Asn Lys Tyr Leu Arg Ile His Gly Lys Thr Ala Met Ser	210	215	220	
Asp Gln Asp Ile Phe Asn Ala Tyr Ile His Asp Tyr Pro Thr Glu Ile	225	230	235	240
Ile Gln Ile Pro Cys Ala Tyr Asn Tyr Gln Leu Gly Ala Leu Thr Lys	245	250	255	
Ser Lys Glu Leu Cys Pro Glu Thr Pro Leu Ala Leu His Phe Asn Ser	260	265	270	
Gln Asn Lys Thr Val Gly Lys Asn Tyr Ala Phe Phe Asp Lys Ile Arg	275	280	285	
Lys Ala Phe Asp Glu Met Asp Gly Ser Asp Leu Lys Arg Arg Arg Arg	290	295	300	
Ser Phe Lys Gly Asn Asn Gln Lys Asp Ile Cys His Glu Tyr Leu Pro	305	310	315	320

Leu Asp Asn Phe Arg Ile Ile Pro Asn Ala Ile Gly Arg Met Thr Lys
 325 330 335
 Pro Ala Glu Leu Cys Met Val Thr Gln Phe Ser Lys Asp Arg Leu Asn
 340 345 350
 His Phe Leu Glu Ser Ala Asn Ala Trp Arg His Pro Ile Ser Thr Ala
 355 360 365
 Val Tyr Gly Lys Asp Lys Asp Leu Leu Asp Ile Ala Lys Ala Val Thr
 370 375 380
 Glu Leu Asn Arg Thr Asp Ile Thr Ile His Leu Val Phe Glu Glu Pro
 385 390 395 400
 Thr Glu Ser Trp Met Leu Asp Ser Leu Tyr Pro Ile Asn Phe Leu Arg
 405 410 415
 Asn Val Ala Ile Glu His Ala Asn Cys Lys Tyr Ile Leu Met Thr Asp
 420 425 430
 Val Asp Phe Val Val Leu Gly Asp Tyr Gly Thr Ile Ile Asp Gln Thr
 435 440 445
 Gly Asn Leu Lys Gln Lys Glu Val Leu Val Ile Pro Ala Leu Glu Met
 450 455 460
 Thr Tyr Pro Gln Leu Arg Leu Asn Leu Ser Asn Phe Leu Ser Arg Lys
 465 470 475 480
 Asp Leu Val Ile Glu His Leu Leu Asn Lys Thr Ile Gln Thr Phe Arg
 485 490 495
 Glu Thr Ile Trp Pro Ser Ser His Val Pro Thr Asn Ile Ser Lys Trp
 500 505 510
 Ile Lys Ser Asn Arg Thr Tyr Met Val Ala Gln Asn Val Asn Tyr Glu
 515 520 525
 Lys Asn Tyr Glu Pro Tyr Phe Val Ile Lys Lys Glu Glu Cys Pro Phe
 530 535 540
 Tyr Asp Gln Arg Phe Gly Gly Phe Gly Trp Asn Lys Val Thr His Val
 545 550 555 560
 Met Gln Leu Lys Met Met Asn Tyr Lys Phe Leu Val Ser Pro Thr Ser
 565 570 575
 Phe Met Ile His Gln Asn His Asn Ala Ser Lys Ser Leu Lys Arg Trp
 580 585 590
 Arg Arg Asp Pro His Tyr Gln Lys Cys Leu His Thr Leu Lys Asn Lys
 595 600 605
 Phe Met Lys Lys Thr Ala Ser Arg Leu Gly Ile Lys Leu Arg
 610 615 620

```
<210> 76
<211> 417
<212> PRT
<213> Caenorhabditis elegans
```

<400> 76																
Met	Val	Ser	Leu	Gln	Lys	Ser	Ile	Gly	Leu	Leu	Leu	Leu	Ser	Ala	Ile	
1				5					10					15		
Ile	Gly	Leu	Val	Phe	Leu	Ile	Gln	His	Arg	Lys	Ser	Tyr	Thr	Ser	Ser	
			20					25					30			
Asp	Ala	Leu	Leu	Glu	Asn	Gly	Tyr	Pro	Asn	Lys	Tyr	Tyr	Thr	Ile	Glu	
		35					40					45				
Asn	Pro	Ala	Glu	Glu	Gly	Glu	Arg	Arg	Ser	Tyr	Ser	Ile	Gln	Thr	Glu	
	50					55					60					
Met	His	Ala	Asp	Gln	Tyr	Cys	Ile	Ala	Tyr	Lys	Phe	Leu	Glu	Ala	Thr	
65					70					75					80	
Glu	Ser	Phe	Arg	Glu	Ala	Asp	Gly	Leu	Glu	Pro	Val	Thr	Leu	Ala	Thr	
				85					90					95		
His	Ala	Thr	Ala	Asp	Met	Ile	Glu	Thr	Val	Glu	Asn	Met	Thr	Phe	Leu	
			100					105					110			
Trp	Asp	Gly	Pro	Ile	Ser	Ile	Gly	Ile	Phe	Val	Asp	Tyr	His	Ser	Tyr	
		115					120					125				
Asn	Val	Leu	Glu	Tyr	Leu	Ala	Glu	Val	His	Arg	Cys	Asp	Val	Ser	Phe	
	130					135					140					
Arg	Arg	Lys	Met	Asn	Val	His	Phe	Ala	Phe	Arg	Arg	Ser	Pro	Phe	Gln	
145					150					155					160	
Thr	Glu	Cys	Pro	Leu	Ile	Glu	Ile	Pro	Gln	Ser	Asn	Arg	Ser	Cys	Gln	
				165					170					175		
Glu	Phe	Phe	Ala	Thr	His	Thr	Glu	Leu	Arg	Asn	Ala	Ile	Val	Gly	Pro	
			180					185					190			
Phe	Gln	Leu	Tyr	Pro	Ser	Asn	Leu	Met	Arg	Asn	Ile	Ala	Arg	Lys	Gly	
		195					200					205				
Ala	Gln	Thr	Asp	Leu	Gln	Phe	Ile	Met	Asp	Gly	Asp	Met	Val	Pro	Ser	
	210					215					220					
Glu	Gly	Phe	Ala	Thr	Lys	Ile	Lys	Arg	Ile	Ala	Asn	Glu	Val	Ile	Asp	
225					230					235					240	
Gly	Lys	Asn	Lys	Arg	Val	Leu	Ala	Ile	Arg	Arg	Phe	Glu	Thr	Ser	Asp	
				245					250					255		
Thr	Ala	Glu	Ile	Pro	Arg	Asp	His	Leu	Lys	Leu	Leu	Lys	Ser	Lys	Lys	
			260					265					270			

114

Leu His Lys Thr Phe Glu Phe His His Arg Tyr Phe Pro Glu Gly His
 275 280 285

His Ile Asp Gly Leu Asp Asp Trp Phe Arg Thr Ser Ile His Ser Gly
 290 295 300

Val Val Thr Thr Lys Glu Val Ala Tyr Pro Gly Tyr Leu Trp Glu Val
 305 310 315 320

Gln Thr Ile Leu His Arg Asn Asp Pro Tyr Asn Ala Asp Tyr Phe Pro
 325 330 335

Ser Arg Ile Lys Val Met His Ser Leu Val Tyr Ala Leu Cys Arg Ala
 340 345 350

Gly Tyr Thr Phe His Val Pro Thr His Val Phe Asp Ser His Arg Gly
 355 360 365

Ile Lys His Thr Asn Thr Ile Tyr Ser Lys Ala Thr Ile Ala His Gln
 370 375 380

Glu Ala Tyr Ala Met Lys Glu Ala Gly Asp Arg Tyr Ile Lys Glu Met
 385 390 395 400

Asp Asp Leu Tyr Pro His Thr Leu Ser Gln Cys Gly Glu Phe Ser Met
 405 410 415

Ile

<210> 77

<211> 1050

<212> DNA

<213> *Caenorhabditis elegans*

<400> 77

```

atgcacgacg agcagttttg tgttggttat aacttctctg aggccgaaga tacattccga 60
gaagacggct tggaaccagt aactcttgct attcatggca ctccagaagt tttgcaacta 120
ttggggaata agcctttgaa ctgggatggg cctatttcat ttggtctatt cgtagatttt 180
cattcccaaa aggccctgaa ttatatattcc atgctacata aatgtgatgc agctttttaa 240
agacagatga ctgtccactt tgcattccga atctcaccat ctcaatccga atgcccaatg 300
attcaagttc ttgggtatca ggattgtgcc acatttttac agaaaagcaa gcagctcctt 360
gaggaaattg aggactcttt tcaaactctac ccgataaacc taatgagaaa tattgctcgg 420
cgcgagagcaa agtcggattt acacttgata atcgatacag atatgatgat gagcaccaac 480
tttgcaaaga tggtaaaacc aatcgcaa atcgatgattg atgggaagaa taagcaagtg 540
ttggttggtt gacgtttcga gaccaacgaa aatgagctac caatgagctt tggggatctt 600
gaggagggaa ttgaaaatca taaaacattc cagttccatc acaaattctt tttcgttggt 660
catcaaattc ccaacttgat ggaatgggtc gaaagatctc acgcctctaa tgatgtggtg 720
gcatgggaga ttccatacac tggaaatgat tgggaagtgc aaatcattct tcaccgcaac 780
gatccatata atgtagagta ttttcttctg cgagtcgaagg atatgcagtc tttgatctac 840
aagttatgcc gtgcaaacta caccttcaat ttgctctctc atgtgttcaa tgttcataaa 900
ggaatcaaag aagatgatac catgtactcg aaggttgtga ctgctcacac aaaacggcaa 960
ggaagattga ggacgctttc tcgatatgtc actgaaattg acaggaaata cccggatacc 1020
atgaaacgat gtgggcagtt tttgttataa 1050

```

<210> 78

<211> 349

115

<212> PRT

<213> *Caenorhabditis elegans*

<400> 78

Met	His	Asp	Glu	Gln	Phe	Cys	Val	Gly	Tyr	Asn	Phe	Leu	Glu	Ala	Glu
1				5					10					15	

Asp	Thr	Phe	Arg	Glu	Asp	Gly	Leu	Glu	Pro	Val	Thr	Leu	Ala	Ile	His
			20					25					30		

Gly	Thr	Pro	Glu	Val	Leu	Gln	Leu	Leu	Gly	Asn	Lys	Pro	Leu	Asn	Trp
		35					40						45		

Asp	Gly	Pro	Ile	Ser	Phe	Gly	Leu	Phe	Val	Asp	Phe	His	Ser	Gln	Lys
	50					55					60				

Ala	Leu	Asn	Tyr	Ile	Ser	Met	Leu	His	Lys	Cys	Asp	Ala	Ala	Phe	Lys
65					70					75					80

Arg	Gln	Met	Thr	Val	His	Phe	Ala	Phe	Arg	Ile	Ser	Pro	Ser	Gln	Ser
				85					90					95	

Glu	Cys	Pro	Met	Ile	Gln	Val	Leu	Gly	Tyr	Gln	Asp	Cys	Ala	Thr	Phe
			100					105					110		

Leu	Gln	Lys	Ser	Lys	Gln	Leu	Leu	Glu	Glu	Ile	Glu	Asp	Ser	Phe	Gln
		115					120					125			

Ile	Tyr	Pro	Ile	Asn	Leu	Met	Arg	Asn	Ile	Ala	Arg	Arg	Gly	Ala	Lys
	130					135					140				

Ser	Asp	Leu	His	Leu	Ile	Ile	Asp	Thr	Asp	Met	Met	Met	Ser	Thr	Asn
145					150					155					160

Phe	Ala	Lys	Met	Val	Lys	Pro	Ile	Ala	Asn	Arg	Met	Ile	Asp	Gly	Lys
				165					170					175	

Asn	Lys	Gln	Val	Leu	Val	Val	Arg	Arg	Phe	Glu	Thr	Asn	Glu	Asn	Glu
			180					185					190		

Leu	Pro	Met	Ser	Phe	Gly	Asp	Leu	Glu	Glu	Gly	Ile	Glu	Asn	His	Lys
		195					200					205			

Thr	Phe	Gln	Phe	His	His	Lys	Phe	Phe	Phe	Val	Gly	His	Gln	Ile	Pro
	210					215					220				

Asn	Leu	Met	Glu	Trp	Phe	Glu	Arg	Ser	His	Ala	Ser	Asn	Asp	Val	Val
225					230					235					240

Ala	Trp	Glu	Ile	Pro	Tyr	Thr	Gly	Asn	Asp	Trp	Glu	Val	Gln	Ile	Ile
				245					250					255	

Leu	His	Arg	Asn	Asp	Pro	Tyr	Asn	Val	Glu	Tyr	Phe	Pro	Ser	Arg	Val
			260					265					270		

Lys	Asp	Met	Gln	Ser	Leu	Ile	Tyr	Lys	Leu	Cys	Arg	Ala	Asn	Tyr	Thr
		275					280					285			

116

Phe Asn Leu Leu Ser His Val Phe Asn Val His Lys Gly Ile Lys Glu
 290 295 300

Asp Asp Thr Met Tyr Ser Lys Val Val Thr Ala His Thr Lys Arg Gln
 305 310 315 320

Gly Arg Leu Arg Thr Leu Ser Arg Tyr Val Thr Glu Ile Asp Arg Lys
 325 330 335

Tyr Pro Asp Thr Met Lys Arg Cys Gly Gln Phe Leu Leu
 340 345

<210> 79

<211> 1167

<212> DNA

<213> Caenorhabditis elegans

<400> 79

```

atgctcaaga ttctctcaag atttactcca ttgtctttgt ttctcttatt ttcaattcta 60
tttgttttgt ggtttttgaa gaaatattct caagatcttt ctaggatctc tatagaactt 120
tatgaaaatg agttttgcat tggctacaat ttcttggagg ctacagaaaa attccgagaa 180
gacgggttgg agcctgtgac acttgccatt catgggacat ccgatgtcct tgaagtagtg 240
gagaagaagc catcaaactg ggatgggcct atatcattcg ggatgtttgt tgactatcac 300
tcccagaagg ctctggaata tgtggcaatg cttcatcagt gtgataagga gttcggggag 360
aaagtcaccg ttcactatgt gttccgaact tctccttccc agatggattg tccagtata 420
actcctgatg tgtcggtgaa ttgtgatgaa ttctgtcgga atcgaaagca gctcctcaaa 480
gaaataacct ccccgtttca aatctaccca ataaacttga tgagaaatgt tgcccgcct 540
ggagcaactt ctgatctaca cttgatagtc gacgctgata tgacaatgag ctctgatttt 600
gcgagaaaag tgaagccaat cgcaaatcgc ataattgatg ggaaacagag acaagttttg 660
gtagttcgac gttttgagac aaacgaagat gagattccac tgggaagtga gcagctgaag 720
atgggatttg agaatcaaaa agtattcgag ttccatcaca attttttctt tattgggcat 780
aaaattccag acgtggaaaa atggtttcac gcctcgaaag cagaaaatga agtgactgcc 840
tgggaaattc catactcagg aaatgcatgg gaagtgcagg tgattcttca ccggaacgac 900
atgtacaacg ccgagtactt tccgtctaga atccgagaca tgcagtcttt gatctacggt 960
ctctgccgag ccaactacac cttcaacttg ctctctcacg tattcaatgt tcaccaaggc 1020
atcaaagagg atgacacaat gtactcgaaa gttgtcacag ctcaactcgaa gcgatatgga 1080
aggaatagag cattctcccg ctacgtccat gagatgaata ctgcgtatcc gggaactatt 1140
cagcgggtgcg ggaagtttga gatgtga                                     1167

```

<210> 80

<211> 388

<212> PRT

<213> Caenorhabditis elegans

<400> 80

Met Leu Lys Ile Ser Ser Arg Phe Thr Pro Phe Ala Leu Phe Leu Leu
 1 5 10 15

Phe Ser Ile Leu Leu Cys Leu Trp Phe Leu Lys Lys Tyr Ser Gln Asp
 20 25 30

Leu Ser Arg Ile Ser Ile Glu Leu Tyr Glu Asn Glu Phe Cys Ile Gly
 35 40 45

Tyr Asn Phe Leu Glu Ala Thr Glu Lys Phe Arg Glu Asp Gly Leu Glu
 50 55 60

117

Pro Val Thr Leu Ala Ile His Gly Thr Ser Asp Val Leu Glu Val Val
65 70 75 80

Glu Lys Lys Pro Ser Asn Trp Asp Gly Pro Ile Ser Phe Gly Met Phe
85 90 95

Val Asp Tyr His Ser Gln Lys Ala Leu Glu Tyr Val Ala Met Leu His
100 105 110

Gln Cys Asp Lys Glu Phe Gly Glu Lys Val Thr Val His Tyr Val Phe
115 120 125

Arg Thr Ser Pro Ser Gln Met Asp Cys Pro Val Ile Thr Pro Asp Val
130 135 140

Ser Val Asn Cys Asp Glu Phe Arg Arg Asn Arg Lys Gln Leu Leu Lys
145 150 155 160

Glu Ile Thr Ser Pro Phe Gln Ile Tyr Pro Ile Asn Leu Met Arg Asn
165 170 175

Val Ala Arg Arg Gly Ala Thr Ser Asp Leu His Leu Ile Val Asp Ala
180 185 190

Asp Met Thr Met Ser Ser Asp Phe Ala Arg Lys Val Lys Pro Ile Ala
195 200 205

Asn Arg Ile Ile Asp Gly Lys Gln Arg Gln Val Leu Val Val Arg Arg
210 215 220

Phe Glu Thr Asn Glu Asp Glu Ile Pro Leu Glu Val Glu Gln Leu Lys
225 230 235 240

Met Gly Phe Glu Asn Gln Lys Val Phe Glu Phe His His Asn Phe Phe
245 250 255

Phe Ile Gly His Lys Ile Pro Asp Val Glu Lys Trp Phe His Ala Ser
260 265 270

Lys Thr Glu Asn Glu Val Thr Ala Trp Glu Ile Pro Tyr Ser Gly Asn
275 280 285

Ala Trp Glu Val Gln Val Ile Leu His Arg Asn Asp Met Tyr Asn Ala
290 295 300

Glu Tyr Phe Pro Ser Arg Ile Arg Asp Met Gln Ser Leu Ile Tyr Gly
305 310 315 320

Leu Cys Arg Ala Asn Tyr Thr Phe Asn Leu Leu Ser His Val Phe Asn
325 330 335

Val His Gln Gly Ile Lys Glu Asp Asp Thr Met Tyr Ser Lys Val Val
340 345 350

Thr Ala His Ser Lys Arg Tyr Gly Arg Asn Arg Ala Phe Ser Arg Tyr
355 360 365

Val His Glu Met Asn Thr Ala Tyr Pro Gly Thr Ile Gln Arg Cys Gly

370

375

380

Lys Phe Glu Met

385

<210> 81

<211> 1275

<212> DNA

<213> *Caenorhabditis elegans*

<400> 81

```

atgtgtactt ttaaaaaatt cgatggagaa actcgaaaaa ctcggatcca gattttgtat 60
tttgcctcat cactcgttaa tctcgatctc aagcctgtga agctaaattc caatgcgaat 120
atatgcgtca aaattgaaac ttctcacttt acctctggca cttattatat taacttggca 180
tctgtacaat tcaaaggtaa tgctcctggt tctgatgctg aaggaagggt tttcaagaaa 240
ctacacggaa aaccagaaaa taattataat tccttacaga cgactgtaca ctttgcattc 300
cgaatctcac catctcaaac cgaatgtcct gtgatctata cttccgggta taaggattgt 360
gtcacgtttt tccaaaagaa cacagagctc cttgaggaaa tggaggaccc ttttcagatc 420
tacccgataa atctaattgag aaatattgct cgacgcggag caaagtcgga tttacacttg 480
atagtcgata cagatatggt aatgagtact aactttgcaa agatggtaaa accagttgctg 540
aatcggtatga ttgatgggat gaataaacia gtcttggttg ttcgacgctt cgagaccaac 600
gaaaccgaac ttccactgaa cttggacgaa cttgagcaag ggcttctgaa tgagaacaca 660
tttgaattcc atcactcgtt cttttttggt ggccatcaaa tacccaactt gtctgagtgg 720
tttgaaaatt cttacgcata agaagaaacc actgcatggg agattccata cacaggaagt 780
gattgggaag ttcaaataat tcttcaccgc aacgacccat ataacattga gtacttccca 840
tcgcgagtca gggatatgca gtctttgatt tataaactct gccgtgcaaa ctacacattc 900
aatttgctct ctcacgtatt caatgttcac aaggggatca aagaagatga tacaatgtac 960
tcgaaagtctg tcaactgctc cacaaagcaa ttttggaata tgaggatttt atttttttgt 1020
tgtagagaat tcccaagata tgcttggtga tttacagaac gctttcccgt tacactgccg 1080
aaatcgacaa gcagtaccca gacactacaa caagataatt tgccagatgt ttccttattt 1140
ttttcaggag tattcagaat gttcacgcaa ttctcgaaat tttcagagca tttgaacatt 1200
tttaaagccg gaaaagcgta ctgttttgtt gtttctgtca cttttctggt gtctttaaaa 1260
tatggagaaa aataa 1275

```

<210> 82

<211> 424

<212> PRT

<213> *Caenorhabditis elegans*

<400> 82

```

Met Cys Thr Phe Lys Lys Phe Asp Gly Glu Thr Arg Lys Thr Arg Ile
  1              5              10              15

Gln Ile Leu Tyr Phe Ala Ala Ser Leu Val Asn Leu Asp Leu Lys Pro
      20              25              30

Val Lys Leu Asn Ser Asn Ala Asn Ile Cys Val Lys Ile Glu Thr Ser
      35              40              45

His Phe Thr Ser Gly Thr Tyr Tyr Ile Asn Leu Ala Ser Val Gln Phe
      50              55              60

Lys Gly Asn Ala Pro Gly Ser Asp Ala Glu Gly Arg Phe Phe Lys Lys
      65              70              75              80

Leu His Gly Lys Pro Glu Asn Asn Tyr Asn Ser Leu Gln Thr Thr Val
      85              90              95

```


Phe Lys Ala Gly Lys Ala Tyr Cys Phe Val Val Ser Val Thr Phe Leu
 405 410 415

Val Ser Leu Lys Tyr Gly Glu Lys
 420

<210> 83

<211> 370

<212> PRT

<213> Caenorhabditis elegans

<400> 83

Met Glu Asp Asp Thr Pro Asp Val Ser Ser Asp Ser Asn Gly Asp Ala
 1 5 10 15

Ala Tyr Ser Asp Tyr Phe Leu Asp Tyr Lys Ser Ile Met Asp Glu Ile
 20 25 30

Thr Ile Thr Thr Gln Pro Lys Ser Gly Tyr Val Ile Arg Asn Lys Pro
 35 40 45

Leu Arg Leu Gln Cys Arg Ala Asn His Ala Thr Lys Ile Arg Tyr Lys
 50 55 60

Cys Ser Ser Lys Trp Ile Asp Asp Ser Arg Ile Glu Lys Leu Ile Gly
 65 70 75 80

Thr Asp Ser Thr Ser Gly Val Gly Tyr Ile Asp Ala Ser Val Asp Ile
 85 90 95

Ser Arg Ile Asp Val Asp Thr Ser Gly His Val Asp Ala Phe Gln Cys
 100 105 110

Gln Cys Tyr Ala Ser Gly Asp Asp Asp Gln Asp Val Val Ala Ser Asp
 115 120 125

Val Ala Thr Val His Leu Ala Tyr Met Arg Lys His Phe Leu Lys Ser
 130 135 140

Pro Val Ala Gln Arg Val Gln Glu Gly Thr Thr Leu Gln Leu Pro Cys
 145 150 155 160

Gln Ala Pro Glu Ser Asp Pro Lys Ala Glu Leu Thr Trp Tyr Lys Asp
 165 170 175

Gly Val Val Val Gln Pro Asp Ala Asn Val Ile Arg Ala Ser Asp Gly
 180 185 190

Ser Leu Ile Met Ser Ala Ala Arg Leu Ser Asp Ser Gly Asn Tyr Thr
 195 200 205

Cys Glu Ala Thr Asn Val Ala Asn Ser Arg Lys Thr Asp Pro Val Glu
 210 215 220

Val Gln Ile Tyr Val Asp Gly Gly Trp Ser Glu Trp Ser Pro Trp Ile
 225 230 235 240

[illegible]

```
<210> 84
<211> 20
<212> PRT
<213> Caenorhabditis elegans
```

```
<400> 84
Val  Ala  Ser  Ile  Phe  Ile  Val  Ala  Ser  Phe  Ile  Leu  Ala  Ile  Leu  Ala
   1          5          10         15
Met  Phe  Cys  Cys
           20
```

```
<210> 85
<211> 122
<212> PRT
<213> Caenorhabditis elegans
```

```

<400> 85
Lys  Arg  Gly  Asn  Ser  Lys  Lys  Ser  Lys  Pro  Leu  Lys  Pro  Gln  Lys  Met
  1          5          10          15
Asn  Ser  Glu  Lys  Ala  Gly  Gly  Ile  Tyr  Tyr  Ser  Glu  Pro  Pro  Gly  Val
          20          25          30
Arg  Arg  Leu  Leu  Leu  Glu  His  Gln  His  Gly  Thr  Leu  Leu  Gly  Glu  Lys
          35          40          45
Ile  Ser  Ser  Cys  Ser  Gln  Tyr  Phe  Glu  Pro  Pro  Pro  Leu  Pro  His  Ser
  50          55          60

```


122

Thr Thr Leu Arg Ser Gly Lys Ser Ala Phe Ser Gly Tyr Ser Ser Thr
 65 70 75 80
 Arg Asn Ala Gly Ser Arg Ala Ala Leu Ile Gln Glu Cys Ser Ser Ser
 85 90 95
 Ser Ser Gly Ser Gly Gly Lys Arg Thr Met Leu Arg Thr Ser Ser Ser
 100 105 110
 Asn Cys Ser Asp Asp Asp Asn Tyr Ala Thr
 115 120

<210> 86

<211> 165

<212> PRT

<213> Caenorhabditis elegans

<400> 86

Leu Tyr Asp Tyr Met Glu Asp Lys Ser Val Leu Gly Leu Asp Thr Ser
 1 5 10 15
 Gln Asn Ile Val Ala Ala Gln Ile Asp Ser Asn Gly Ala Arg Leu Ser
 20 25 30
 Leu Ser Lys Ser Gly Ala Arg Leu Ile Val Pro Glu Leu Ala Val Glu
 35 40 45
 Gly Glu Lys Met Leu Tyr Leu Ala Val Ser Asp Thr Leu Thr Asp Gln
 50 55 60
 Pro His Leu Lys Pro Ile Glu Ser Ala Leu Ser Pro Val Ile Val Ile
 65 70 75 80
 Gly Gln Cys Asp Val Ser Met Ser Ala His Asp Asn Ile Leu Arg Arg
 85 90 95
 Pro Val Val Val Ser Phe Arg His Cys Ala Ser Thr Phe Pro Arg Asp
 100 105 110
 Asn Trp Gln Phe Thr Leu Tyr Ala Asp Glu Gly Ser Gly Trp Gln Lys
 115 120 125
 Ala Val Thr Ile Gly Glu Glu Asn Leu Asn Thr Asn Met Phe Val Gln
 130 135 140
 Phe Glu Gln Pro Gly Lys Lys Asn Asp Gly Phe Gly Trp Cys His Val
 145 150 155 160
 Met Thr Tyr Ser Leu
 165

<210> 87

<211> 157

<212> PRT

<213> Caenorhabditis elegans

123

<400> 87

Ala Arg Leu Met Leu Ala Gly His Pro Arg Arg Asn Ser Leu Ser Ala
 1 5 10 15

Ala Lys Arg Val His Leu Ala Val Phe Gly Pro Thr Glu Met Ser Ala
 20 25 30

Tyr Arg Arg Pro Phe Glu Leu Arg Val Tyr Cys Val Pro Glu Thr Gly
 35 40 45

Ala Ala Met Glu Ser Val Trp Lys Gln Glu Asp Gly Ser Arg Leu Leu
 50 55 60

Cys Glu Ser Asn Asp Phe Ile Leu Asn Glu Lys Gly Asn Leu Cys Ile
 65 70 75 80

Cys Ile Glu Asp Val Ile Pro Gly Phe Ser Cys Asp Gly Pro Glu Val
 85 90 95

Val Glu Ile Ser Glu Thr Gln His Arg Phe Val Ala Gln Asn Gly Leu
 100 105 110

His Cys Ser Leu Lys Phe Arg Pro Lys Glu Ile Asn Gly Ser Gln Phe
 115 120 125

Ser Thr Arg Val Ile Val Tyr Gln Lys Ala Ser Ser Thr Glu Pro Met
 130 135 140

Val Met Glu Val Ser Asn Glu Pro Glu Leu Tyr Asp Ala
 145 150 155

<210> 88

<211> 113

<212> PRT

<213> Caenorhabditis elegans

<400> 88

Thr Ser Glu Glu Arg Glu Lys Gly Ser Val Cys Val Glu Phe Arg Leu
 1 5 10 15

Pro Phe Gly Val Lys Asp Glu Leu Ala Arg Leu Leu Asp Met Pro Asn
 20 25 30

Glu Ser His Ser Asp Trp Arg Gly Leu Ala Lys Lys Leu His Tyr Asp
 35 40 45

Arg Tyr Leu Gln Phe Phe Ala Ser Phe Pro Asp Cys Ser Pro Thr Ser
 50 55 60

Leu Leu Leu Asp Leu Trp Glu Ala Ser Ser Ser Gly Ser Ala Arg Ala
 65 70 75 80

Val Pro Asp Leu Leu Gln Thr Leu Arg Val Met Gly Arg Pro Asp Ala
 85 90 95

Val Met Val Leu Glu Arg Phe Leu Ser Ala Phe Pro Gln Ile Val Ser

100 124 110
 Pro
 <210> 89
 <211> 437
 <212> PRT
 <213> Homo sapiens
 <400> 89
 His Met Ala Thr Leu His His Ser Ser Pro Thr Ser Glu Ala Glu Glu
 1 5 10 15
 Phe Val Ser Arg Leu Ser Thr Gln Asn Tyr Phe Arg Ser Leu Pro Arg
 20 25 30
 Gly Thr Ser Asn Met Thr Tyr Gly Thr Phe Asn Phe Leu Gly Gly Arg
 35 40 45
 Leu Met Ile Pro Asn Thr Gly Ile Ser Leu Leu Ile Pro Pro Asp Ala
 50 55 60
 Ile Pro Arg Gly Lys Ile Tyr Glu Ile Tyr Leu Thr Leu His Lys Pro
 65 70 75 80
 Glu Asp Val Arg Leu Pro Leu Ala Gly Cys Gln Thr Leu Leu Ser Pro
 85 90 95
 Ile Val Ser Cys Gly Pro Pro Gly Val Leu Leu Thr Arg Pro Val Ile
 100 105 110
 Leu Ala Met Asp His Cys Gly Glu Pro Ser Pro Asp Ser Trp Ser Leu
 115 120 125
 Arg Leu Lys Lys Gln Ser Cys Glu Gly Ser Trp Glu Asp Val Leu His
 130 135 140
 Leu Gly Glu Glu Ala Pro Ser His Leu Tyr Tyr Cys Gln Leu Glu Ala
 145 150 155 160
 Ser Ala Cys Tyr Val Phe Thr Glu Gln Leu Gly Arg Phe Ala Leu Val
 165 170 175
 Gly Glu Ala Leu Ser Val Ala Ala Ala Lys Arg Leu Lys Leu Leu Leu
 180 185 190
 Phe Ala Pro Val Ala Cys Thr Ser Leu Glu Tyr Asn Ile Arg Val Tyr
 195 200 205
 Cys Leu His Asp Thr His Asp Ala Leu Lys Glu Val Val Gln Leu Glu
 210 215 220
 Lys Gln Leu Gly Gly Gln Leu Ile Gln Glu Pro Arg Val Leu His Phe
 225 230 235 240
 Lys Asp Ser Tyr His Asn Leu Arg Leu Ser Ile His Asp Val Pro Ser

[illegible]

```
<210> 90
<211> 931
<212> PRT
<213> Homo sapiens
```

<400> 90

Met Arg Lys Gly Leu Arg Ala Thr Ala Ala Arg Cys Gly Leu Gly Leu
1 5 10 15

Gly Tyr Leu Leu Gln Met Leu Val Leu Pro Ala Leu Ala Leu Leu Ser
20 25 30

Ala Ser Gly Thr Gly Ser Ala Ala Gln Asp Asp Asp Phe Phe His Glu
35 40 45

Leu Pro Glu Thr Phe Pro Ser Asp Pro Pro Glu Pro Leu Pro His Phe
50 55 60

Leu Ile Glu Pro Glu Glu Ala Tyr Ile Val Lys Asn Lys Pro Val Asn

65					70				126		75				80
Leu	Tyr	Cys	Lys	Ala	Ser	Pro	Ala	Thr	Gln	Ile	Tyr	Phe	Lys	Cys	Asn
				85					90					95	
Ser	Glu	Trp	Val	His	Gln	Lys	Asp	His	Ile	Val	Asp	Glu	Arg	Val	Asp
			100					105					110		
Glu	Thr	Ser	Gly	Leu	Ile	Val	Arg	Glu	Val	Ser	Ile	Glu	Ile	Ser	Arg
		115					120					125			
Gln	Gln	Val	Glu	Glu	Leu	Phe	Gly	Pro	Glu	Asp	Tyr	Trp	Cys	Gln	Cys
	130					135					140				
Val	Ala	Trp	Ser	Ser	Ala	Gly	Thr	Thr	Lys	Ser	Arg	Lys	Ala	Tyr	Val
145					150					155					160
Arg	Ile	Ala	Tyr	Leu	Arg	Lys	Thr	Phe	Glu	Gln	Glu	Pro	Leu	Gly	Lys
				165					170					175	
Glu	Val	Ser	Leu	Glu	Gln	Glu	Val	Leu	Leu	Gln	Cys	Arg	Pro	Pro	Glu
			180					185					190		
Gly	Ile	Pro	Val	Ala	Glu	Val	Glu	Trp	Leu	Lys	Asn	Glu	Asp	Ile	Ile
		195					200					205			
Asp	Pro	Val	Glu	Asp	Arg	Asn	Phe	Tyr	Ile	Thr	Ile	Asp	His	Asn	Leu
	210					215					220				
Ile	Ile	Lys	Gln	Ala	Arg	Leu	Ser	Asp	Thr	Ala	Asn	Tyr	Thr	Cys	Val
225					230					235					240
Ala	Lys	Asn	Ile	Val	Ala	Lys	Arg	Lys	Ser	Thr	Thr	Ala	Thr	Val	Ile
				245					250					255	
Val	Tyr	Val	Asn	Gly	Gly	Trp	Ser	Thr	Trp	Thr	Glu	Trp	Ser	Val	Cys
			260					265					270		
Asn	Ser	Arg	Cys	Gly	Arg	Gly	Tyr	Gln	Lys	Arg	Thr	Arg	Thr	Cys	Thr
		275					280					285			
Asn	Pro	Ala	Pro	Leu	Asn	Gly	Gly	Ala	Phe	Cys	Glu	Gly	Gln	Ser	Val
	290					295					300				
Gln	Lys	Ile	Ala	Cys	Thr	Thr	Leu	Cys	Pro	Val	Asp	Gly	Arg	Trp	Thr
305					310					315					320
Pro	Trp	Ser	Lys	Trp	Ser	Thr	Cys	Gly	Thr	Glu	Cys	Thr	His	Trp	Arg
				325					330					335	
Arg	Arg	Glu	Cys	Thr	Ala	Pro	Ala	Pro	Lys	Asn	Gly	Gly	Lys	Asp	Cys
			340					345					350		
Asp	Gly	Leu	Val	Leu	Gln	Ser	Lys	Asn	Cys	Thr	Asp	Gly	Leu	Cys	Met
		355					360					365			
Gln	Thr	Ala	Pro	Asp	Ser	Asp	Asp	Val	Ala	Leu	Tyr	Val	Gly	Ile	Val
	370					375					380				

127

Ile	Ala	Val	Ile	Val	Cys	Leu	Ala	Ile	Ser	Val	Val	Val	Ala	Leu	Phe	385	390	395	400
Val	Tyr	Arg	Lys	Asn	His	Arg	Asp	Phe	Glu	Ser	Asp	Ile	Ile	Asp	Ser	405	410	415	
Ser	Ala	Leu	Asn	Gly	Gly	Phe	Gln	Pro	Val	Asn	Ile	Lys	Ala	Ala	Arg	420	425	430	
Gln	Asp	Leu	Leu	Ala	Val	Pro	Pro	Asp	Leu	Thr	Ser	Ala	Ala	Ala	Met	435	440	445	
Tyr	Arg	Gly	Pro	Val	Tyr	Ala	Leu	His	Asp	Val	Ser	Asp	Lys	Ile	Pro	450	455	460	
Met	Thr	Asn	Ser	Pro	Ile	Leu	Asp	Pro	Leu	Pro	Asn	Leu	Lys	Ile	Lys	465	470	475	480
Val	Tyr	Asn	Thr	Ser	Gly	Ala	Val	Ser	Pro	Gln	Asp	Asp	Leu	Ser	Glu	485	490	495	
Phe	Thr	Ser	Lys	Leu	Ser	Pro	Gln	Met	Thr	Gln	Ser	Leu	Leu	Glu	Asn	500	505	510	
Glu	Ala	Leu	Ser	Leu	Lys	Asn	Gln	Ser	Leu	Ala	Arg	Gln	Thr	Asp	Pro	515	520	525	
Ser	Cys	Thr	Ala	Phe	Gly	Ser	Phe	Asn	Ser	Leu	Gly	Gly	His	Leu	Ile	530	535	540	
Val	Pro	Asn	Ser	Gly	Val	Ser	Leu	Leu	Ile	Pro	Ala	Gly	Ala	Ile	Pro	545	550	555	560
Gln	Gly	Arg	Val	Tyr	Glu	Met	Tyr	Val	Thr	Val	His	Arg	Lys	Glu	Thr	565	570	575	
Met	Arg	Pro	Pro	Met	Asp	Asp	Ser	Gln	Thr	Leu	Leu	Thr	Pro	Val	Val	580	585	590	
Ser	Cys	Gly	Pro	Pro	Gly	Ala	Leu	Leu	Thr	Arg	Pro	Val	Val	Leu	Thr	595	600	605	
Met	His	His	Cys	Ala	Asp	Pro	Asn	Thr	Glu	Asp	Trp	Lys	Ile	Leu	Leu	610	615	620	
Lys	Asn	Gln	Ala	Ala	Gln	Gly	Gln	Trp	Glu	Asp	Val	Val	Val	Val	Gly	625	630	635	640
Glu	Glu	Asn	Phe	Thr	Thr	Pro	Cys	Tyr	Ile	Lys	Leu	Asp	Ala	Glu	Ala	645	650	655	
Cys	His	Ile	Leu	Thr	Glu	Asn	Leu	Ser	Thr	Tyr	Ala	Leu	Val	Gly	His	660	665	670	
Ser	Thr	Thr	Lys	Ala	Ala	Ala	Lys	Arg	Leu	Lys	Leu	Ala	Ile	Phe	Gly	675	680	685	

128

Pro Leu Cys Cys Ser Ser Leu Glu Tyr Ser Ile Arg Val Tyr Cys Leu
690 695 700

Asp Asp Thr Gln Asp Ala Leu Lys Glu Ile Leu His Leu Glu Arg Gln
705 710 715 720

Thr Gly Gly Gln Leu Leu Glu Glu Pro Lys Ala Leu His Phe Lys Gly
725 730 735

Ser Thr His Asn Leu Arg Leu Ser Ile His Asp Ile Ala His Ser Leu
740 745 750

Trp Lys Ser Lys Leu Leu Ala Lys Tyr Gln Glu Ile Pro Phe Tyr His
755 760 765

Val Trp Ser Gly Ser Gln Arg Asn Leu His Cys Thr Phe Thr Leu Glu
770 775 780

Arg Phe Ser Leu Asn Thr Val Glu Leu Val Cys Lys Leu Cys Val Arg
785 790 795 800

Gln Val Glu Gly Glu Gly Gln Ile Phe Gln Leu Asn Cys Thr Val Ser
805 810 815

Glu Glu Pro Thr Gly Ile Asp Leu Pro Leu Leu Asp Pro Ala Asn Thr
820 825 830

Ile Thr Thr Val Thr Gly Pro Ser Ala Phe Ser Ile Pro Leu Pro Ile
835 840 845

Arg Gln Lys Leu Cys Ser Ser Leu Asp Ala Pro Gln Thr Arg Gly His
850 855 860

Asp Trp Arg Met Leu Ala His Lys Leu Asn Leu Asp Arg Tyr Leu Asn
865 870 875 880

Tyr Phe Ala Thr Lys Ser Ser Pro Thr Gly Val Ile Leu Asp Leu Trp
885 890 895

Glu Ala Gln Asn Phe Pro Asp Gly Asn Leu Ser Met Leu Ala Ala Val
900 905 910

Leu Glu Glu Met Gly Arg His Glu Thr Val Val Ser Leu Ala Ala Glu
915 920 925

Gly Gln Tyr
930

<210> 91

<211> 9700

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: plasmid
pGC1037

<400> 91

tatggccaca	ctgcaccaca	gctctccac	ctctgaggcc	gaggagtccg	tctcccgcc	60
ctccacccag	aactacttcc	gctccctgcc	ccgaggcacc	agcaacatga	cctatgggac	120
cttcaacttc	ctcgggggcc	ggctgatgat	ccctaataca	ggaatcagcc	tcctcatccc	180
cccagatgcc	atacccccag	ggaagatcta	tgagatctac	ctcacgctgc	acaagccgga	240
agacgtgagg	ttgcccctag	ctggctgtca	gaccctgctg	agtcccatcg	ttagctgtgg	300
acccccctggc	gtcctgctca	cccggccagt	catcctggct	atggaccact	gtggggagcc	360
cagccctgac	agctggagcc	tgcgcctcaa	aaagcagtcg	tgcgagggca	gctgggagga	420
tgtgctgcac	ctgggcgagg	aggcgccctc	ccacctctac	tactgccagc	tggaggccag	480
tgctgctac	gtcttcaccg	agcagctggg	ccgctttgcc	ctggtgggag	aggccctcag	540
cgtggctgcc	gccaaagccc	tcaagctgct	tctgtttgcg	ccggtggcct	gcacctccct	600
cgagtacaac	atccgggtct	actgcctgca	tgacacccac	gatgcactca	aggaggtggt	660
gcagctggag	aagcagctgg	ggggacagct	gatccaggag	ccacgggtcc	tgacttcaa	720
ggacagttac	cacaacctgc	gcctatccat	ccacgatgtg	cccagctccc	tgtggaagag	780
taagctcctt	gtcagctacc	aggagatccc	cttttatcac	atctggaatg	gcacgcagcg	840
gtactgacac	tgacacctca	ccctggagcg	tgtcagcccc	agcactagtg	acctggcctg	900
caagctgtgg	gtgtggcagg	tggaggcgga	cgggcagagc	ttcagcatca	acttcaacat	960
caccaaggac	acaagggtttg	ctgagctgct	ggctctggag	agtgaagcgg	gggtccaagc	1020
cctggtgggc	cccagtgcct	tcaagatccc	cttccctcatt	cggcagaaga	taattttccag	1080
cctggaccca	ccctgtaggc	ggggtgccga	ctggcggact	ctggcccaga	aactccacct	1140
ggacagccat	ctcagcttct	ttgcctccaa	gcccagcccc	acagccatga	tcctcaacct	1200
gtgggagggc	cggcacttcc	ccaacggcaa	cctcagccag	ctggctgcag	cagtggctgg	1260
actgggccag	ccagacgtcg	gcctcttcac	agtgtcggag	gctgagtgtc	gagtcgacct	1320
gcagccaagc	taattccggg	cgaattttct	atgatttatg	atttttatta	ttaaataagt	1380
tataaaaaaa	ataagtgtat	acaaatttta	aagtgactct	taggttttaa	aacgaaaatt	1440
cttgttcttg	agtaactctt	tcctgtaggt	caggttgctt	tctcagggtat	agcatgaggt	1500
cgctcttatt	gaccacacct	ctaccggcat	gcaagcttgg	cgtaatcatg	gtcatagctg	1560
tttctgtgt	gaaattgtta	tccgctcaca	attccacaca	acatacgagc	cggaaacata	1620
aagtgtaaag	cctgggggtgc	ctaattgagt	aggtaactca	cattaattgc	gttgcgctca	1680
ctgcccgtt	tccagtcggg	aaacctgtcg	tgccagctgg	attaatgaat	cggccaacgc	1740
gcggggagag	gcggtttgcg	tattgggcgc	tcttccgctt	cctcgcctcac	tgactcgttg	1800
cgctcggtcg	ttcggctgcg	gcgagcggtc	tacgtcact	caaaggcggt	aatacggtta	1860
tccacagaat	caggggataa	cgcaggaag	aacatgtgag	caaaaggcca	gcaaaaggcc	1920
aggaaccgta	aaaaggccgc	gttgctggcg	tttttccata	ggctccgccc	ccctgacgag	1980
catcacaaaa	atcgacgttc	aagtcagagg	tggcgaaacc	cgacaggact	ataaagatac	2040
caggcgtttc	cccctggaag	ctccctcgtg	cgtctctctg	ttccgaccct	gccgcttacc	2100
ggataacctgt	ccgcctttct	cccttcggga	agcgtggcgc	tttctcatag	ctcacgctgt	2160
aggatatctca	gttcggtgta	ggtcgttcgc	tccaagctgg	gctgtgtgca	cgaaccccc	2220
gttcagcccg	accgctgcgc	cttatccggt	aactatcgtc	ttgagtccaa	cccggtaaga	2280
cacgacttat	cgccactggc	agcagccact	ggtaacagga	ttagcagagc	gaggatatgta	2340
ggcgggtgcta	cagagttctt	gaagtgggtg	cctaactacg	gctacactag	aaggacagta	2400
tttggtatct	gcgctctgct	gaagccagtt	accttcggaa	aaagagttgg	tagctcttga	2460
tccggaacac	aaaccaccgc	tggtagcggt	ggtttttttg	tttgcaagca	gcagattacg	2520
cgcagaaaaa	aaggatctca	agaagatcct	ttgatctttt	ctacggggtc	tgacgctcag	2580
tggaaacgaa	actcacgtta	agggattttg	gtcatgagat	tatcaaaaag	gatcttcacc	2640
tagatccttt	taaattaaaa	atgaagtttt	aaatcaatct	aaagtatata	tgagtaaact	2700
tggcttgaca	gttaccaatg	cttaatcagt	gaggcaccta	tctcagcgat	ctgtctattt	2760
cgttcatcca	tagttgcctg	actccccgtc	gtgtagataa	ctacgatacg	ggagggtcta	2820
ccatctggcc	ccagtgtctg	aatgataccg	cgagacccac	gtcaccgggc	tccagattta	2880
tcagcaataa	accagccagc	cggaaaggcc	gagcgcagaa	gtggtcctgc	aactttatcc	2940
gcctccatcc	agtcctattaa	ttgttgcccg	gaagctagag	taagtagttc	gccagttaat	3000
agttttgcga	acgttggtgc	cattgtctaca	ggcatcggtg	tgtcacgctc	gtcgtttggt	3060
atggcttcat	tcagctccgg	ttcccaacga	tcaaggcgag	ttacatgatc	ccccatgttg	3120
tgcaaaaaag	cggttagctc	cttcggtcct	ccgatcggtg	tcagaagtaa	gttggccgca	3180
gtgttatcac	tcatggttat	ggcagcactg	cataattctc	ttactgtcat	gccatccgta	3240
agatgctttt	ctgtgactgg	tgagtactca	accaagtcac	tctgagaata	gtgtatgcgg	3300
cgaccgagtt	gctcttgccc	ggcgtcaata	cgggataata	ccgcgccaca	tagcagaact	3360
ttaaaagtgc	tcattcattgg	aaaacgttct	tcggggcgaa	aactctcaag	gatcttaccg	3420

ctgttgagat	ccagttcgat	gtaacccact	cggtgcaccca	actgatcttc	agcatctttt	3480
actttcacca	gcgtttctgg	gtgagcaaaa	acaggaaggc	aaaatgccgc	aaaaaaggga	3540
ataagggcga	cacggaaatg	ttgaatactc	atactcttcc	tttttcaata	ttattgaagc	3600
atztatcagg	gttattgtct	catgagcgga	tacatatttg	aatgtattta	gaaaaataaa	3660
caaatagggg	ttccgcgcac	atttccccga	aaagtgccac	ctgaacgaag	catctgtgct	3720
tcattttgta	gaacaaaaat	gcaacgcgag	agcgctaatt	tttcaaacaa	agaatctgag	3780
ctgcattttt	acagaacaga	aatgcaacgc	gaaagcgcta	ttttaccaac	gaagaatctg	3840
tgcttcattt	ttgtaaaaca	aaaatgcaac	gcgagagcgc	taatttttca	aacaaagaat	3900
ctgagctgca	tttttacaga	acagaaatgc	aacgcgagag	cgctatttta	ccaacaaaga	3960
atctatactt	cttttttggt	ctacaaaaat	gcatcccagag	agcgctattt	ttctaacaaa	4020
gcatcttaga	ttactttttt	tctcctttgt	gcgctctata	atgcagtctc	ttgataactt	4080
tttgactgt	agggtccgta	agggttagaag	aaggctactt	tggtgtctat	tttctcttcc	4140
ataaaaaaag	cctgactcca	cttcccgcgt	ttactgatta	ctagcgaagc	tgcggtgca	4200
ttttttcaag	ataaaggcat	ccccgattat	attctataacc	gatgtggatt	gcgcatactt	4260
tgtgaacaga	aagtgatagc	gttgatgatt	cttcattggt	cagaaaatta	tgaacggttt	4320
cttctatttt	gtctctatat	actacgtata	ggaaatgttt	acatttttcgt	attgttttcg	4380
attcactcta	tgaatagtgc	ttactacaat	ttttttgtct	aaagagtaat	actagagata	4440
aacataaaaa	atgtagaggt	cgagtttaga	tgcaagttca	aggagcgaaa	ggtggatggg	4500
taggttatat	agggatatag	cacagagata	tatagcaaag	agatactttt	gagcaatgtt	4560
tgtggaagcg	gtattcgcaa	tatttttagta	gctcgttaca	gtccggtgcg	tttttggttt	4620
tttgaaagtg	cgtcttcaga	gcgcttttgg	ttttcaaaag	cgctctgaag	ttcctatact	4680
ttctagagaa	taggaacttc	ggaataggaa	cttcaaagcg	tttccgaaaa	cgagcgcttc	4740
cgaaaatgca	acgcgagctg	cgcacatata	gctcactggt	cacgtcgcac	ctatatctgc	4800
gtgttgccctg	tatatatata	tacatgagaa	gaacggcata	gtgcgtgttt	atgcttaaat	4860
gcgtacttat	atgcgtctat	ttatgtagga	tgaaaggtag	tctagtacct	cctgtgatat	4920
tatccatttc	catgcggggg	atcgtatgct	tccttcagca	ctacccttta	gctgttctat	4980
atgctgccac	tctcaattg	gattagtctc	atccttcaat	gctatcattt	cctttgatat	5040
tggatcatat	taagaaacca	ttattatcat	gacattaacc	tataaaaaata	ggcgtatcac	5100
gaggcccttt	cgtctcgcgc	gtttcgggtga	tgacgggtgaa	aacctctgac	acatgcagct	5160
cccgagagcg	gtcacagctt	gtctgtaagc	ggatgccggg	agcagacaag	cccgtagagg	5220
cgcgtagcgc	ggtgttgggc	ggtgtcgggg	ctggcttaac	tatgcggcat	cagagcagat	5280
tgtactgaga	gtgcaccata	gatcaacgac	attactatat	atataatata	ggaagcattt	5340
aatagacagc	atcgtaatat	atgtgtactt	tgcagttatg	acgccagatg	gcagtagtgg	5400
aagatattct	ttattgaaaa	atagcttgct	accttacgta	caatcttgat	ccggagcttt	5460
tctttttttg	ccgattaaga	attaattcgg	tcgaaaaaag	aaaaggagag	ggccaagagg	5520
gagggcattg	gtgactattg	agcacgtgag	tatacgtgat	taagcacaca	aaggcagctt	5580
ggagtatgtc	tgttattaat	ttcacaggta	gttctgggtcc	attggtgaaa	gtttgcggct	5640
tgcagagcac	agaggccgca	gaatgtgtct	tagattccga	tgctgacttg	ctgggtatta	5700
tatgtgtgcc	caatagaaaag	agaacaattg	acccggttat	tgcaaggaaa	atttcaagtc	5760
ttgtaaaagc	atataaaaaat	agttcaggca	ctccgaaata	cttggttggc	gtgttttcgta	5820
atcaacctaa	ggaggatgtt	ttggctctgg	tcaatgatta	cggcattgat	atcgtccaac	5880
tgcatggaga	tgagtcgtgg	caagaatacc	aagagttcct	cggtttgccca	gttattaaaa	5940
gactcgtatt	tccaaaagac	tgcaacatac	tactcagtgc	agcttcacag	aaacctcatt	6000
cgttttattcc	cttgtttgat	tcagaagcag	gtgggacagg	tgaacttttg	gattggaact	6060
cgattttctga	ctgggttgga	aggcaagaga	gccccgaaaag	cttacatttt	atgttagctg	6120
gtggactgac	gccagaaaaat	gttgggtgat	cgcttagatt	aaatggcggt	attggtgttg	6180
atgtaagcgg	agggtgtggag	acaaatggtg	taaaagactc	taacaaaata	gcaaatttcg	6240
tcaaaaatgc	taagaaatag	gttattactg	agtagtattt	atttaagtat	tgtttggtga	6300
cttgccgata	tatgcggtgt	gaaataccgc	acagatgcgt	aaggagaaaa	taccgcatac	6360
ggaaattgta	aacgttaata	ttttgttaaa	attcgcgtta	aatttttggt	aaatcagctc	6420
attttttaac	caataggccg	aaatcggaac	aatcccttat	aatcaaaaag	aatagaccga	6480
gataggggtg	agtgttggtc	cagtttgga	caagagacca	ctattaaaga	acgtggactc	6540
caacgtcaaa	gggcgaaaaa	ccgtctatca	gggcgatggc	ccactacgtg	aaccatcacc	6600
ctaatacaagt	tttttggggt	cgaggtgccc	taaagcacta	aatcggaacc	ctaaaggagg	6660
cccccgattt	agagcttgac	ggggaaagcc	ggcgaacgtg	gcgagaaagg	aagggaagaa	6720
agcgaaaagga	gcgggcgcta	gggcgctggc	aagtgtagcg	gtcacgctgc	gcgtaaccac	6780
cacacccgcc	gcgcttaatg	cgccgctaca	gggcgctcg	cgccattcgc	cattcaggct	6840
gcgcaactgt	tgggaagggc	gatcgggtgcg	ggcctcttcg	ctattacgcc	agctggcgaa	6900

131

```

aggggggatgt gctgcaaggc gattaagttg ggtaacgcc a gggttttccc agtcacgacg 6960
ttgtaaaaacg acgggccagtc gtccaagctt tcgcgagctc gagatcccga gctttgcaaa 7020
ttaaagcctt cgagcgtccc aaaaccttct caagcaagg tttcagtata atgttacatg 7080
cgtacacgcg tctgtacaga aaaaaaagaa aaatttgaaa tataaataac gttcttaata 7140
ctaacataac tataaaaaaa taaataggga cctagacttc aggttgtcta actccttcc 7200
tttcggtttag agcggatgtg gggggagggc gtgaatgtaa gcgtgacata actaattaca 7260
tgatatcgac aaaggaaaag gggcctgttt actcacaggc ttttttcaag taggtaatta 7320
agtcgtttct gtctttttcc ttcttcaacc caccaaaggc catcttggt a cttttttttt 7380
tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 7440
tttttttttt tttttttttt tttttcatag aaataataca gaagtagatg ttgaattaga 7500
ttaaactgaa gatataataat ttattggaaa atacatagag ctttttggtg atgcgcttaa 7560
gggatcaatt caacaacacc accagcagct ctgatttttt cttcagccaa cttggagacg 7620
attctagctt tgacgataac tggaaacattt ggaattctac ccttacccaa gatcttaccg 7680
taacggctg ccaaagtgtc aataactgga gcagtttctt tagaagcaga tttcaagtat 7740
tggtctctct tgtcttctgg gatcaatgtc cacaatttgt ccaagttcaa gactggcttc 7800
cggaaatgag cttgttgctt gtggaagtat ctcatacca nccttaccga aataacctgg 7860
atggtattta tccatgttaa ttctgtgtg atgttgacca ccggccatac ctctaccacc 7920
ggggtgcttt ctgtgcttac cgatacgacc tttaccggct gagacgtgac ctctgtgctt 7980
tttactctta gtgaatctgg aaggcattct tgattagttg gatgattgtt ctgggattta 8040
atgcaaaaaa atcactaaga aggaaaaaaa tcaacggaga aagcaaacgc catcttaaat 8100
atacgggata cagatgaaag gtttgaacct atctgggaaa atacgcatta aacaagcgaa 8160
aaactgcgag gaaaattgtt tgcgtctctg cgggctattc acgcgccaga ggaaaatagg 8220
aaaaataaca gggcattaga aaaataattt tgattttggt aatgtgtggg tccctggtgt 8280
acagatctta cattgggttac agtactcttg tttttgctgt gtttttcgat gaatctccaa 8340
aatggttgtt agcacatgga agagtcaccg atgctaagtt atctctatgt aagctacgtg 8400
gggtgacttt tgatgaagcc gcacaagaga tacaggattg gcaactgcaa atagaatctg 8460
gggatctaga tacccttttg ttgtttccgg gtgtacaata tggacttcc cttttctggc 8520
aaccaaaacc atacatcggg attcctataa taccttcggt ggtctcccta acatgtagg 8580
ggcggagggg agatatacaa tagaacagat accagacaag acataatggg ctaaacaaga 8640
ctacaccaat tacactgcct cattgatggt ggtacataac gaactaatag tgtagcccta 8700
gacttgatag ccatcatcat atcgaagttt cactaccctt tttccatttg ccacttattg 8760
aagtaataat aggcgcatgc aacttctttt cttttttttt ctttttcttc tccccggtg 8820
ttgtctcacc atatccgcaa tgacaaaaaa aatgatggaa gacactaaag gaaaaaatta 8880
acgacaaaga cagcaccaac agatgtcgtt gttccagagc tgatgagggg tatcttcgaa 8940
cacacgaaac tttttccttc cttcattcac gcacactact ctctaagtag caacggtata 9000
cggccttcc tccagttact tgaatttgaa ataaaaaaag tttgccgctt tgctatcaag 9060
tataaataga cctgcaatta ttaattcttt gtttccctcg cattgttctc gttccctttc 9120
ttccttggtt ctttttctgc acaatatctt aagctatacc aagcatacaa tcaactccaa 9180
gcttgaagca agcctcctga aagatgaagc tactgtcttc tatcgaacaa gcatgcgata 9240
tttgccgact taaaaagctc aagtgtctca aagaaaaacc gaagtgcgcc aagtgtctga 9300
agaacaactg ggagtgtcgc tactctccca aaacccaaaag gtctccgctg actagggcac 9360
atctgacaga agtggaatca aggctagaaa gactggaaac gctatttcta ctgatttttc 9420
ctcgagaaga ccttgacatg attttgaaaa tggattcttt acaggatata aaagcattgt 9480
taacaggatt atttgtacaa gataatgtga ataaagatgc cgtcacagat agattggctt 9540
cagtggagag tgatatgcct ctaacattga gacagcatag aataagtgcg acatcatcat 9600
cggaagagag tagtaacaaa ggtcaaagac agttgactgt atcgccggaa ttcattggctt 9660
accatacga tgttccagat tacgctagct tgggtggtca 9700

```

<210> 92
 <211> 9749
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: plasmid
 pGC1003

<400> 92

agaatctggg	gatctagata	tccttttgtt	gtttccgggt	gtacaatatg	gacttcctct	60
tttctggcaa	ccaaacccat	acatcgggat	tcctataata	ccttcggttg	tctccctaac	120
atgtaggtgg	cggaggggag	atatacaata	gaacagatac	cagacaagac	ataatgggct	180
aaacaagact	acaccaatta	cactgcctca	ttgatgggtg	tacataacga	actaatactg	240
tagccctaga	cttgatagcc	atcatcatat	cgaagtttca	ctaccctttt	tccatttgcc	300
atctattgaa	gtaataatag	gcgcatgcaa	cttcttttct	ttttttttct	tttctctctc	360
ccccgttgtt	gtctcaccat	atccgcaatg	acaaaaaaaa	tgatggaaga	cactaaagga	420
aaaaattaac	gacaaagaca	gcaccaacag	atgtcgttgt	tccagagctg	atgaggggta	480
tcttcgaaca	cacgaaactt	tttccttcct	tcattcacgc	acactactct	ctaatagagca	540
acggtatacg	gccttccttc	cagttacttg	aatttgaaat	aaaaaaagtt	tgccgctttg	600
ctatcaagta	taaatagacc	tgcaattatt	aatcttttgt	ttcctcgtca	ttgttctcgt	660
tccttttctt	ccttgtttct	ttttctgcac	aatatttcaa	gctataccaa	gcatacaatc	720
aactccaagc	ttgaagcaag	cctcctgaaa	gatgaagcta	ctgtcttcta	tcgaacaagc	780
atgcgatatt	tgccgactta	aaaagctcaa	gtgctccaaa	gaaaaaccga	agtgcgccaa	840
gtgtctgaag	aacaactggg	agtgtcgcta	ctctcccaaa	acaaaaaggt	ctccgctgac	900
tagggcacat	ctgacagaag	tggaatcaag	gctagaaaaga	ctggaacagc	tatttctact	960
gatttttctt	cgagaagacc	ttgacatgat	tttgaaaatg	gattctttac	aggatataaa	1020
agcattgtta	acaggattat	ttgtacaaga	taatgtgaat	aaagatgccg	tcacagatag	1080
attggcttca	gtggagactg	atatgcctct	aacattgaga	cagcatagaa	taagtgcgac	1140
atcatcatcg	gaagagagta	gtaacaaagg	tcaaagacag	ttgactgtat	cgccggaatt	1200
catggcttac	ccatacgatg	ttccagatta	cgctagcttg	ggtggtcata	tggccatgga	1260
gtgctgtaaa	cgtggcaatt	caaaaaagtc	gaaaccattg	aaaccgcaga	aaatgaattc	1320
ggaaaaagca	ggaggaatct	actattctga	gcctccaggt	gttcgaagat	tacttttgga	1380
gcatcaacat	ggaacattgc	tcggagagaa	aatatcatcg	tgttctcaat	attttgagcc	1440
tcctcctcta	ccacattcaa	caactcttcg	atctggaaaa	agtgcattca	gtggatattc	1500
ttcaacaaga	aacgctggct	cacgagctgc	tttaattcaa	gaatgtagtt	cgagtagttc	1560
aggatctggt	ggaaaacgga	caatgcttag	aacttcaagc	tcaaattgct	cggatgacga	1620
taattatgtc	acgttatatg	attatatgga	agacaagagt	gttcttggtat	tagacacttc	1680
acaaaatatt	gttgctgcgc	agattgatag	caatggagca	cgattgtcct	tatcaaaaag	1740
tggagcaaga	tttaattgtac	ctgaattggc	agtggaaagga	gagaaaaatgc	tttatctggc	1800
tgtttcggac	accttaacag	atcaacctca	cctcaaacca	atcgaatccg	cttctctccc	1860
agtcacgctc	atcggacaat	gtgatgtttc	aatgtcagct	catgataata	ttctccgtcg	1920
tcctgttgtt	gtatccttcc	gtcattgtgc	ttcaactttt	ccacgtgaca	attggcaatt	1980
cacattgtat	gctgatgaag	gatccggatg	gcagaaggct	gtaacaattg	gagaagagaa	2040
cttgaatacc	aacatgtttg	tacaattcga	gcaacctggg	aagaagaatg	atggatttgg	2100
atgggtgccac	gttatgacat	attccttagc	gaggttaatg	ctagctgggtc	atccgaggag	2160
aaattctttg	agtgtcgcaa	aaagagttca	tttagctgta	tttgggtccaa	ctgaaatgtc	2220
agcttatcga	agaccatttg	aattgagagt	ttatttgtgt	cctgaaactg	gagcagcaat	2280
ggaaagtgtg	tggaaacagg	aagatggatc	tcgtctactt	tgtgaatcaa	atgattttat	2340
tttaaataaa	aaaggaaatc	tttgcatattg	tattgaagat	gttattcctg	gatttctcatg	2400
cgatggccct	gaagtttgtg	aaatctcgga	aacacaacac	agatttggtg	ctcaaaaatgg	2460
ccttcattgc	tcattgaaat	tccgaccaa	ggaaatcaac	ggctcacagt	tttcaacgag	2520
agtaattgtc	tatcaaaaagg	caagctcaac	ggagccaatg	gtgatggaag	tgagcaatga	2580
gccggagctc	tatgatgcag	ccccggggcg	tcgacctgca	gccaagctaa	ttccggggcg	2640
atttcttatg	atttatgatt	tttattatta	aataagttat	aaaaaaaaata	agtgtatata	2700
aattttaaag	tgactcttag	gttttaaaaac	gaaaattctt	gttcttgagt	aactctttcc	2760
tgtaggtcag	gttgctttct	caggtatagc	atgaggtcgc	tcttattgac	cacacctcta	2820
ccggcatgca	agcttggcgt	aatcatgggtc	atagctgttt	cctgtgtgaa	attgttatcc	2880
gtcacacaatt	ccacacaaca	tacgagccgg	aagcataaag	tgtaaaagcct	ggggtgccta	2940
atgagtgagg	taactcacat	taattgcgtt	gcgctcactg	ccgcttttcc	agtcgggaaa	3000
cctgtcgtgc	cagctggatt	aatgaatcgg	ccaacgcgcg	gggagaggcg	gtttgcgtat	3060
tgggcgctct	tccgcttctt	cgctcactga	ctcgctgcgc	tcggtcgttc	ggctgcggcg	3120
agcggtatca	gctcactcaa	aggcggtaat	acggttatcc	acagaatcag	gggataacgc	3180
aggaaagaac	atgtgagcaa	aaggccagca	aaaggccagg	aaccgtaaaa	aggccgcgtt	3240
gctggcgttt	ttccataggc	tccgcccccc	tgacgagcat	cacaaaaatc	gacgctcaag	3300
tcagaggtgg	cgaaacccga	caggactata	aagataccag	gcgtttcccc	ctggaagctc	3360
cctcgtgcgc	tctcctgttc	cgaccctgcc	gcttaccgga	tacctgtccg	cctttctccc	3420
ttcgggaagc	gtggcgcttt	ctcatagctc	acgctgtagg	tatctcagtt	cggtgtaggt	3480

cgttcgcctcc	aagctgggct	gtgtgcacga	accccccggt	cagcccgacc	gctgcgcctt	3540
atccggtaac	tatcgtcttg	agtccaaccc	ggtaagacac	gacttatcgc	cactggcagc	3600
agccactggg	aacaggatta	gcagagcgag	gtatgtaggc	ggtgctacag	agttcttgaa	3660
gtgggtggcct	aactacggct	acactagaag	gacagtattt	ggtatctgcg	ctctgctgaa	3720
gccagttacc	ttcggaaaaa	gagttggtag	ctcttgatcc	ggcaaaacaa	ccaccgctgg	3780
tagcgggtgg	ttttttgttt	gcaagcagca	gattacgcgc	agaaaaaaag	gatctcaaga	3840
agatcctttg	atcttttcta	cggggtctga	cgctcagtg	aacgaaaact	cacgttaagg	3900
gatttttggtc	atgagattat	caaaaaggat	cttcacctag	atccttttaa	attaaaaatg	3960
aagttttaaa	tcaatctaaa	gtatatatga	gtaaacttgg	tctgacagtt	accaatgctt	4020
aatcagtgag	gcacctatct	cagcgatctg	tctatttctg	tcatccatag	ttgcctgact	4080
ccccgtcgtg	tagataacta	cgatacggga	gggcttacca	tctggcccca	gtgctgcaat	4140
gataccgcga	gacccacgct	caccggctcc	agatttatca	gcaataaacc	agccagcggg	4200
aagggccgag	cgcagaagtg	gtcctgcaac	tttatccgcc	tccatccagt	ctattaattg	4260
ttgccgggaa	gctagagtaa	gtagtctgcc	agttaatagt	ttgcgcaacg	ttgttgccat	4320
tgctacaggc	atcgtgggtg	cacgctcgtc	gtttggtagt	gcttcattca	gctccggttc	4380
ccaacgatca	aggcgagtta	catgatcccc	catgttgtgc	aaaaaagcgg	ttagctcctt	4440
cggctcctcg	atcgttgtca	gaagtaagtt	ggccgcagtg	ttatcactca	tggttatggc	4500
agcactgcat	aattctctta	ctgtcatgcc	atccgtaaga	tgcttttctg	tgactggtga	4560
gtactcaacc	aagtcattct	gagaatagtg	tatgcggcga	ccgagttgct	cttgcccggc	4620
gtcaatacgg	gataataccg	cgccacatag	cagaacttta	aaagtgtctc	tcattggaaa	4680
acgttcttcg	gggcgaaaaa	tctcaaggat	cttaccgctg	ttgagatcca	gttcgatgta	4740
acccactcgt	gcacccaact	gatcttcagc	atcttttact	ttcaccagcg	tttctgggtg	4800
agcaaaaaaca	ggaaggcaaa	atgccgcaaa	aaaggggaata	agggcgacac	ggaaatgttg	4860
aatactcata	ctcttccttt	ttcaatatta	ttgaagcatt	tatcagggtt	attgtctcat	4920
gagcggatac	atatttgaat	gtatttagaa	aaataaacaa	ataggggttc	cgcgcacatt	4980
tccccgaaaa	gtgccacctg	aacgaagcat	ctgtgcttca	ttttgtagaa	caaaaatgca	5040
acgcgagagc	gctaattttt	caaacaaaga	atctgagctg	cattttttaca	gaacagaaat	5100
gcaacgcgaa	agcgcctattt	taccaacgaa	gaatctgtgc	ttcattttttg	taaaacaaaa	5160
atgcaacgcg	agagcgctaa	tttttcaaac	aaagaatctg	agctgcattt	ttacagaaca	5220
gaaatgcaac	gcgagagcgc	tattttacca	acaaagaatc	tatacttctt	ttttgttcta	5280
caaaaatgca	tcccgagagc	gctatttttc	taacaaagca	tcttagatta	ctttttttct	5340
cctttgtgcg	ctctataatg	cagtctcttg	ataacttttt	gcactgtagg	tccgttaagg	5400
ttagaagaag	gctacttttg	tgtctatttt	ctcttccata	aaaaaagcct	gactccactt	5460
cccgcgttta	ctgtattacta	gcgaagctgc	gggtgcattt	tttcaagata	aaggcatccc	5520
cgatttatatt	ctataccgat	gtggattgcg	catactttgt	gaacagaaag	tgatagcggt	5580
gatgattctt	cattggtcag	aaaattatga	acggtttctt	ctattttgtc	tctatatact	5640
acgtatagga	aatgtttaca	ttttcgtatt	gttttctgatt	cactctatga	atagttctta	5700
ctacaatttt	tttgctctaaa	gagtaatact	agagataaac	ataaaaaatg	tagaggtcga	5760
gtttagatgc	aagttcaagg	agcgaaagg	ggatgggtag	gttatatagg	gatatagcac	5820
agagatatat	agcaaagaga	tacttttgag	caatgtttgt	ggaagcggta	ttcgcaatat	5880
tttagtagct	cgttacagtc	cggtgcgttt	ttgggttttt	gaaagtgcgt	cttcagagcg	5940
cttttggttt	tcaaaagcgc	tctgaagttc	ctatactttc	tagagaatag	gaacttcgga	6000
ataggaactt	caaagcggtt	ccgaaaacga	gcgcttccga	aaatgcaacg	cgagctgcgc	6060
acatacagct	cactgttcac	gtcgcacctc	tatctgcgtg	ttgcctgtat	atatatatac	6120
atgagaagaa	cggcatagtg	cgtgtttatg	cttaaatgcg	tacttatatg	cgtctattta	6180
tgtaggatga	aaggtagtct	agtacctcct	gtgatattat	cccattccat	gcgggggtatc	6240
gtatgcttcc	ttcagcacta	cccttttagct	gttctatatg	ctgccactcc	tcaattggat	6300
tagtctcatc	cttcaatgct	atcatttctt	ttgatattgg	atcatattaa	gaaaccatta	6360
ttatcatgac	attaacctat	aaaaataggc	gtatcacgag	gccctttcgt	ctcgcgcgtt	6420
tcgggtgatga	cggtgaaaac	ctctgacaca	tgcagctccc	ggagacggtc	acagcttgtc	6480
tgtaagcggg	tgccgggagc	agacaagccc	gtcagggcgc	gtcagcgggt	gttggcgggt	6540
ctcggggctg	gcttaactat	gcggcatcag	agcagattgt	actgagagtg	caccatagat	6600
caacgcacat	actatatata	taatatagga	agcatttaat	agacagcatc	gtaatatatg	6660
tgtactttgc	agttatgacg	ccagatggca	gtagtggaa	atattcttta	ttgaaaaata	6720
gcttgctacc	ttacgtacaa	tcttgatccg	gagcttttct	ttttttgccg	attaagaatt	6780
aattcgggtc	aaaaaagaaa	aggagagggc	caagagggag	ggcattgggtg	actattgagc	6840
acgtgagtat	acgtgattaa	gcacacaaag	gcagcttgga	gtatgtctgt	tattaatttc	6900
acaggtagtt	ctggtccatt	ggtgaaagtt	tgccgcttgc	agagcacaga	ggccgcagaa	6960

134

tgtgctctag	attccgatgc	tgacttgctg	ggtattatat	gtgtgccc	tagaaagaga	7020
acaattgacc	cggttattgc	aaggaaaatt	tcaagtcttg	taaaagcata	taaaaatagt	7080
tcaggcactc	cgaaataact	ggttggcg	tttcgtaatc	aacctaagga	ggatgttttg	7140
gctctgggtca	atgattacgg	cattgatatc	gtccaactgc	atggagatga	gtcgtggcaa	7200
gaataccaag	agttcctcgg	tttgccagtt	attaaaagac	tcgtatttcc	aaaagactgc	7260
aacatactac	tcagtgcagc	ttcacagaaa	cctcattcgt	ttattccctt	gtttgattca	7320
gaagcagggtg	ggacagggtga	acttttggat	tggaaactcg	tttctgactg	ggttggaaag	7380
caagagagcc	ccgaaagctt	acatttttatg	ttagctgggtg	gactgacgcc	agaaaatggt	7440
ggtgatg	ttagattaaa	tggcggttatt	ggtgttgatg	taagcggagg	tgtggagaca	7500
aatggtgtaa	aagactctaa	caaaatagca	aatttcgtca	aaaatgctaa	gaaataggtt	7560
attactgagt	agtatttatt	taagtattgt	ttgtgcactt	gccgatctat	gccgtgtgaa	7620
ataccgcaca	gatgcgtaag	gagaaaaatc	cgcatacagga	aattgtaaac	gttaatatatt	7680
tggttaaaatt	cgcggttaaat	ttttgtttaa	tcagctcatt	ttttaaccaa	tagggcgaaa	7740
tcggcaaaaat	cccttataaa	tcaaaagaat	agaccgagat	aggggttgagt	gttgttccag	7800
tttggaaacaa	gagtccacta	ttaaagaacg	tggactccaa	cgtcaaaggg	cgaaaaaccg	7860
tctatcaggg	cgatggccca	ctacgtgaac	catcacccta	atcaagtitt	ttgggggtcga	7920
ggtgccgtaa	agcactaaat	cggaacccta	aagggagccc	ccgatttaga	gcttgacggg	7980
gaaagccggc	gaacgtggcg	agaaaggaag	ggaagaaagc	gaaaggagcg	ggcgctaggg	8040
cgctggcaag	tgtagcggtc	acgctgcgcg	taaccaccac	acccgccgcg	cttaatgcgc	8100
cgctacaggg	cgcgtcgcgc	cattcgccat	tcaggctgcg	caactgttgg	gaagggcgat	8160
cggtgcgggc	ctcttcgcta	ttacgccagc	tggcgaaagg	gggatgtgct	gcaaggcgat	8220
taagtgggt	aacgccaggg	ttttcccagt	cacgacgttg	taaaacgacg	gccagtcgtc	8280
caagctttcg	cgagctcgag	atcccagagct	ttgcaaatta	aagccttcga	gcgtcccaaa	8340
accttctcaa	gcaaggtttt	cagtataatg	ttacatgcgt	acacgcgtct	gtacagaaaa	8400
aaaagaaaaa	tttgaaatat	aaataacggt	cttaatacta	acataactat	aaaaaaataa	8460
atagggacct	agacttcagg	ttgtctaact	ccttcctttt	cggttagagc	ggatgtgggg	8520
ggagggcgtg	aatgtaagcg	tgacataact	aattacatga	tatcgacaaa	ggaaaagggg	8580
cctgtttact	cacaggcttt	tttcaagtag	gtaatttaagt	cgtttctgtc	tttttccttc	8640
ttcaaccac	caaaggccat	cttgggtactt	tttttttttt	tttttttttt	tttttttttt	8700
tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	8760
ttcatagaaa	taatacagaa	gtagatgttg	aattagatta	aactgaagat	atataattta	8820
ttggaaaata	catagagctt	tttgttgatg	cgcttaagcg	atcaattcaa	caacaccacc	8880
agcagctctg	attttttctt	cagccaactt	ggagacgaat	ctagctttga	cgataactgg	8940
aacatttgga	attctaccct	tacccaagat	cttaccgtaa	ccggctgcca	aagtgtcaat	9000
aactggagca	gtttccttag	aagcagattt	caagtattgg	tctctcttgt	cttctgggat	9060
caatgtccac	aatttgtcca	agttcaagac	tggcttccag	aaatgagctt	gttgcttgtg	9120
gaagtatctc	ataccaancc	ttaccgaaat	aacctggatg	gtatttatcc	atgttaattc	9180
tgtggtgatg	ttgaccaccg	gccatacctc	taccaccggg	gtgctttctg	tgcttaccga	9240
tacgaccttt	accggctgag	acgtgacctc	tgtgctttct	agtcttagtg	aatctggaag	9300
gcattcttga	ttagttggat	gattgttctg	ggattttaatg	caaaaaaatc	actaagaagg	9360
aaaaaaatca	acggagaaag	caaacgccat	cttaaatata	cgggatacag	atgaaagggt	9420
tgaacctatc	tgggaaaata	cgcattaaac	aagcgaaaaa	ctgcgaggaa	aattgtttgc	9480
gtctctgcgg	gctattcacg	cgccagagga	aaataggaaa	aataacaggg	cattagaaaa	9540
ataattttga	ttttggtaat	gtgtgggtcc	ctggtgtaca	gatgttacat	tggttacagt	9600
actcttgttt	ttgctgtgtt	tttcgatgaa	tctccaaaat	ggttggttagc	acatggaaga	9660
gtcaccgatg	ctaagttatc	tctatgtaag	ctacgtggcg	tgacttttga	tgaagccgca	9720
caagagatac	aggattggca	actgcaaat				9749

<210> 93

<211> 1415

<212> PRT

<213> *Caenorhabditis elegans*

<400> 93

Met	Ile	Leu	Arg	His	Phe	Gly	Phe	Ile	Leu	Ile	Ile	Leu	Thr	Val	Tyr
1					5				10					15	

Leu	Ser	Ser	Thr	His	Ala	Thr	Thr	Arg	Lys	His	His	Arg	Arg	Ser	Ile
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

					135										
20					25					30					
Asp	Asn	Asp	Ala	Arg	Asn	Leu	Gly	Phe	Gln	Phe	Val	Met	Glu	Pro	Arg
		35					40					45			
Arg	Asn	Val	Thr	Val	Met	Glu	Ser	Ser	Ser	His	Leu	Leu	Glu	Cys	Ser
	50					55					60				
Tyr	Val	Leu	Ala	His	Glu	Arg	Leu	Val	His	Asp	Val	Arg	Ile	Glu	Trp
65					70					75					80
Lys	Arg	Asp	Gly	Val	Leu	Leu	Ser	Glu	Arg	Thr	Ser	Ser	Arg	Ile	Lys
				85					90					95	
Val	Met	Ser	Asn	Gly	Ser	Leu	Trp	Ile	Glu	Ser	Val	Ser	Ser	Ala	Glu
			100					105					110		
Glu	Gly	Thr	Tyr	Gln	Cys	Ala	Val	His	Val	Thr	Thr	Lys	Ser	Asp	Gln
		115					120					125			
Thr	Ser	Asp	Thr	Trp	Thr	Phe	Leu	Ser	Arg	Lys	Ala	Thr	Leu	Arg	Leu
	130					135					140				
Ala	Asp	Leu	Ala	Lys	Phe	Glu	Leu	Gln	Ala	Ile	Asp	Arg	Thr	Leu	Ala
145					150					155					160
Lys	Gly	Gln	Pro	Thr	Ala	Phe	His	Cys	Leu	Ile	Asn	Ser	Lys	Pro	Thr
				165					170					175	
Pro	Thr	Ala	Val	Trp	Leu	His	Asn	Asp	Glu	Pro	Ile	Val	Asn	Gly	Gly
			180					185					190		
Glu	Tyr	His	Ile	Leu	Pro	Val	Ser	Asn	Thr	Leu	Glu	Ile	Ser	Ser	Thr
	195						200					205			
Gln	Ser	Arg	His	Glu	Gly	Thr	Tyr	Arg	Cys	Thr	Val	Glu	Gly	Ala	Gly
	210					215					220				
Lys	Arg	Arg	Ser	Ser	Gln	Thr	Ala	Arg	Leu	Thr	Val	Thr	Thr	Glu	Thr
225					230					235					240
Val	Ser	Asn	Glu	Leu	Val	Phe	Ile	Thr	Thr	Pro	Arg	Leu	Gln	Val	Val
				245					250					255	
Glu	Gln	Gly	Asp	Glu	Phe	Leu	Leu	Glu	Cys	Leu	Val	Ala	Ser	Leu	Ile
			260					265					270		
Arg	Pro	Gln	Val	Arg	Trp	Leu	Lys	Asp	Ser	Arg	Gln	Ile	Ile	Val	Asp
		275					280					285			
Gly	Val	Arg	Ile	Arg	Arg	Val	Gly	Val	Ser	Ser	Ile	Leu	Val	Ser	Arg
	290					295					300				
Ala	Ser	Ile	Glu	Asp	Thr	Gly	Leu	Tyr	Thr	Cys	Arg	Ala	Ser	Asn	Asn
305					310					315					320
Asp	Asp	Ser	Ile	Asp	Arg	Ala	Val	Ser	Val	Glu	Val	Arg	Ala	Pro	Pro
				325					330					335	

136

Arg	Ile	Thr	Thr	Arg	Pro	Thr	Thr	Lys	Val	Ala	Val	Glu	Thr	Ala	Asp
			340					345					350		
Val	Glu	Leu	Glu	Cys	Gly	Thr	Ala	Ala	Ala	Arg	Pro	Glu	Ala	Arg	Val
		355					360					365			
Asn	Trp	Tyr	Lys	Asn	Gly	Glu	Ala	Ile	Ile	Gly	Ser	Glu	Tyr	Phe	Val
	370					375					380				
Ile	Glu	Pro	Asn	Arg	Leu	Arg	Ile	Leu	Gly	Val	Val	Arg	Ala	Asp	Gln
385					390					395					400
Ala	Ile	Tyr	Gln	Cys	Ile	Ala	Glu	Asn	Asp	Val	Gly	Ser	Glu	Gln	Ala
				405					410					415	
Ser	Ala	Gln	Leu	Leu	Val	Asp	Ala	Pro	Asp	Ser	Ser	Ser	Val	Ala	Ala
			420					425					430		
Ser	Ser	Gly	Val	Pro	Met	Thr	Ser	Ser	Ala	Pro	Leu	Gly	Leu	Arg	Ser
		435					440					445			
Thr	Ser	Ser	Gly	Ser	Arg	Phe	Ile	Asn	Val	Glu	Trp	Asp	Pro	Pro	Val
	450					455					460				
Gln	Arg	Asn	Gly	Asn	Ile	Met	Arg	Tyr	His	Ile	Phe	Tyr	Lys	Asp	Asn
465					470					475					480
Leu	Ile	Asp	Arg	Glu	Arg	Met	Ile	Asn	Ser	Ser	Ser	Thr	Ser	Ala	Thr
				485					490					495	
Leu	Thr	Ser	Leu	Gln	Pro	Ser	Thr	Met	Tyr	Leu	Ile	Arg	Val	Thr	Ala
			500					505					510		
Glu	Asn	Glu	Ala	Gly	Met	Gly	Lys	Phe	Ser	Asp	Ser	Leu	Lys	Val	Thr
		515					520					525			
Thr	Asn	Lys	Glu	Gln	Ala	Val	Pro	Gly	Lys	Val	Ala	Ser	Leu	Thr	Thr
	530					535					540				
Thr	Ala	Thr	Gly	Pro	Glu	Thr	Ile	Asp	Ile	Arg	Trp	Ser	Pro	Pro	Ser
545					550					555					560
Gly	Gly	Gln	Pro	Ala	Leu	Arg	Tyr	Lys	Ile	Phe	Tyr	Ser	His	Asp	Pro
				565					570					575	
Leu	Glu	Lys	Asn	Glu	Lys	Glu	Thr	Leu	Ile	Thr	Thr	Ser	Thr	Thr	His
			580					585					590		
Tyr	Thr	Leu	His	Gly	Met	Asp	Lys	Tyr	Thr	Gly	Tyr	Gln	Ile	Arg	Ile
		595					600					605			
Glu	Ala	Glu	Gly	Ser	Asn	Gly	Ser	Gly	Leu	Ser	Ser	Asp	Thr	Val	Lys
	610					615					620				
Val	Arg	Thr	Gln	Ser	Asp	Glu	Pro	Ser	Ala	Pro	Pro	Val	Asn	Ile	Gln
625					630					635					640

137

Ala	Glu	Ala	Asp	Ser 645	Ser	Thr	Ser	Val	Arg 650	Val	Ser	Trp	Asp	Glu	Pro 655
Glu	Glu	Glu	Ser 660	Val	Asn	Gly	Glu	Ile 665	Thr	Gly	Tyr	Arg	Leu 670	Lys	Tyr
Lys	Thr	Lys 675	Ala	Arg	Gly	Ala	Lys 680	Gly	Asn	Thr	Leu	Val	Ile	Asp	Ala
Thr	Ala 690	Arg	Glu	Tyr	Thr	Met 695	Gly	Asn	Leu	Glu	Pro 700	Asn	Thr	Gln	Tyr
Leu	Ile	Arg	Met	Ala	Val 710	Val	Asn	His	Asn	Gly 715	Thr	Gly	Pro	Phe	Ser 720
Asp	Trp	Val	Ser	Ile 725	Asp	Thr	Pro	Gly	Gln 730	Asp	Lys	Glu	Glu	Arg 735	Thr
Leu	Gly	Ala	Pro 740	Arg	Glu	Ile	Arg 745	Pro	His	Ala	Gly	Ile	Asp 750	Tyr	Ile
Leu	Val 755	Ser	Trp	Leu	Pro	Pro	Ala 760	Asp	Glu	Gln	Asn	Leu 765	Val	Arg	Gly
Tyr	Gln 770	Ile	Gly	Trp	Gly	Leu 775	Ser	Val	Pro	Asp	Thr 780	Glu	Thr	Ile	Arg
Val	Thr	Ala	Ser	Thr	Thr 790	Gln	Tyr	Lys	Ile	Ala 795	Arg	Leu	His	Ser	Glu 800
Arg	Asp	Tyr	Val	Ile 805	Ser	Leu	Arg	Ala	Phe 810	Asn	Asn	Leu	Gly	Ser 815	Gly
Phe	Pro	Ile	Tyr 820	Glu	Thr	Val	Arg	Thr 825	Leu	Ser	Arg	Glu	Thr 830	Pro	Ser
His	Phe 835	Asn	Glu	Asp	Ser	Asp	Ser 840	Asp	Asp	Ser	Asp	Val 845	Gly	Ser	Ser
Glu	Ser 850	Thr	Pro	Val	Gly	Val 855	Arg	Ala	Glu	Ala	Ile 860	Ser	Ala	Thr	Ser
Ile	Arg	Val	Met	Trp	Thr 870	Glu	Ser	Asp	Glu	Thr 875	Ala	Phe	Asn	Thr	Gln 880
Tyr	Thr	Val	Arg	Tyr 885	Ser	Thr	Ala	Val	Asp 890	Gly	Asn	Gln	His	Arg 895	Tyr
Val	Asn	Ser	Thr 900	Glu	Thr	Trp	Ala	Thr 905	Val	Glu	Gly	Leu	Arg 910	Pro	Ala
Thr	Glu 915	Tyr	Glu	Phe	Ala	Val	Arg 920	Ala	Val	Ala	Ser	Asn 925	Gly	Gln	Leu
Ser	Thr 930	Trp	Ser	Met	Ala	Thr	Arg 935	Asn	Arg	Thr	Leu 940	Ala	Ala	Pro	Pro
Ser	Ser	Ala	Pro	Arg	Asp	Leu	Thr	Val	Leu	Pro	Ala	Glu	Ser	Gly	Asp

945	138										955					960		
Pro	His	Ser	Ser	Ser	Leu	His	Trp	Gln	Pro	Pro	Lys	Tyr	Ser	Asn	Gly			
				965					970					975				
Glu	Ile	Glu	Glu	Tyr	Leu	Val	Phe	Tyr	Thr	Asp	Arg	Ala	Ser	Leu	Ala			
			980					985					990					
Asp	Lys	Asp	Trp	Thr	Ile	Asn	Tyr	Val	Ala	Gly	Asp	Lys	Leu	Ser	His			
		995					1000					1005						
Gln	Val	Ser	Asn	Leu	Leu	Pro	Lys	Ala	Asn	Tyr	Phe	Phe	Lys	Ile	Gln			
	1010					1015					1020							
Ala	Arg	Asn	Glu	Lys	Gly	His	Gly	Pro	Phe	Ser	Ser	Val	Val	Gly	Tyr			
1025					1030					1035					1040			
Thr	Pro	Ser	Gly	Gly	Ala	Ile	Leu	Ser	Gly	Lys	Asp	Arg	His	Asn	Ala			
			1045						1050					1055				
Arg	Gly	His	Gly	Ser	Ala	Ala	Ser	Gly	Asp	Thr	Val	Ser	Leu	Val	Asp			
			1060					1065					1070					
Gln	Leu	Gln	Ser	Leu	Leu	His	Ser	Asn	Pro	Leu	Tyr	Leu	Ile	Leu	Leu			
	1075						1080					1085						
Ala	Ala	Phe	Ala	Leu	Ile	Leu	Ile	Leu	Thr	Leu	Ile	Leu	Ile	Ile	Met			
	1090					1095					1100							
Cys	Cys	Trp	Lys	Arg	Ser	Ser	Gly	Gly	Gly	Arg	Lys	Asn	Gly	Tyr	Gln			
1105					1110					1115					1120			
Ser	Gly	Lys	Lys	Thr	Ser	Ala	Gly	Ala	Gly	Ser	Gly	Gly	Gly	Ile	Gly			
			1125						1130					1135				
Gly	Leu	Gly	Gly	Pro	Pro	Asn	Asp	Leu	Trp	Ile	Asn	Gly	Thr	Gly	Ser			
		1140						1145					1150					
His	Met	Arg	Ala	Gly	Ala	Ser	Asp	Tyr	Met	Val	Asp	Gly	Leu	Ala	Thr			
	1155						1160					1165						
Ala	His	Leu	Thr	Ala	Ala	Asp	Ile	Glu	Ser	Pro	Thr	Pro	Arg	Tyr	His			
	1170					1175					1180							
His	Leu	Gln	Gly	Gln	Gly	Thr	Leu	Thr	Arg	Ser	Tyr	His	Gln	Ser	Ser			
1185					1190					1195					1200			
Gln	Ser	Leu	Glu	Gly	Arg	Gln	Arg	Thr	Pro	Gln	Val	Val	Tyr	Thr	Gly			
			1205						1210					1215				
Thr	Gly	Arg	His	Gln	Pro	Ile	Gln	Arg	Ile	Asp	Phe	Glu	Ser	Pro	Tyr			
			1220					1225					1230					
Gly	Ser	Ser	Ser	Ala	Ile	Gly	Ser	Ala	Ser	Thr	Pro	Pro	Leu	Pro	Met			
		1235					1240					1245						
Gln	Ala	Pro	Pro	Ser	Gly	Pro	Pro	Thr	Val	Ile	Asp	Gly	Tyr	Arg	Thr			
	1250					1255					1260							

139

Leu Arg Gly Thr Pro Pro Asn Ser Ser Ala Ala Asn Ala Leu Arg Ser
 1265 1270 1275 1280
 Phe Thr Gln Leu Ala Gly Ala Thr Pro Pro Pro His Ser Ala Ala
 1285 1290 1295
 Ser Ser Ser Ser Arg Pro Thr Ile Ile Ala Ala Gly Gly Arg Gln Val
 1300 1305 1310
 Pro Val Gly Arg Ala Thr Ala Gln Pro Arg Val Asn Val Ala Asn Ile
 1315 1320 1325
 Tyr Ser Pro Phe Ala Ser Cys Ser Ala Ser Ser Asp Ala Gly Glu Ser
 1330 1335 1340
 Asp Lys Lys Ser Gly Glu Cys Met Glu Met Arg Glu Thr Thr Pro Ile
 1345 1350 1355 1360
 Lys Ser Asn Thr Ala Gly Ser Ser Asn Gly Glu Lys Met Asn Thr Asn
 1365 1370 1375
 Met Asn Pro Ser His Ser Ala Glu Asp Leu Asn Ala His Leu Glu Asn
 1380 1385 1390
 Leu Asp Thr Met Leu Asp Asp Leu Gln Gln Leu Gln His Asn Leu His
 1395 1400 1405
 Phe Glu Thr Ser Met Asp Lys
 1410 1415

<210> 94

<211> 4248

<212> DNA

<213> Caenorhabditis elegans

<400> 94

```

atgattttgc gacatttcgg ttctattctt ataattctga cagtttatct gtcattctact 60
catgccacaa cacggaacaa tcacgtcgca tcgattgata atgatgctcg gaattcttggc 120
tttcaattcg taatggaacc acgacggaat gtgactgtta tggaatcatc gtctcattta 180
ttagaatgta gttatgttct ggctcatgag agacttgtac acgatgtccg aattgaatgg 240
aaacgtgatg gtgtgttgct cagtgaacgg acatcttcta gaataaaaagt aatgtcaaatt 300
ggttcattat ggatagaatc agtgagcagt gccgaagaag gaacatatca atgctgtgta 360
catgtgacta caaaaagcga tcaaacaagt gatacgtgga catTTTTTgag tCGAAAagct 420
acgttacgat tggcggattt ggcaaagttt gaactgcaag cgattgatcg aactctagca 480
aaagggcagc caactgcgtt tcattgtctt attaactcga aaccaacccc aacagcagtt 540
tggttcacac acgatgaacc tattgtaaat ggtggcgaat atcacattct accagtgtca 600
aacacttttg agattagttc cactcaatct agacacgaag ggacgtatag gtgtacggta 660
gaaggtgctg ggaagagaag aagtagccaa actgcacgat tgaccgttac tactgaaaca 720
gtatcgaatg agctagtttt catcacaacg ccacgtctac aagttgttga acaaggcgac 780
gaattcttac ttgaatgcct tgttgcccta ctaatcagac ctcaagttag atggctcaaa 840
gattctcgtc aaattattgt cgatggagtt cgtattcgac gtgttggcgt atcgtcaatt 900
cttgtctcac gtgcttctat cgaagatact gggctataca cttgtcgagc ttcgaataat 960
gatgattcaa ttgatcgagc tgtatctgta gaagttcgtg ctccgccgag aatcactaca 1020
cgacctacca cgaaagttgc tgttgaaact gctgatgttg aattagagtg tggaaacggcg 1080
gctgctagac cagaggcacg cgttaattgg tacaataatg gagaagcaat aattgggagc 1140
gagtattttg taattgagcc gaacagactc cgcattcctg gagtcgtacg agccgatcaa 1200

```

140

gcaatctacc	aatgtattgc	agaaaatgat	gttggaagt	aacaagctag	tgcacaactt	1260
cttggtgatg	ctccagattc	atcatcagtg	gctgcttcct	caggagttcc	aatgacttcg	1320
tctgcaccgt	taggcctccg	tctgacgtct	tctggttctc	gctttataaa	tgttgaatgg	1380
gatccaccag	ttcaaagaaa	tgggaatatt	atgagatata	atatattcta	caaagataat	1440
ttaatcgaca	gagaaaggat	gatcaattca	tcaagtacat	ctgcaacgtt	aacatctcta	1500
caaccatcaa	caatgtattt	aattcgagtt	actgctgaaa	atgaagctgg	aatgggaaa	1560
tttagtgatt	cacttaaagt	taccacaaac	aaagaacaag	cagttcctgg	aaaagtcgca	1620
tcaactaaca	caactgcaac	tggccccgaa	acgattgaca	tccgttggag	cccaccaagt	1680
ggaggacaac	ctgcccttcg	atacaaaata	ttctattcgc	atgatccatt	ggagaaaaat	1740
gaaaaagaaa	cattgattac	gacctcgaca	acacattata	cacttcattg	aattggataaa	1800
tacactggat	atcagattcg	aattgaagct	gaaggatcca	atggatcggg	gctttcaagt	1860
gatactgtga	aagtacgaac	acaatccgat	gaaccatcag	caccgcctgt	aaacattcaa	1920
gcagaagctg	atagctcaac	aagtgttcga	gttagttggg	atgagccaga	agaggaaatct	1980
gttaacggag	aaattactgg	atatcggttg	aagtacaaga	caaaagctcg	tggagccaaa	2040
ggcaatactc	ttgtgattga	cgccactgct	agagagtata	ctatgggaaa	tttggaaaccg	2100
aatacacagt	atctgataag	aatggcagta	gtgaatcaca	atggaacggg	acccttctcg	2160
gattgggttt	ctattgatac	tcctggacaa	gataaagaag	aacgaacact	tggagcaccg	2220
agagagattc	gaccacatgc	tgggaattgat	tatattcttg	tatcatggct	tccaccagca	2280
gatgaacaga	atcttgtag	aggatatcaa	attggatggg	gattgagtg	tcctgatact	2340
gaaacaattc	gtgtaactgc	ttccacaact	caatataaaa	ttgccagatt	gcattcggaa	2400
cgagattatg	tgatttctct	tcgagcattt	aataatctag	gatctggatt	tccgatttat	2460
gaactgttc	gaacttggtc	tcgtgaaact	ccatcacatt	tcaatgaaga	ttctgattct	2520
gacgattctg	acgttggtatc	ctcagaatct	actccagttg	gagtgcgtgc	tgaggcaatc	2580
tcgcaacat	caatacgtgt	tatgtggacg	gaatctgatg	aaactgcttt	caatacacag	2640
tatacagttc	gatatagtag	agctgttgat	gggaatcaac	atagatacgt	gaatagcacc	2700
gagacatggg	ctactgtgga	aggactacga	ccagctactg	agtatgagtt	tgcggttaga	2760
gctgttgcat	caaattgggca	gttgagtact	tggctcaatgg	ctaccaggaa	tcgaacatta	2820
gcggctccac	caagttcagc	tcacagtgat	ctcactgtgc	tgccctgcaga	aagtggcgat	2880
cctcactctt	caagtcttca	ttggcaacct	ccgaaatatt	caaattggaga	aattgaagaa	2940
tatttagtgt	tttatacgga	tcgagcttct	cttgccgaca	aagattggac	aattaactat	3000
gtagctggtg	ataagttgtc	acatcaagtc	agcaatttac	ttccaaaagc	taattatttc	3060
ttcaagattc	aagcaagaaa	tgagaaaggt	catggcccat	tctcttctgt	agttggatac	3120
actccatcag	gcggtgctat	tctatcagga	aaagatcgtc	acaatgcacg	tgggcatgga	3180
tcagcggctt	ctggcgatac	agtttcctta	gtcgatcaac	ttcaatctct	tcttcactct	3240
aaccattgt	atctcatact	tttggtctgc	tttgctctga	ttctgatcct	tacactgatt	3300
cttatcataa	tgtgttggtg	gaaacgatct	agtgggtggag	ggcgaaagaa	tggatatcag	3360
tctggaaaaa	agacgagtg	cggagctgga	agtggaggtg	gaataggtgg	tcttggaggt	3420
ccacctaatg	atttatggat	taatggaact	ggaagtcata	tgagagctgg	tgcttctgat	3480
tatatggttg	atggtctagc	aaccgcccct	cttactgctg	ctgacattga	atcaccacca	3540
cctagatata	atcatctaca	agggcaagga	actctaacac	gaagttatca	tcaaagctca	3600
caaagtcttg	aaggacgaca	acgaacacct	caagtgggtt	atacaggaac	tgggaaggcat	3660
cagccgattc	aaagaatcga	ctttgaaagt	ccttatgggt	catcatctgc	aattggatcc	3720
gcctcgactc	cgctctctcc	aatgcaagct	ccaccttctg	gtccacctac	agtaatcgat	3780
ggataccgta	ctctacgtgg	aacacctcca	aattcatcag	ctgcaaatgc	tcttcggtca	3840
ttcactcaat	tggcaggagc	aacaccacct	ccaccacact	ctgcggcatc	atcatcttct	3900
cgaccgacta	ttattgcagc	cggtggacgg	caagtccag	ttggaagagc	aactgctcaa	3960
ccacgtgtca	atgttgcaaa	tatctacagt	ccatttgcac	catgctctgc	atcttctgat	4020
gcaggagaat	cagataaaaa	gagtggagaa	tgtatggaaa	tgagagaaac	cacacccatt	4080
aaatctaata	cagctgggtc	atcgaatgga	gagaagatga	acacaaatat	gaatccttca	4140
cactcggcag	aagatctcaa	cgcacatctt	gagaaccttg	acacaatgct	tgatgatcta	4200
caacaattac	agcacaattt	gcattttgag	acgagtatgg	ataagtaa		4248

<210> 95

<211> 1447

<212> PRT

<213> Homo sapiens

<400> 95

141

Met Glu Asn Ser Leu Arg Cys Val Trp Val Pro Lys Leu Ala Phe Val
 1 5 10 15

Leu Phe Gly Ala Ser Leu Leu Ser Ala His Leu Gln Val Thr Gly Phe
 20 25 30

Gln Ile Lys Ala Phe Thr Ala Leu Arg Phe Leu Ser Glu Pro Ser Asp
 35 40 45

Ala Val Thr Met Arg Gly Gly Asn Val Leu Leu Asp Cys Ser Ala Glu
 50 55 60

Ser Asp Arg Gly Val Pro Val Ile Lys Trp Lys Lys Asp Gly Ile His
 65 70 75 80

Leu Ala Leu Gly Met Asp Glu Arg Lys Gln Gln Leu Ser Asn Gly Ser
 85 90 95

Leu Leu Ile Gln Asn Ile Leu His Ser Arg His His Lys Pro Asp Glu
 100 105 110

Gly Leu Tyr Gln Cys Glu Ala Ser Leu Gly Asp Ser Gly Ser Ile Ile
 115 120 125

Ser Arg Thr Ala Lys Val Ala Val Ala Gly Pro Leu Arg Phe Leu Ser
 130 135 140

Gln Thr Glu Ser Val Thr Ala Phe Met Gly Asp Thr Val Leu Leu Lys
 145 150 155 160

Cys Glu Val Ile Gly Glu Pro Met Pro Thr Ile His Trp Gln Lys Asn
 165 170 175

Gln Gln Asp Leu Thr Pro Ile Pro Gly Asp Ser Arg Val Val Val Leu
 180 185 190

Pro Ser Gly Ala Leu Gln Ile Ser Arg Leu Gln Pro Gly Asp Ile Gly
 195 200 205

Ile Tyr Arg Cys Ser Ala Arg Asn Pro Ala Ser Ser Arg Thr Gly Asn
 210 215 220

Glu Ala Glu Val Arg Ile Leu Ser Asp Pro Gly Leu His Arg Gln Leu
 225 230 235 240

Tyr Phe Leu Gln Arg Pro Ser Asn Val Val Ala Ile Glu Gly Lys Asp
 245 250 255

Ala Val Leu Glu Cys Cys Val Ser Gly Tyr Pro Pro Pro Ser Phe Thr
 260 265 270

Trp Leu Arg Gly Glu Glu Val Ile Gln Leu Arg Ser Lys Lys Tyr Ser
 275 280 285

Leu Leu Gly Gly Ser Asn Leu Leu Ile Ser Asn Val Thr Asp Asp Asp
 290 295 300

Ser Gly Met Tyr Thr Cys Val Val Thr Tyr Lys Asn Glu Asn Ile Ser

305		310		142		315		320							
Ala	Ser	Ala	Glu	Leu	Thr	Val	Leu	Val	Pro	Pro	Trp	Phe	Leu	Asn	His
			325						330					335	
Pro	Ser	Asn	Leu	Tyr	Ala	Tyr	Glu	Ser	Met	Asp	Ile	Glu	Phe	Glu	Cys
			340					345					350		
Thr	Val	Ser	Gly	Lys	Pro	Val	Pro	Thr	Val	Asn	Trp	Met	Lys	Asn	Gly
		355					360					365			
Asp	Val	Val	Ile	Pro	Ser	Asp	Tyr	Phe	Gln	Ile	Val	Gly	Gly	Ser	Asn
	370					375					380				
Leu	Arg	Ile	Leu	Gly	Val	Val	Lys	Ser	Asp	Glu	Gly	Phe	Tyr	Gln	Cys
385					390					395					400
Val	Ala	Glu	Asn	Glu	Ala	Gly	Asn	Ala	Gln	Thr	Ser	Ala	Gln	Leu	Ile
				405					410					415	
Val	Pro	Lys	Pro	Ala	Ile	Pro	Ser	Ser	Ser	Val	Leu	Pro	Ser	Ala	Pro
			420					425					430		
Arg	Asp	Val	Val	Pro	Val	Leu	Val	Ser	Ser	Arg	Phe	Val	Arg	Leu	Ser
		435					440					445			
Trp	Arg	Pro	Pro	Ala	Glu	Ala	Lys	Gly	Asn	Ile	Gln	Thr	Phe	Thr	Val
	450					455					460				
Phe	Phe	Ser	Arg	Glu	Gly	Asp	Asn	Arg	Glu	Arg	Ala	Leu	Asn	Thr	Thr
465					470					475					480
Gln	Pro	Gly	Ser	Leu	Gln	Leu	Thr	Val	Gly	Asn	Leu	Lys	Pro	Glu	Ala
				485					490					495	
Met	Tyr	Thr	Phe	Arg	Val	Val	Ala	Tyr	Asn	Glu	Trp	Gly	Pro	Gly	Glu
			500					505					510		
Ser	Ser	Gln	Pro	Ile	Lys	Val	Ala	Thr	Gln	Pro	Glu	Leu	Gln	Val	Pro
		515					520					525			
Gly	Pro	Val	Glu	Asn	Leu	Gln	Ala	Val	Ser	Thr	Ser	Pro	Thr	Ser	Ile
	530					535					540				
Leu	Ile	Thr	Trp	Glu	Pro	Pro	Ala	Tyr	Ala	Asn	Gly	Pro	Val	Gln	Gly
545					550					555					560
Tyr	Arg	Leu	Phe	Cys	Thr	Glu	Val	Ser	Thr	Gly	Lys	Glu	Gln	Asn	Ile
				565					570					575	
Glu	Val	Asp	Gly	Leu	Ser	Tyr	Lys	Leu	Glu	Gly	Leu	Lys	Lys	Phe	Thr
			580					585					590		
Glu	Tyr	Ser	Leu	Arg	Phe	Leu	Ala	Tyr	Asn	Arg	Tyr	Gly	Pro	Gly	Val
		595					600					605			
Ser	Thr	Asp	Asp	Ile	Thr	Val	Val	Thr	Leu	Ser	Asp	Val	Pro	Ser	Ala
	610					615					620				

143

Pro	Pro	Gln	Asn	Val	Ser	Leu	Glu	Val	Val	Asn	Ser	Arg	Ser	Ile	Lys	625	630	635	640
Val	Ser	Trp	Leu	Pro	Pro	Pro	Ser	Gly	Thr	Gln	Asn	Gly	Phe	Ile	Thr	645	650	655	
Gly	Tyr	Lys	Ile	Arg	His	Arg	Lys	Thr	Thr	Arg	Arg	Gly	Glu	Met	Glu	660	665	670	
Thr	Leu	Glu	Pro	Asn	Asn	Leu	Trp	Tyr	Leu	Phe	Thr	Gly	Leu	Glu	Lys	675	680	685	
Gly	Ser	Gln	Tyr	Ser	Phe	Gln	Val	Ser	Ala	Met	Thr	Val	Asn	Gly	Thr	690	695	700	
Gly	Pro	Pro	Ser	Asn	Trp	Tyr	Thr	Ala	Glu	Thr	Pro	Glu	Asn	Asp	Leu	705	710	715	720
Asp	Glu	Ser	Gln	Val	Pro	Asp	Gln	Pro	Ser	Ser	Leu	His	Val	Arg	Pro	725	730	735	
Gln	Thr	Asn	Cys	Ile	Ile	Met	Ser	Trp	Thr	Pro	Pro	Leu	Asn	Pro	Asn	740	745	750	
Ile	Val	Val	Arg	Gly	Tyr	Ile	Ile	Gly	Tyr	Gly	Val	Gly	Ser	Pro	Tyr	755	760	765	
Ala	Glu	Thr	Val	Arg	Val	Asp	Ser	Lys	Gln	Arg	Tyr	Tyr	Ser	Ile	Glu	770	775	780	
Arg	Leu	Glu	Ser	Ser	Ser	His	Tyr	Val	Ile	Ser	Leu	Lys	Ala	Phe	Asn	785	790	795	800
Asn	Ala	Gly	Glu	Gly	Val	Pro	Leu	Tyr	Glu	Ser	Ala	Thr	Thr	Arg	Ser	805	810	815	
Ile	Thr	Asp	Pro	Thr	Asp	Pro	Val	Asp	Tyr	Tyr	Pro	Leu	Leu	Asp	Asp	820	825	830	
Phe	Pro	Thr	Ser	Val	Pro	Asp	Leu	Ser	Thr	Pro	Met	Leu	Pro	Pro	Val	835	840	845	
Gly	Val	Gln	Ala	Val	Ala	Leu	Thr	His	Asp	Ala	Val	Arg	Val	Ser	Trp	850	855	860	
Ala	Asp	Asn	Ser	Val	Pro	Lys	Asn	Gln	Lys	Thr	Ser	Glu	Val	Arg	Leu	865	870	875	880
Tyr	Thr	Val	Arg	Trp	Arg	Thr	Ser	Phe	Ser	Ala	Ser	Ala	Lys	Tyr	Lys	885	890	895	
Ser	Glu	Asp	Thr	Thr	Ser	Leu	Ser	Tyr	Thr	Ala	Thr	Gly	Leu	Lys	Pro	900	905	910	
Asn	Thr	Met	Tyr	Glu	Phe	Ser	Val	Met	Val	Thr	Lys	Asn	Arg	Arg	Ser	915	920	925	

144

Ser Thr Trp Ser Met Thr Ala His Ala Thr Thr Tyr Glu Ala Ala Pro
930 935 940

Thr Ser Ala Pro Lys Asp Phe Thr Val Ile Thr Arg Glu Gly Lys Pro
945 950 955 960

Arg Ala Val Ile Val Ser Trp Gln Pro Pro Leu Glu Ala Asn Gly Lys
965 970 975

Ile Thr Ala Tyr Ile Leu Phe Tyr Thr Leu Asp Lys Asn Ile Pro Ile
980 985 990

Asp Asp Trp Ile Met Glu Thr Ile Ser Gly Asp Arg Leu Thr His Gln
995 1000 1005

Ile Met Asp Leu Asn Leu Asp Thr Met Tyr Tyr Phe Arg Ile Gln Ala
1010 1015 1020

Arg Asn Ser Lys Gly Val Gly Pro Leu Ser Asp Pro Ile Leu Phe Arg
1025 1030 1035 1040

Thr Leu Lys Val Glu His Pro Asp Lys Met Ala Asn Asp Gln Gly Arg
1045 1050 1055

His Gly Asp Gly Gly Tyr Trp Pro Val Asp Thr Asn Leu Ile Asp Arg
1060 1065 1070

Ser Thr Leu Asn Glu Pro Pro Ile Gly Gln Met His Pro Pro His Gly
1075 1080 1085

Ser Val Thr Pro Gln Lys Asn Ser Asn Leu Leu Val Ile Ile Val Val
1090 1095 1100

Thr Val Gly Val Ile Thr Val Leu Val Val Val Ile Val Ala Val Ile
1105 1110 1115 1120

Cys Thr Arg Arg Ser Ser Ala Gln Gln Arg Lys Lys Arg Ala Thr His
1125 1130 1135

Ser Ala Gly Lys Arg Lys Gly Ser Gln Lys Asp Leu Arg Pro Pro Asp
1140 1145 1150

Leu Trp Ile His His Glu Glu Met Glu Met Lys Asn Ile Glu Lys Pro
1155 1160 1165

Ser Gly Thr Asp Pro Ala Gly Arg Asp Ser Pro Ile Gln Ser Cys Gln
1170 1175 1180

Asp Leu Thr Pro Val Ser His Ser Gln Ser Glu Thr Gln Leu Gly Ser
1185 1190 1195 1200

Lys Ser Thr Ser His Ser Gly Gln Asp Thr Glu Glu Ala Gly Ser Ser
1205 1210 1215

Met Ser Thr Leu Glu Arg Ser Leu Ala Ala Arg Arg Ala Pro Arg Ala
1220 1225 1230

Lys Leu Met Ile Pro Met Asp Ala Gln Ser Asn Asn Pro Ala Val Val

1235 1240 145 1245
 Ser Ala Ile Pro Val Pro Thr Leu Glu Ser Ala Gln Tyr Pro Gly Ile
 1250 1255 1260
 Leu Pro Ser Pro Thr Cys Gly Tyr Pro His Pro Gln Phe Thr Leu Arg
 1265 1270 1275 1280
 Pro Val Pro Phe Pro Thr Leu Ser Val Asp Arg Gly Phe Gly Ala Gly
 1285 1290 1295
 Arg Ser Gln Ser Val Ser Glu Gly Pro Thr Thr Gln Gln Pro Pro Met
 1300 1305 1310
 Leu Pro Pro Ser Gln Pro Glu His Ser Ser Ser Glu Glu Ala Pro Ser
 1315 1320 1325
 Arg Thr Ile Pro Thr Ala Cys Val Arg Pro Thr His Pro Leu Arg Ser
 1330 1335 1340
 Phe Ala Asn Pro Leu Leu Pro Pro Pro Met Ser Ala Ile Glu Pro Lys
 1345 1350 1355 1360
 Val Pro Tyr Thr Pro Leu Leu Ser Gln Pro Gly Pro Thr Leu Pro Lys
 1365 1370 1375
 Thr His Val Lys Thr Ala Ser Leu Gly Leu Ala Gly Lys Ala Arg Ser
 1380 1385 1390
 Pro Leu Leu Pro Val Ser Val Pro Thr Ala Pro Glu Val Ser Glu Glu
 1395 1400 1405
 Ser His Lys Pro Thr Glu Asp Ser Ala Asn Val Tyr Glu Gln Asp Asp
 1410 1415 1420
 Leu Ser Glu Gln Met Ala Ser Leu Glu Gly Leu Met Lys Gln Leu Asn
 1425 1430 1435 1440
 Ala Ile Thr Gly Ser Ala Phe
 1445

<210> 96

<211> 4344

<212> DNA

<213> Homo sapiens

<400> 96

atggagaata gtcttagatg tgtttgggta cccaagctgg cttttgtact cttcggagct 60
 tccttgctca gcgcgcatct tcaagtaacc ggttttcaaa ttaaagcttt cacagcactg 120
 cgcttcctct cagaaccttc tgatgccgtc acaatgcggg gaggaatgt cctcctcgac 180
 tgctccgcgg agtccgaccg aggagttcca gtgatcaagt ggaagaaaga tggcattcat 240
 ctggccttgg gaatggatga aaggaagcag caactttcaa atgggtctct gctgatacaa 300
 aacatacttc attccagaca ccacaagcca gatgagggac tttaccaatg tgaggcatct 360
 ttaggagatt ctggctcaat tattagtcgg acagcaaaaag ttgcagtagc aggaccactg 420
 aggttccttt cacagacaga atctgtcaca gccttcattg gagacacagt gctactcaag 480
 tgtgaagtca ttggggagcc catgccaaaca atccactggc agaagaacca acaagacctg 540
 actccaatcc caggtgactc ccgagtgggtg gtcttgccct ctggagcatt gcagatcagc 600

cgactccaac	cgggggacat	tggaattttac	cgatgctcag	ctcgaaatcc	agccagctca	660
agaacaggaa	atgaagcaga	agtcagaatt	ttatcagatc	caggactgca	tagacagctg	720
tattttctgc	aaagaccatc	caatgtagta	gccattgaag	gaaaagatgc	tgtcctggaa	780
tgttggtgtt	ctggctatcc	tccaccaagt	tttacctggt	tacgaggcga	ggaagtcata	840
caactcaggt	ctaaaaagta	ttcttttattg	ggtggaagca	acttgcttat	ctccaatgtg	900
acagatgatg	acagtggaat	gtataacctgt	gttggtcacat	ataaaaaatga	gaatattagt	960
gcctctgcag	agctcacagt	cttggttccg	ccatggtttt	taaatcatcc	ttccaacctg	1020
tatgcctatg	aaagcatgga	tattgagttt	gaatgtacag	tctctggaaa	gcctgtgccc	1080
actgtgaatt	ggatgaagaa	tggagatgtg	gtcattccta	gtgattattt	tcagatagtg	1140
ggaggaagca	acttacggat	acttgggggtg	gtgaagtcag	atgaaggctt	ttatcaatgt	1200
gtggctgaaa	atgaggctgg	aaatgccag	accagtgcac	agctcattgt	ccctaagcct	1260
gcaatcccaa	gctccagtgt	cctcccttcg	gctcccagag	atgtggtccc	tgtcttggtt	1320
tccagccgat	ttgtccgtct	cagctggcgc	ccacctgcag	aagcgaaagg	gaacattcaa	1380
actttcacgg	tctttttctc	cagagaaggt	gacaacaggg	aacgagcatt	gaatacaaca	1440
cagcctgggt	cccttcagct	cactgtggga	aacctgaagc	cagaagccat	gtacaccttt	1500
cgagttgtgg	cttacaatga	atggggaccg	ggagagagtt	ctcaacccat	caaggtggcc	1560
acacagcctg	agttgcaagt	tccagggcca	gtagaaaacc	tgcaagctgt	atctacctca	1620
cctacctcaa	ttcttattac	ctgggaaccc	cctgcctatg	caaacggtcc	agtccaaggt	1680
tacagattgt	tctgcactga	ggtgtccaca	ggaaaagaac	agaatataga	ggttgatgga	1740
ctatcttata	aactggaagg	cctgaaaaaa	ttcaccgaat	atagtcttcg	attcttagct	1800
tataatcgct	atggtccggg	cgtctctact	gatgatataa	cagtggttac	actttctgac	1860
gtgccaagtg	ccccgcctca	gaacgtctcc	ctggaagtgg	tcaattcaag	aagtatcaaa	1920
gttagctggc	tgccctcctcc	atcaggaaca	caaatggat	ttattaccgg	ctataaaatt	1980
cgacacagaa	agacgacccg	caggggtgag	atggaaaacac	tggagccaaa	caacctctgg	2040
tacctattca	caggactgga	gaaaggaagt	cagtacagtt	tccaggtgtc	agccatgaca	2100
gtcaatggta	ctggaccacc	ttccaactgg	tatactgcag	agactccaga	gaatgatcta	2160
gatgaatctc	aagttcctga	tcaaccaagc	tctcttcctg	tgaggcccca	gactaactgc	2220
atcatcatga	gttggaactcc	tcccttgaaac	ccaaacatcg	tgggtgcgagg	ttatattatc	2280
ggttatggcg	ttgggagccc	ttacgctgag	acagtgcgtg	tggacagcaa	gcagcgatat	2340
tattccattg	agagggttaga	gtcaagtctc	cattatgtaa	tctccctaaa	agcttttaac	2400
aatgccggag	aaggagttcc	tctttatgaa	agtgccacca	ccaggtctat	aaccgatccc	2460
actgacccag	ttgattatta	tcccttgctt	gatgatttcc	ccacctcggt	cccagatctc	2520
tccaccccca	tgctcccacc	agtaggtgta	caggctgtgg	ctcttaccga	tgatgctgtg	2580
agggtcagct	gggcagacaa	ctctgtccct	aagaaccaa	agacgtctga	ggtgcgactt	2640
tacaccgtcc	ggtggagaac	cagcttttct	gcaagtgcaa	aatacaagtc	agaagacaca	2700
acatctctaa	gttacacagc	aacaggcctc	aaaccaaaca	caatgtatga	attctcggtc	2760
atggttaacaa	aaaacagaag	gtccagtaact	tggagcatga	ctgcacatgc	caccacgtat	2820
gaagcagccc	ccacctctgc	tcccaaggac	tttacagtca	ttactagggg	aggggaagcct	2880
cgtgccgtca	ttgtgagttg	gcagcctccc	ttggaagcca	atgggaaaat	tactgcttac	2940
atcttatttt	atacctttgga	caagaacatc	ccaattgatg	actggattat	ggaaacaatc	3000
agtgggtgata	ggcttactca	tcaaatacatg	gatctcaacc	ttgatactat	gtattacttt	3060
cgaattcaag	cacgaaattc	aaaaggagtg	gggccactct	ctgatcccat	cctcttcagg	3120
actctgaaag	tggaacaccc	tgacaaaatg	gtaattgacc	aaggtcgtca	tggagatgga	3180
ggttattggc	cagttgatac	taatttgatt	gatagaagca	ccctaaatga	gccgccaatt	3240
ggacaaatgc	accccccgca	tggcagtgct	actcctcaga	agaacagcaa	cctgcttggtg	3300
atcattgtgg	tcaccgttgg	tgtcatcaca	gtgctggtag	tggtcacgtg	ggctgtgatt	3360
tgcacccgac	gctcttcagc	ccagcagaga	aagaaacggg	ccaccacag	tgctggcaaa	3420
aggaagggca	gccagaagga	cctccgaccc	cctgatcttt	ggatccatca	tgaagaaatg	3480
gagatgaaaa	atattgaaaa	gccatctggc	actgacctg	caggaaggga	ctctcccatc	3540
caaagttgcc	aagacctcac	accagtcagc	cacagccagt	cagaaaccca	actgggaagc	3600
aaaagcacct	ctcattcagg	tcaagacact	gaggaagcag	ggagctctat	gtccactctg	3660
gagaggtcgc	tggctgcacg	ccgagccccc	cgggccaaag	tcatgattcc	catggatgcc	3720
cagtccaaca	atcctgctgt	cgtgagcgcc	atcccgggtg	caacgctaga	aagtgccag	3780
taccagga	tcttcccgct	tcccacctgt	ggatatcccc	acccgcagtt	cactctccgg	3840
cctgtgccat	tcccaacact	ctcagtgga	cgaggtttcg	gagcaggaag	aagtgcagtc	3900
gtgagtgaag	gaccaactac	ccaacaacca	cctatgctgc	ccccatctca	gcctgagcat	3960
tctagcagcg	aggaggcacc	aagcagaacc	atccccacag	cttgtgttcg	accaactcac	4020
ccactccgca	gctttgctaa	tcctttgcta	cctccaccaa	tgagtgcaat	agaaccgaaa	4080

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 00/05108

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C07K14/71 C12Q1/68 G01N33/50 G01N33/68
C07K16/18 C07K14/435

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07K C12N C12Q G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

BIOSIS, EMBASE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	ACKERMAN SUSAN L ET AL: "Cloning and mapping of the UNC5C gene to human chromosome 4q21-q23." GENOMICS, vol. 52, no. 2, 1998, pages 205-208, XP000946854 ISSN: 0888-7543 cited in the application	3,9,15
A	the whole document	1-18
A	WO 98 37085 A (UNIV CALIFORNIA) 27 August 1998 (1998-08-27)	1-28, 30-59, 61-64, 66,67,69
	the whole document	

	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

17 October 2000

Date of mailing of the international search report

08. 01. 2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

ANDRES S.M.

INTERNATIONAL SEARCH REPORT

Intern. Patent Application No

PCT/EP 00/05108

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 97 14424 A (UNIV CALIFORNIA) 24 April 1997 (1997-04-24) the whole document	19-23
A	COLAVITA ANTONIO ET AL: "Suppressors of ectopic UNC-5 growth cone steering identify eight genes involved in axon guidance in Caenorhabditis elegans." DEVELOPMENTAL BIOLOGY, vol. 194, no. 1, 1 February 1998 (1998-02-01), pages 72-85, XP000946782 ISSN: 0012-1606 cited in the application the whole document	23-25, 27,28

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 00/05108

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

see further information sheet invention 1

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-18 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

- 1.1. Claims: 1-6 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

A human Unc-5Cb protein (SEQ ID 2), nucleic acids encoding it (SEQ ID 1), vectors and cells expressing it and an antibody binding thereto. Methods for identifying compounds which are capable of modulating the binding of Unc-5Cb to an interacting protein.

- 1.2. Claims: 7-12,71,85 (totally) and 19-28,30-59,61-64, 66-67,69 (all partially)

As for subject 1.1, but concerning a human Unc-5Cc protein (SEQ ID 4).

- 1.3. Claims: 13-18 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

As for subject 1.1, but concerning a human Unc-5C8 protein (SEQ ID 6).

2. Claims: 19,29-58 (all partially)

A method, as characterised in claim 19, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

3. Claims: 20,29-58 (all partially)

A method, as characterised in claim 20, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

4. Claims: 21,29-58 (all partially)

A method, as characterised in claim 21, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

5. Claims: 22,29-58 (all partially)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

A method, as characterised in claim 22, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

6. Claims: 23-58 (all partially)

A method, as characterised in claim 23, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

7. Claims: 59,61-64,66-67,69 (all partially) and claims 60,65, 68 (totally)

A method for identifying compounds reducing or inhibiting the lethal phenotype associated with the expression of an UNC-5 death domain in yeast.

8. Claims: 70,80-84 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

A nucleic acid encoding the human unc-5H1 homolog (SEQ ID 7), probes and antisense nucleic acids hybridizing therewith, vectors and cells comprising it. Methods for identifying compounds which are capable of modulating the binding of Unc-5H1 to an interacting protein.

9. Claims: 72-73 (totally) and 19-31,53 (all partially)

A nucleic acid obtainable by digestion of pYMP17 with EcoRI and XhoI (SEQ ID 56). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 56.

10. Claims: 74-75 (totally) and 19-31,54 (all partially)

A nucleic acid obtainable by digestion of pYMP6 with EcoRI and XhoI (SEQ ID 54). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 54.

11. Claims: 76-77 (totally) and 19-31,57 (all partially)

A nucleic acid obtainable by digestion of pYMP11 with EcoRI and XhoI (SEQ ID 61). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 61.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

12. Claims: 78-79 (totally) and 19-31,58 (all partially)

A nucleic acid obtainable by digestion of pYMP12 with EcoRI and XhoI (SEQ ID 63). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 63.

Please note that all inventions mentioned under item 1, although not necessarily linked by a common inventive concept, could be searched without effort justifying an additional fee.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 00/05108

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9837085 A	27-08-1998	US 5939271 A	17-08-1999
		AU 718795 B	20-04-2000
		AU 6174498 A	09-09-1998
		EP 0973794 A	26-01-2000
WO 9714424 A	24-04-1997	US 5747262 A	05-05-1998
		AU 688698 B	12-03-1998
		AU 7433496 A	07-05-1997
		CA 2207505 A	24-04-1997
		EP 0802795 A	29-10-1997
		JP 10511558 T	10-11-1998
		US 6087326 A	11-07-2000